

From: Planning - <planning@adur-worthing.gov.uk>
Sent: 22 December 2025 16:24:39 UTC+00:00
To: "Support Planning" <support.planning@adur-worthing.gov.uk>
Subject: Fwd: Planning consultation - NOTICE/0015/25 97 - 99 Montague Street
Worthing West Sussex BN11 3BN

Planning | Adur & Worthing Councils
01903 221065 | <http://www.adur-worthing.gov.uk>

----- Forwarded message -----

From: **FRS Water and Access** <FRSWaterandAccess@westsussex.gov.uk>
Date: Mon, 22 Dec 2025 at 15:57
Subject: Planning consultation - NOTICE/0015/25 97 - 99 Montague Street Worthing West
Sussex BN11 3BN
To: planning@adur-worthing.gov.uk <planning@adur-worthing.gov.uk>

FAO: Finlay Gardner

Dear Finlay,

Having viewed the plans for the planning application no NOTICE/0015/25 for the Application for Prior Approval for Proposed change of use from retail (Use Class E) to four residential units (Use Class C3); evidence is required to show that all points inside all dwellings are within 45 metres of the location of a fire appliance in accordance with Approved Document B (AD-B) Volume 1: B5 section 13. This is to be measured along the hose lay route, not in a direct line or arc measurement. Any areas not within the 45m distance will need to be mitigated by the installation of domestic sprinkler or water mist systems complying with BS 9251 or BS8458 Standard.

Regards

Ian



Ian Stocks

Water & Access Manager - Protection

West Sussex Fire & Rescue Service

Office 0330 222 4499 **Mobile** 07921 291051


Web www.westsussex.gov.uk/fire

Email frs.waterandaccess@westsussex.gov.uk

Bognor Regis Fire Station Fire Station, West Meads Drive, West Sussex, PO19 1BD

My pronouns are he/him/his 

[Click here to find out why we use pronouns in our signatures](#)



LEGAL DISCLAIMER

This email and any attachments are confidential and intended solely for the persons addressed. If it has come to you in error please reply to advise us but you should not read it, copy it, show it to anyone else nor make any other use of its content. West Sussex County Council takes steps to ensure emails and attachments are virus-free but you should carry out your own checks before opening any attachment.
