
NOTE

ALL FINISHES
TO MATCH EXISTING




NORTH [front] 1/100




SOUTH 1/100


6100 MAX
[N/E 50% length of original building; sito measured as 12 200 min]




WEST 1/100




EAST 1/100
N/E 4000
O/ALL EXT'N



SECTION A A 1/50




BLOCK PLAN 1/500




LOCATION 1/1250

READ WITH GEN: NOTES & S.ENG's INFORMATION

SANITARY FITTINGS INDICATIVE ONLY
NO ELEMENT OF CONST N TO O/SAIL BOUNDARY
LINTOLS EXTERNAL CG 70/100
INTERNAL CN 100




ROOF PLAN 1/200



GROUND 1/100

NOTE ALL FW DRAINAGE TO BE REPLACED FROM DWELLING TO EXTG I.C. AT FRONT OF DRIVEWAY



FIRST 1/100

REVISIONS
A 10.3.11 conservatory enlarged & garage reduced

TREVOR E. UNSTED LTD
R.B.S. HOUSE • 59-61 SEA LANE • RUSTINGTON • WEST SUSSEX • BN16 2RQ Tel: 01903 863090

Client: MR: & MRS: P. ROBINSON.

Project: EXTENSION & ALTERATION AT 4; SECOND AVENUE; WORTHING; W/SUSSEX; BN 14, 9NX.

Drawing: PROPOSED

Scale: AS SHOWN	Drawing No.: 10/3788/1
Date: JAN·2011	
Drawn: tu.	Revisions: A
Copyright [redacted]	

The contractor must check all dimensions and levels on site ~~and no dimensions are to be scaled from drawings.~~

It is the contractor's responsibility to ensure compliance with all statutory authority requirements, carry out works with total regard to existing and retained structure. Works and materials to latest CP/BS.

Drawing to be read in strict accordance with engineer's information where applicable.

All structural timber C16 unless otherwise noted. All structural and external timber pressure impregnated with preservative, cut ends site swabbed with Cuprinol or similar treatment.

Local authority to witness satisfactory test on all new and affected foul/storm drainage.