

Customer Details

Name: Mr Tim Redd

Email:

Address: 14 Downscroft Burgess Hill

Comments Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Reasons for comment:

Comments: Dear Councillors,
Further to my objection filed in the above matter on 26 January 2026.
I am a regular visitor to this area, and I object, I have a pacemaker.
The ICNIRP Certificate does not cover a large proportion of local residents including me.
This is an acute Public Health and Safety issue which needs to be taken into account and is recognised by UKHSA.
Insurance companies do not insure against harm caused by electromagnetic fields or Radio Frequency Radiation, your first red flag!

The misleading glossy sales brochures lodged in support of this application do not erase those facts.
In several thousand studies, biological damage such as DNA damage has been shown to exist at levels far lower than the current guidelines, even the Industry itself document it.
Please read the objections already filed, and don't rely on your Planning Officer, who will sum all these researched and supported, valid concerns into one or two words. You must read the objections closely yourselves, they clearly state the true position, you are being thrown under the bus, along with the case officer. You are being steered away from looking at health and safety. Isn't that a red flag to you?
Also where do you think the ultimate liability lies, Councillors? Isn't that another red flag?
Read this list of exclusions and consider your position.

Appendix: List of Excluded Medical Devices and Metallic Implants

1. Active Implantable Medical Devices (AIMD):

Cardiac Pacemakers and Implantable Cardioverter Defibrillators (ICDs).

Implanted Neurostimulators (e.g., for pain management or Parkinson's).

Cochlear Implants and middle ear implants.

Infusion Pumps (e.g., insulin or baclofen pumps).

Programmable Hydrocephalus Shunts.

2. Passive Metallic Implants:

Orthopaedic Implants: Metal pins, plates, rods, screws, and total joint replacements (hips, knees, shoulders).

Cardiovascular Implants: Stents (cardiac, urinary, gynaecological), heart valves, and annuloplasty rings.

Contraceptive Devices: Copper IUDs (coils). Filschle clips.

Surgical Mesh: Metallic or metal-containing mesh used in hernia or pelvic organ prolapse repairs.

3. Dental and Other Implants:

Dental Hardware: Braces, dental implants, metal crowns, pins, and bridges.

Body Piercings: Any permanent or semi-permanent metallic jewellery.

Are you on that list? Any members of your family? Parents, Grandchildren, siblings?

Do you really believe the residents would be happy for you to wave through a decision based on a Planning Officer saying "there is no evidence of harm"? When it is well documented.

The supporting brochures are not independent, you need to think about why these applications are being hurried through and legally exposing those at the lower levels of the political pyramid, to the consequences.

There are NO long term safety studies on cumulative effects over a lifetime, from this untested, unregulated, experimental technology, and you want to expose the public?

No this has to be refused, do the right thing Councillors.

I suggest you take urgent advice from your Monitoring Officer.

Please note that Wera Hobhouse MP for Bath wrote a letter dated 27 February 2020 to DDCMS stating that anybody relying on ICNIRP is liable, not the guidance nor its issuer.

You wouldn't be aware of that, this needs a lot more of your attention than you are currently giving it.
