ADUR & WORTHING HOME IMPROVEMENT ASSISTANCE
ADUR & WORTHING COUNCILS
PORTLAND HOUSE
RICHMOND ROAD
WORTHING
BN11 1HS

Scale:	1:100	36\CRE	\01
Date:	May 2018		
Drwn:	Mike Peckham		

Access alterations

Mrs M Cowtey
39 Crest Rd.
Lancing
BN15 9NS

DATE	- 3 JUN 2018
PLAN	AWDM\ 0858\18

PLANNING SERVICES
ADUR & WORTHING

- Provide a secondary rail at mid-height
- Provide and install handrails to the bottom and steps. the handrails should finish 300mm beyond the bottom step and be at a height of 900mm.
- The bottom and steps to be finished in alb resistant concrete bayiore.
- The bottom and steps to be enclosed in face brick walls, finishing 150mm above the step and bottom.
- The bottom and steps to be enclosed in face brick walls, finishing 150mm above the step to have a minimum going of 300mm
- Build a bottom and step. Bottom to have minimum dimensions of 900 x 900mm and the
- Break out and remove the existing steps at the front door

0 100 500

Side elevation - as proposed

Side elevation - as existing

Plan - as proposed

Front Elevation - as proposed

Plan - as existing

Front Elevation - as existing