Uniclass L41302:P7114	EPIC D1312:X725
CI/SfB (31.42)	Xn6

September 2004

70mm DIAMOND SUITE WITH RIG EXTERNALLY GLAZED WINDOW FEATURED

Re-create the traditional look of timber windows, with Duraflex Diamond Featured Suite. As an integrated 70mm system, it not only looks good, due to the seamless sightlines, it is easy to install particularly in refurbishment projects. Security is not compromised, hardware can be specified according to the needs of each individual project. Complying with BS 7950 and BS 7413 this window is cost effective, secure and easy to install with a great deal of 'kerb side appeal'.



specification

- Profile:
  - 70mm Diamond Suite Externally Glazed Window Featured [RIG]
- Colours:
  - White, Mahogany, Golden Oak, Mahogany on White, Golden Oak on White

- Profiles used:
  - 7501 Intermediate Outerframe
  - 7502 Large Outerframe
  - 7532 'T' Transom/Mullion
  - 7533 'Z' Transom/Mullion
  - 6561 Externally beaded sash
  - 5850 Featured Bead







Featured outerframes





Featured 'T' and 'Z' transom/mullions







Featured externally glazed window general assembly

- Totally integrated 70mm system.
- Full depth Euro Groove that:
  - Is compatible with most types of hardware.
  - Makes adjustment and installation of hardware easier.
  - Is positioned to allow a large night vent facility.
  - Is situated at the reverse of the profile for enhanced security.
- Comprehensive system incorporates feature detail on all outerframes, transoms and sashes.
- Featured bead incorporates lowline gasket.
- Lowline gasket as standard.
- Complete compatibility with hinges, handles and hardware from the 65mm Diamond Suite.
- Full range of aluminum and steel reinforcement.
- Conforms to BS 7950 security standard.
- Complimented by a full range of ancillary products.
- Full range of co-ex bead styles capable of glazing 24mm and 28mm units.
- Common sightlines for both 70mm and 65mm systems.
- Internal and external glazing options available.
- Dedicated reinforcement sections available for maximum strength.
- Rolled-in Gasket [RIG].

DURAFLEX

THE NATURAL CHOICE IN PVCu

Severn Drive Tewkesbury Business Park Tewkesbury Gloucestershire GL20 8TX
Tel: 08705 351 351 www.duraflex.co.uk

DXLT0022

All information in this brochure is correct at the time of going to print. However, Duraflex reserve the right to change specifications for their profiles and accessory products in line with their policy of product development.

VELUX®

Top-Hung Roof Windows – open to 30°

www.velux.co.uk/products



Pine finish (GHL)

- Made of high quality natural pine with clear lacquer finish.
- Can be opened to 3 set positions, 5°, 15° and 30°.
- Ideal for shallow roof pitches.
- Rotates 180° for easy cleaning.
- Bottom handle for convenient opening.



- For roof pitches from 55°–75°, please specify special springs when ordering.



	External frame size (nominal w x h) cm	55 x 98	78 x 98	66 x 118	78 x 118	78 x 140	134 x 98	114 x 118
Product Code		C04	M04	F06	M06	M08	U04	S06
GHL 3059 U-value 1.4 W/m²K	Toughened outer pane	£288.00	£324.00	£348.00	£366.00	£402.00	£462.00	£474.00
GHL 3073 U-value 1.4 W/m²K	Laminated inner, toughened outer pane Clear and clean coating	£336.00	£378.00	£402.00	£420.00	£456.00	£534.00	£546.00
GHL 3060 U-value 1.3 W/m²K	Laminated inner, toughened outer pane Clear and clean coating, noise reduction	£360.00	£414.00	£438.00	£456.00	£492.00	£582.00	£594.00

* Sizes suitable for emergency escape requirements.

Prices valid from February 2011. All prices include VAT



Our Top-Hung GHL windows in classic pine finish are the perfect way to let in sunshine, fresh air and clear views of the outdoors. Ideal for shallower pitched roofs, these windows can be easily combined together to create visual impact and a bright, airy space.

These windows are designed to be used in rooms where the bottom handle can be easily reached for operation.

Brochures

Here you can find our range of brochures to order or download.

See our brochures

Other considerations

Have you also considered?

White polyurethane finish

Combining the windows together for more daylight

Adding blinds for decoration or heat protection

Upgrading your glazing to a higher performance pane

Product features:

- Top-Hung and with three preset opening positions at 5°, 15° and 30°, the GHL offers you an unrestricted view.
- Powerful, yet gentle springs allow for easy opening and closing.
- Bottom handle for convenient opening.
- Rotates 180° for easy cleaning of outer pane.
- Suitable for emergency escape in certain sizes.
- Warmth of natural pine with long lasting triple coat finish.

Prices starting from £288.00 (inc. VAT from 1st Feb 2011)

Size and price information



Operation
Experience a clear view with three preset opening positions up to 30°. The bottom handle allows for easy operation.



Ventilation flap
Our unique ventilation flap allows background ventilation even with the window securely closed.



Natural pine finish
Warmth of natural pine with long lasting triple coat finish.
A white polyurethane finish is also available



Case study
Click here to see case studies showing how VELUX can flood your home with daylight.

Read more

Glazing options



(--59)

Standard --59 Pane
This standard glazing comes with a toughened outer pane. In winter, it reflects 60% of the heat normally lost through glass, back into the room. During the summer, it works in reverse by reflecting excessive heat from the sun to help prevent the room from overheating.



(--73)

--73 Pane
An improved version of our Standard --59 Pane, this glazing comes with a toughened outer and laminated inner pane. This makes it ideal for windows that are positioned above head height. As well as giving you extra protection against breakage, it has improved noise reduction, compared with --59 Pane. It also comes with our clear and clean outer coating, which helps the window stay cleaner for longer. Ideal for high-level applications, which are hard to access.



(--60)

--60 Pane
As with the --73 Pane, it comes with a laminated inner for extra protection. The added benefit of the --60 Pane is that it offers even better energy efficiency and noise reduction. It also comes with our clear and clean outer coating, which helps the window stay cleaner for longer. Ideal for high-level applications, which are hard to access.

VELUX®

Top-Hung Roof Windows – open to 30°

www.velux.co.uk/products



Pine finish (GHL)

- Made of high quality natural pine with clear lacquer finish.
- Can be opened to 3 set positions, 5°, 15° and 30°.
- Ideal for shallow roof pitches.
- Rotates 180° for easy cleaning.
- Bottom handle for convenient opening.



- For roof pitches from 55°–75°, please specify special springs when ordering.



External frame size (nominal w x h) cm		55 x 98	78 x 98	66 x 118	78 x 118	78 x 140	134 x 98	114 x 118
Product Code		C04	M04	F06	M06	M08	U04	S06
GHL 3059 U-value 1.4 W/m²K	Toughened outer pane	£288.00	£324.00	£348.00	£366.00	£402.00	£462.00	£474.00
GHL 3073 U-value 1.4 W/m²K	Laminated inner, toughened outer pane Clear and clean coating	£336.00	£378.00	£402.00	£420.00	£456.00	£534.00	£546.00
GHL 3060 U-value 1.3 W/m²K	Laminated inner, toughened outer pane Clear and clean coating, noise reduction	£360.00	£414.00	£438.00	£456.00	£492.00	£582.00	£594.00

* Sizes suitable for emergency escape requirements.

Prices valid from February 2011. All prices include VAT



Our Top-Hung GHL windows in classic pine finish are the perfect way to let in sunshine, fresh air and clear views of the outdoors. Ideal for shallower pitched roofs, these windows can be easily combined together to create visual impact and a bright, airy space.

These windows are designed to be used in rooms where the bottom handle can be easily reached for operation.

Brochures

Here you can find our range of brochures to order or download.

See our brochures

Other considerations

Have you also considered?

White polyurethane finish

Combining the windows together for more daylight

Adding blinds for decoration or heat protection

Upgrading your glazing to a higher performance pane

Product features:

- Top-Hung and with three preset opening positions at 5°, 15° and 30°, the GHL offers you an unrestricted view.
- Powerful, yet gentle springs allow for easy opening and closing.
- Bottom handle for convenient opening.
- Rotates 180° for easy cleaning of outer pane.
- Suitable for emergency escape in certain sizes.
- Warmth of natural pine with long lasting triple coat finish.

Prices starting from £288.00 (inc. VAT from 1st Feb 2011)

Size and price information



Operation
Experience a clear view with three preset opening positions up to 30°. The bottom handle allows for easy operation.



Ventilation flap
Our unique ventilation flap allows background ventilation even with the window securely closed..



Natural pine finish
Warmth of natural pine with long lasting triple coat finish.
A white polyurethane finish is also available



Case study
Click here to see case studies showing how VELUX can flood your home with daylight.

Read more

Glazing options



(--59)

Standard --59 Pane
This standard glazing comes with a toughened outer pane. In winter, it reflects 60% of the heat normally lost through glass, back into the room. During the summer, it works in reverse by reflecting excessive heat from the sun to help prevent the room from overheating



(--73)

73 Pane
An improved version of our Standard --59 Pane, this glazing comes with a toughened outer and laminated inner pane. This makes it ideal for windows that are positioned above head height. As well as giving you extra protection against breakage, it has improved noise reduction, compared with --59 Pane. It also comes with our clear and clean outer coating, which helps the window stay cleaner for longer. Ideal for high-level applications, which are hard to access.



(--60)

60 Pane
As with the --73 Pane, it comes with a laminated inner for extra protection. The added benefit of the --60 Pane is that it offers even better energy efficiency and noise reduction. It also comes with our clear and clean outer coating, which helps the window stay cleaner for longer. Ideal for high-level applications, which are hard to access.

Uniclass L41101:P7114	EPIC D1112:X725
CI/SfB (31.52)	Xn6

September 2004

65mm DIAMOND SUITE WITH RIG RESIDENTIAL DOOR BEVELLED

The bevelled residential door can be combined with any style of panel, from the cost-effective vacuum-formed to high performance composites, to create the desired effect. As it has complete compatibility with all leading types of hardware, it provides the opportunity to mix and match depending on the individual project requirements.



specification

- Profile:
  - 65mm Diamond Suite Residential Door Bevelled [RIG]
- Colours:
  - White, Mahogany, Golden Oak, Mahogany on White, Golden Oak on White

- Profiles used:
  - 6002 Large Outerframe
  - 6062 Externally Opening Door Sash
  - 6063 Internally Opening Door Sash
  - 6036 Midrail / Large 'T' Transom/Mullion
  - 3736 Treadplate
  - 3737 Kickplate





Residential door [bevelled] internally glazed, outward opening.



Midrail section with a letterplate







Residential door [bevelled] internally glazed, inward opening.

- Specialist profile for internal and external openings and midrail.
- Eurogroove mounted hardware which also fixes into reinforcing, thereby increasing security.
- Compatible with all leading types of hardware.
- Standard angle on outside edge of sash provides compatibility with industry standard hinges.
- Stand alone midrail allows a full size letterplate.
- Full range of steel reinforcing increases strength and security.
- Full range of co-ex bead styles capable of glazing 24mm and 28mm units.
- Rolled-in Gasket [RIG].

DURAFLEX

THE NATURAL CHOICE IN PVCu

Severn Drive Tewkesbury Business Park Tewkesbury Gloucestershire GL20 8TX
Tel: 08705 351 351 www.duraflex.co.uk

DXLT0025

All information in this brochure is correct at the time of going to print. However, Duraflex reserve the right to change specifications for their profiles and accessory products in line with their policy of product development.