



CBR (%)	Sub-base without geogrid/geotextile (mm)	Sub-base with geogrid/geotextile (mm)
<2	N/A	300
2-3	325	225
3-5	250	150
5-7	150	N/A
7-20	100	N/A

1. CBR Table applies only to non-adoptable roads.
2. For roads with Type 3 sub-base thickness on standard details shall be minimum and not reduced based on above table to ensure attenuation volume is provided.
3. For adopted roads refer to WSCC Standard Detail drg. no. S278/S38/21.
4. Non-adopted carriageway sub-base thicknesses stated on this drawing assume 3% CBR unless stated otherwise.

Ordnance Survey Licence number: 100057360

Drawing Revisions

Rev:	Drn:	Date:	Details:	Chk:	App:
P01	AM	29/08/2025	First issue	LP	BM
P02	JB	30/09/2025	Issued for tender	LP	BM

Persimmon Homes
Thames Valley

project

West Sompting, West Sussex

Phase 2 External Works Adoptable Standard Details

MILESTONE
TRANSPORT PLANNING

7 Ancells Court, Rye Close, Fleet, Hampshire, GU51 2UY
Tel: 01483 397888

Gateshead IBC, Mulgrave Terrace, Gateshead, NE8 1AN
Tel: 0191 338 7220

3 Wharfside Street, Spaces The Mailbox Level 1, Birmingham, B1 1RD
Tel: 0121 661 9881

web: www.milestonenetp.co.uk

As Shown @ A1	Revision P02
---------------	--------------

Drawing Number

611-0708

