



					Borehole Log			Borehole No. WS101	
Project Name: Sompting					Project No. 20612		Co-ords: 516753.24 - 105505.38		Sheet 1 of 1
Location: West Sussex					Level: 17.72		Hole Type WS		
Client: Persimmon Homes South Coast					Dates: 12/02/2014 - 12/02/2014		Logged By WS		
Back fill / Well	Water Strikes	Samples and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
		0.30	ES		0.40	17.32		Grass cover. Very soft brown slightly gravelly silty CLAY. Gravel of angular fine flint. (MADE GROUND) (MADE GROUND)	
		0.60	ES					Soft brown sandy gravelly CLAY. Sand is coarse grained. Gravel of angular fine to coarse flint and chalk. (HEAD DEPOSITS) (HEAD DEPOSITS)	
		1.00	S	N=12 (2,3/3,3,3,3)	1.00 1.00	16.72		Firm light yellow cream sandy gravelly CLAY. Sand is coarse grained. Gravel of angular fine to coarse flint and chalk. Dark brown orange from 3.0m. (HEAD DEPOSITS) (HEAD DEPOSITS)	1
		1.30	D						
		2.00	S	N=14 (1,1/2,3,5,4)	2.00				2
		2.70	D						
		3.00	S	N=9 (3,3/2,2,2,3)	3.00				3
		3.40	D						
		4.00	S	N=14 (2,2/2,3,4,5)	4.00				4
		4.50	D						
					5.00	12.72		End of borehole at 5.00 m	5
Remarks No groundwater encountered.									

					Borehole Log			Borehole No. WS102	
Project Name: Sompting					Project No. 20612		Co-ords: 516627.51 - 105323.59		Sheet 1 of 1
Location: West Sussex					Level: 14.12		Hole Type WS		
Client: Persimmon Homes South Coast					Dates: 12/02/2014 - 12/02/2014		Logged By WS		
Back fill / Well	Water Strikes	Samples and In Situ Testing			Depth (m)	Level (m)	Legend	Stratum Description	
		Depth (m)	Type	Results					
		0.30	ES		0.30	13.82		Grass cover. Very soft brown slightly gravelly silty CLAY. Gravel of angular fine to medium flint with occasional rootlets. (MADE GROUND)	
		0.70	ES					(MADE GROUND)	
		1.00	S	N=13 (1,2/3,4,3,3)	1.00			Firm brown sandy very gravelly CLAY. Sand is coarse grained. Gravel of angular fine to coarse flint and chalk. At 2.7m light yellow to cream colour. From 3.0m bgl unit stiff. (HEAD DEPOSITS)	1
		1.80	D						
		2.00	S	N=14 (2,2/3,4,4,3)	2.00				2
		2.70	D						
		3.00	S	N=24 (5,7/5,6,6,7)	3.00				3
		3.20	D						
		4.00	S	N=32 (5,7/7,8,8,9)	4.00				4
		4.70	D						
					5.00	9.12	End of borehole at 5.00 m		5
Remarks No groundwater encountered.									