
830W STEPLIFT

UPPER GATE
ALUMINIUM GLAZED

HANDRAILS:
SPECIAL (SEE DRAWINGS)

GLASS SIDE PANELS

CUSTOM COLOUR : BLACK



1834
1400
1065

1700
1750
700 TRAVEL


830W STEPLIFT

UPPER GATE
ALUMINIUM GLAZED

HANDRAILS:
40x40mm ALUMINIUM BOX SECTION

GLASS SIDE PANELS

CUSTOM COLOUR : BLACK



POLLOCKLIFTS - TEL. +44 28 9336 8167, www.pollocklifts.co.uk , info@pollocklifts.co.uk

pollock Lifts


Drawing by:
Tomasz LUKASZEK


POLLOCK LIFTS - TEL. +44 28 9335 8167, www.pollocklifts.co.uk, info@pollocklifts.co.uk

pollock
Lifts

Drawing by:
Tomasz LUKASZEK

NOTE THIS DRAWING IS FOR GUIDANCE ONLY AND MUST NOT BE USED AS A PROPER WORKING DRAWING. FOR ENQUIRIES ABOUT THE LIFT PLEASE CONTACT THE **Platform Lift Co** - TEL 01256 880000





Step Lift Platform Specification

Load: 250Kg
Drive: Electro-hydraulic
Speed: 0.25mm\sec
Travel: Max 1m
Power: 240v 1ph 50Hz 10A
Stops: 2
Colour: Platform = RAL 9006 (std)
Gate section = RAL 9006 (std)
(other RAL colours available)
Gate Section: Glazed as standard
Gate Handing: Left hand or Right hand
Upper Call Station: Mounted on gate post
Lower Call Station: Wall mounted

Building work required


1 - Provide power supply
2 - Provide upper floor adequate for fixing the gate section
3 - Provide finish flooring on lower and upper level
4 - Provide conduit for cables


Gate Section Fixing Detail


plattcompany liftCompany
Aboley Barns, Aboley, Near Andover, Hants, SP11 8NA
Tel - 01256 880000
Fax - 01256 880000
E-mail - info@plattformlifco.co.uk
website - www.plattformlifco.co.uk

TITLE				
1m Step Lift - 250Kg Rated - Through				
REV	DWG NO.	DATE	SCALE	
B		3\8\10	NTS	
CB		DRAWN		

NOTE THIS DRAWING IS FOR GUIDANCE ONLY AND MUST NOT BE USED AS A PROPER WORKING DRAWING. FOR ENQUIRIES ABOUT THE LIFT PLEASE CONTACT THE **Platform Lift Co** - TEL 01256 898000







Step Lift Platform Specification

Load:	300kg
Drive:	Electro-hydraulic
Speed:	0.02m\sec
Travel:	Max 1m
Power:	240v 1ph 50Hz 10A
Stops:	2
Colour:	Blev 700 Sable (RAL or BS on request)
Gate Section:	Glazed as standard
Gate Handing:	Left hand or Right hand
Upper Call Station:	Mounted on gate post
Lower Call Station:	Wall \ Stanchion or Flush mounted

Building work required

1 - Provide power supply
2 - Provide upper floor adequate for fixing the gate section
3 - Provide finish flooring on lower and upper level
4 - Provide conduit for cables if recessed

Platform LiftCompany
Apsley Barns, Apsley, Near Andover, Hants, SP11 6NA
Tel - 01256 898000
Fax - 01256 898900
E-mail - info@platformliftco.co.uk
website - www.platformliftco.co.uk

TITLE	1m Step Lift - Through		
DWG NO.	1m Step Lift - 300kg - 900mm Width		REV B
SCALE NTS	DATE 9\8\10	DRAWN CR	