ADUR DISTRICT COUNCIL

Mr John Whiting
John Whiting Architect
14 Bates Road
Brighton
BN1 6PG

PLANNING PERMISSION

TOWN AND COUNTRY PLANNING ACT 1990
TOWN AND COUNTRY PLANNING (DEVELOPMENT MANAGEMENT PROCEDURE) (ENGLAND) ORDER 2015

APPLICATION NUMBER: AWDM/0957/20

Details of Development
OUTLINE PLANNING APPLICATION WITH ALL MATTERS RESERVED FOR DEMOLITION OF EXISTING DWELLING AND ERECTION OF TWO DETACHED DWELLINGS. RE-SUBMISSION OF PREVIOUSLY APPROVED AWDM/0650/13.

Location of Development
28 RING ROAD LANCING WEST SUSSEX BN15 0QE

In pursuance of their powers under the above-mentioned Act and Order the Council hereby notify you that they PERMIT the above development, in accordance with the application and relevant correspondence registered on 24th June 2020.

This is for reasons stated on the schedule overleaf and subject to compliance with the conditions specified thereon.

G Peck

Gary Peck
Planning Services Manager
02/09/2020

Adur District Council, Development Management, Economy Directorate,
Portland House, 44 Richmond Road, Worthing, West Sussex, BN11 1HS
Tel: 01903 221065 Email: planning@adur-worthing.gov.uk
Web: www.adur-worthing.gov.uk

SCHEDULE

Conditions

01. The development hereby permitted shall be carried out in accordance with the following approved plans unless specified otherwise in a subsequent condition imposed on this decision notice:-

Reference/Drawing Number	Version	Date Rec
LOCATION & BLOCK PLANS	1303/P/001	24.06.2020

Reason: *For the avoidance of doubt and in the interests of proper planning.*

02. Details of access, appearance, landscaping, layout and scale (hereinafter called "the reserved matters") shall be submitted to and approved in writing by the Local Planning Authority before any development begins and the development shall be carried out as approved.

Application for approval of the reserved matters shall be made to the Local Planning Authority not later than 3 years from the date of this permission.

The development hereby permitted shall not begin later than two years from the date of approval of the last of the reserved matters to be approved.

Reason: *To enable the Local Planning Authority to control the development in detail and to comply with section 92 of the Town and Country Planning Act 1990.*

03. The outline permission hereby granted relates to the site outlined in red on the submitted Location Plan [Drawing no. 1303/P/001 received on 24 June 2020) and does not grant approval for the details of access, appearance, landscaping, layout and scale [shown on Drawing No 1303/P/002 received on 24 June 2020) submitted as supplementary information in support of but not forming part of this outline application.

Reason: *For the avoidance of doubt and to enable the Local Planning Authority to retain control over the detailed design.*

04. Development shall not commence, other than works of site survey and investigation, until full details of the proposed surface water drainage scheme have been submitted to and approved in writing by the Local Planning Authority. The design should follow the hierarchy of preference for different types of surface water drainage disposal systems as set out in Approved Document H of the Building Regulations, and the recommendations of the SuDS Manual produced by CIRIA. Winter groundwater monitoring to establish highest annual ground water levels and winter infiltration testing to BRE DG365, or similar approved, will be required to support the design of any Infiltration drainage. No building / No part of the extended building shall be occupied until the complete surface water drainage system serving the property has been implemented in accordance with the agreed details and the details so agreed shall be maintained in good working order in perpetuity.

Reason: *To ensure adequate drainage and to comply with the National Planning Policy Framework and policy 36 of the Adur Local Plan.*

05. No development shall be commenced until a scheme for the provision and implementation of foul drainage works has been submitted to and approved in writing by the Local Planning Authority. These drainage works shall be completed in accordance with the details and timetable approved by the Local Planning Authority and no dwellings occupied prior to completion of the works.

Reason: *To prevent pollution of the water environment by ensuring the necessary infrastructure is in place and to ensure that the development is adequately drained having regard to policy 36 of the Adur Local Plan.*

06. No development shall take place unless and until there has been submitted to and approved in writing by the Local Planning Authority a scheme of soft and hard landscaping, which shall include indications of all existing trees and hedgerows on the land and details of those to be retained, together with measures for their protection in the course of development. All planting, seeding or turfing comprised in the approved details of landscaping shall be carried out in the first planting and seeding seasons following the occupation of the buildings or the completion of the development, whichever is the sooner, and any trees or plants which within a period of 5 years from the completion of the development die, are removed or become seriously damaged or diseased shall be replaced in the next planting season with others of similar size and species, unless the Local Planning Authority gives written consent to any variation. The approved details of hard landscaping shall be completed prior to occupation of the buildings.

Reason: *In the interests of visual amenity and the environment and to comply with policy 30 of the Adur Local Plan.*

07. The dwellings hereby permitted shall not be occupied until provision for access and parking of vehicles and cycles, including provision for electric vehicle charging, has been made in accordance with details to be submitted to and approved in writing by the Local Planning Authority and such provision shall thereafter be used only for access and parking of vehicles and cycles incidental to the use of the proposed development.

Reason: *In the interests of highway safety highway and sustainability and having regard to the National Planning Policy Framework and policy 28 of the Adur Local Plan.*

08. No development shall be carried out unless and until a schedule of materials and finishes to be used for the external walls (including windows and doors) and roofs of the proposed buildings has been submitted to and approved in writing by the Local Planning Authority and the development shall be completed in accordance with the approved schedule.

Reason: *In the interests of visual amenity and to comply with policy 15 of the Adur Local Plan.*

09. Prior to the commencement of development, details of the floor level of the proposed dwellings and any alterations to the ground levels of the site shall be submitted to and approved in writing by the Local Planning Authority and the development shall be carried out in strict accordance with such details as approved.

Reason: *In the interests of amenity and the environment having regard to policy 15 of the Adur Local Plan.*

10. The outline permission hereby granted is for two detached two-storey dwellings.

Reason: *For the avoidance of doubt and to enable the Local Planning Authority to retain control over the detailed design.*

11. All glazing in the side elevations of the dwellings shall at all times be obscure-glazed and non-opening (except that part which is above 1.7 metres above the floor of the room in which the window is installed) and it shall not subsequently be altered in any way.

Reason: *To prevent overlooking and to comply with policy 15 of the Adur Local Plan.*

12. No development shall take place, including any works of demolition, until a Construction Method Statement has been submitted to and approved in writing by the Local Planning Authority. The development shall be carried out in accordance with the approved Method Statement and shall be adhered to throughout the construction period. The Statement shall provide for:-
(i) the parking of vehicles of site operatives and visitors;
(ii) loading and unloading of plant and materials;
(iii) storage of plant and materials used in constructing the development;
(iv) the erection and maintenance of security hoarding;
(v) wheel-washing facilities;
(vi) measures to control the emission of dust and dirt during construction; and
(vii) a scheme for recycling/disposing of waste resulting from demolition and construction works.

Reason: *In the interests of highway safety and amenity and having regard to policy 34 of the Adur Local Plan.*

13. Works of construction or demolition, including the use of plant and machinery, necessary for implementation of this consent shall be limited to the following times.

Monday - Friday 08:00 - 18:00 Hours
Saturday 09:00 - 13:00 Hours
Sundays and Bank Holidays no work permitted

Reason: *In the interests of amenity having regard to policy 34 of the Adur Local Plan.*

14. No development shall commence until full details of sustainable energy measures and sustainable design features to be used in the development have been submitted to and approved in writing by the Local Planning Authority. The dwellings shall be completed in accordance with those approved details.

    Reason: *In the interests of sustainable development having regard to policies 18 and 19 of the Adur Local Plan and the Council's Sustainable Energy SPD (August 2019).*

Informatives / Notes to Applicant

1. The Local Planning Authority has acted positively and proactively in determining this application by assessing the proposal against all material considerations, including planning policies and any representations that may have been received and subsequently determining to grant planning permission in accordance with the presumption in favour of sustainable development, as set out within the National Planning Policy Framework.

2. Infiltration rates for soakage structures are to be based on percolation tests undertaken in the winter period and at the location and depth of the proposed structures. The percolation tests must be carried out in accordance with BRE DG365, CIRIA R156 or a similar approved method and cater for the 1 in 10 year storm between the invert of the entry pipe to the soakaway, and the base of the structure. It must also have provision to ensure that there is capacity in the system to contain below ground level the 1 in 100 year event plus 40% on stored volumes, as an allowance for climate change. Adequate freeboard must be provided between the base of the soakaway structure and the highest recorded annual groundwater level identified in that location. Any SuDS or soakaway design must include adequate groundwater monitoring data to determine the highest winter groundwater table in support of the design. The applicant is advised to discuss the extent of groundwater monitoring with the Council's Engineers. Further detail regarding our requirements are available on the following webpage: https://www.adurworthing. gov.uk/planning/applications/submit-fees-forms.

   A surface water drainage checklist is available on this webpage. This clearly sets out our requirements for avoiding pre-commencement conditions, or to discharge conditions

3. A formal application for connection to the public sewerage system is required in order to service this development. Please read our New Connections Services Charging Arrangements documents which has now been published and is available to read on our website via the following link:

   southernwater.co.uk/developing-building/connection-charging-arrangements

   The Council's Building Control officers or technical staff should be asked to comment on the adequacy of soakaways to dispose of surface water from the proposed development.
   For further advice, please contact Southern Water, Southern House, Yeoman Road, Worthing,
   West Sussex, BN13 3NX (Tel: 0330 303 0119).

Website: southernwater.co.uk or by email at:
SouthernWaterPlanning@southernwater.co.uk

4. The applicant is advised to contact the Council's Environmental Health section for a demolition notice under the Building Act 1984 prior to any demolition taking place.

Ref: AWDM/0957/20

TOWN AND COUNTRY PLANNING ACT 1990
TOWN AND COUNTRY PLANNING (GENERAL PERMITTED DEVELOPMENT) (AMENDMENT) (ENGLAND) ORDER 2015

YOUR ATTENTION IS DIRECTED TO THE FOLLOWING NOTES FROM THE ABOVE ORDER. THEY ARE FOR INFORMATION ONLY AND DO NOT PRETEND TO SET OUT THE WHOLE OF THE LAW ON THE SUBJECT. IT WOULD BE WELL FOR YOU TO CONSULT YOUR SOLICITOR IF YOU ARE IN ANY DOUBT

Appeals to the Secretary of State

1. If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.

2. If you want to appeal, then you must do so within six months, 12 weeks for a minor commercial (shop front) of the date of this notice. Appeals must be made using a form which you can get from the Secretary of State online at https://acp.planninginspectorate.gov.uk or at Temple Quay House, 2 The Square, Temple Quay, Bristol BS1 6PN (Tel: 0303 444 5000).

3. The Secretary of State can allow a longer period for giving notice of an appeal, but he will not normally be prepared to use this power unless there are special circumstances, which excuse the delay in giving notice of appeal.

4. The Secretary of State need not consider an appeal if it seems to him that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

5. In practice, the Secretary of State does not refuse to consider appeals solely because the local planning authority based their decision on a direction given by him.

6. If you intend to submit an appeal that you would like examined by inquiry then you must notify the Local Planning Authority and Planning Inspectorate (inquiryappeals@planninginspectorate.gov.uk) at least 10 days before submitting the appeal. Further details are on GOV.UK.

Purchase Notices

7. If either the local planning authority or the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

8. In these circumstances, the owner may serve a purchase notice on the District Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Planning Act 1990.

9. Further correspondence about this application should quote the reference number at the top right hand corner of the form.

10. Where this notice conveys approval or permission, conditional or unconditional, please note that the decision given does not purport to convey any consent or approval which may be required under the Building Act and Building Regulations, or any other legislation.

Reduced time for making a planning appeal where enforcement action is being taken

Where an enforcement notice has been served in relation to the same, or substantially the same, development as in the planning application no earlier than 2 years before the date the application was made, the period for receiving a planning appeal is within 28 days of the date on the planning application decision notice or of the date by which the LPA should have decided the application.

/Contd …

However, the LPA may formally decline to determine a retrospective planning application for permission for any development contained within a pre-existing enforcement notice served on or after 6 April 2012, where that notice was issued before the application was received by the LPA (see above). There is no right to make a planning appeal in such circumstances.

Where an enforcement notice was served in relation to the same, or substantially the same, development after the decision notice on the application was issued or after the end of the period the LPA had to determine the application, the period for receiving a planning appeal is within 28 days of the date the enforcement notice was served (unless this would extend the period beyond the normal 12 weeks or 6 months deadline).