ADUR
DISTRICT COUNCIL

Internal memo

Leisure and
Direct Services

From: Jeremy Sergeant

Ref.: JS/69.42

Date: 29/10/09

To: Hannah Barker

Your ref:

Tree Survey and Inspection

Tree (*Species*)	T1 = Field Maple T2 = Willow	Age (*est*):	T1 = 30yrs T2 = 30	Height:	T1 = 12+m T2 = 4m

LOCATION (Site Address) 36 John Street Shoreham-by-Sea

Proximity of other trees

Importance of tree to locality Conservation area Tpo Tree

REASON FOR REPORT

Request to crown lift two trees overhanging rear garden from neighbouring properties;
27 Middle Street = Field Maple
21 Middle Street = Willow
Neither tree is visible from the road.

REMARKS / CONDITION:

T1 = Tree overhanging from neighbours property. There two large limbs that are close to the roof of a garden building. Removal of these and some other branches would not be detrimental to the tree, although the owners may wish to carry out further reduction works on the East side of the tree.
T2 = Small willow tree with minimal overhang. Removal of selected branches would have little effect on the tree.

WORK / REQUIREMENTS;

T 1 = Crown reduce by up to 40% removing largest low hanging limbs.
T2 = Reduce by up to 30% away from wall
Recommend above works be permitted.

TREE VALUE

A	Important tree worth saving	
B	Less important than above	✓= T1 & 2
C	Suspect tree requires monitoring	
D	Dead or of no consequence	