* WINDOW TO BE REPLACED NORTH ELEVATION



FLAT 16 SWANBOROUGH COURT NEW RD SHOREHAM

Approved

Variation of Contract

Anglian Home Improvements

Branch name: [illegible]

Branch number: (016)

Sales representative name: [illegible]

Sales representative number: [illegible]

Showroom name: [illegible]


Showroom number: [illegible]

Date: 05-05-09

Job number: [illegible]

Customer name: [illegible]

Reason for variation: (include sketch if required) [illegible]



	Contract value (excluding VAT)	VAT	Gross (total incl. VAT)
Current contract price			
Adjustments plus/minus (delete as necessary)			
Total amended contract price			

Customer's signature: [illegible] Date: 05-05-09

On behalf of Anglian Windows Ltd.: [illegible]

Head Office use only

Total amended values

Product	A	
Additional work	B	
SGO	C	
Promotion	D	
Extras		
Admin fee		
Total		
Commission: Product	A	
Add. work	B	
SGO	C	
Promotion	D	

Distribution: White - File Blue - Customer Yellow - Surveyor Pink - Sales

Re-order No. 3619DX V4 Feb. '08

CONFIRMATION OF SURVEY DETAILS

Customer	Job No	Survey Date

Installation address

Postcode

Customer's e-mail address must be recorded if one is available. Please indicate if N/A

email

We may wish to use the above details to send you information and special offers or pass it to selected third parties. If you do not wish to receive such information please tick here ☐
Would you like to receive emails about discounts, promotions and latest news? ☐

Property Type

House ☐ Bungalow ☐ Extension ☐
Flat ☑ Floor ☐

Other .....

I confirm I ~~am/I am not~~ the registered owner of the property. **Customer's signature** ✱ ..... ✱

The order is subject to the following approvals:

No known restrictions ☑ Conservation area ☐ National Park ☐ Listed Building ☐ Leasehold ☑
Man Agents ☐ Council ☐ Planning permission ☐ Other .....

Has an application for approval been made? YES ☐ NO ☑
Has an official approval been granted? YES ☐ NO ☑

PLEASE NOTE! Anglian will withhold from manufacture until approval to proceed has been provided by the customer.

Existing Windows	Qty of	PVCU		Timber	✓
		Alum	✓	Metal	

External Finish

Estimated duration of works (to be confirmed) 1-2 DAY

Fire Regulations

Existing units comply with fire egress regulations? YES ☑ NO ☐
New units will comply with current fire egress regulations or those for replacement? YES ☑ NO ☐

Risk Assessment

Has a Risk Assessment been carried out? YES ☑ NO ☐
Are there any significant hazards or risks? YES ☐ NO ☐
(A Survey Safety Form must be completed for every survey.)

Gas Regulations

Is a gas, oil, or solid fuel-burning appliance present? YES ☑ NO ☐ **ADVICE REQUIRED?** YES ☐ NO ☐
If YES, have the appliance/s been serviced by a qualified engineer during the previous 12 months? YES ☐ NO ☐
(If NO, for your safety a service and survey is recommended.)

Vent lator to be removed? YES ☐ NO ☑ If YES, volume and location? ..... mm² .....
Volume and location of replacement ventilator ..... mm² .....

26 MAY 2009

Survey Notes/Amendments to contract

Amendments/Requirements	Y/N	Items	Amendments/Requirements	Y/N	Items
Designs changed from contract	N		Gas ventilator required	N	
Existing structural damage	N	See separate report	Night vents required	N	
Existing external sill to remain	N		Provide fire escape	Y	
Existing bay head to remain	N		Equal sight lines required	N	
Existing window boards to remain	Y		Geo/Lead drawings required	N	
Existing bay fascia to remain	Y		Other (see notes/special requirements)		

Method of payment
Please confirm the method of payment due upon practical completion of the works (in accordance with GGF guidelines)

Anglian Gold Account

Building Society loan payable to Anglian

~~Cash/credit card~~/cheque payable to Anglian. Due to legislation a maximum of £10,000 can be accepted in cash. Please note Anglian levies a 2% charge on all credit card payments

Delivery requirements
Please confirm your preferred delivery requirement not exceeding 26 weeks from date of order

Month | 1st/2nd WK | (2nd/3rd WK) | 3rd - 4th WK

Notes/Special requirements

How did you make contact with Anglian Windows?

Show home promotion, signboard to be erected? YES ☐ NO ☐

Customer Service is a top priority at Anglian. In order to maintain our service levels and identify any special needs required prior to and during installation please can you tick the relevant box. Age range 25-45 ☐ 46-55 ☐ 56-69 ☐ 70 or older ☐

DECLARATION. The surveyor has discussed the above survey with me and I agree to the designs and all other details finalised during the visit. I confirm that all special requirements and information relevant to the order, including everything that was discussed with the salesperson, has been disclosed to the Surveyor. I therefore authorise Anglian Windows to proceed with manufacture in accordance with my preferred delivery requirement and the terms and conditions of the contract. (See notes on reverse)

Customer's/Authorised signature ✱ ..... ✱ Date .....

PRODUCTION SPECIFICATION VIEWED FROM INSIDE


Surveyor	Customer	Job No
ED WILLIAMS	ROBERTS	80179


Location/Item No	1	2	3
	FRONT BED (A)	FRONT BED (A)	BATH

Design
Show Mullion widths and Transom depths

Note!
For Geo'l sed patterns and where fire egress vents are specified it may not be possible to determine precise transom mullion break dimensions on site.







	1	2	3
Manufacturing sizes	1154 x ~~1160~~ 1155	1154 x 1155	1162 x 555
Input sizes	W 1154 H 1160	W 1154 H 1190	W 1162 H 555
Product type	UH	UH	UH
Sill type/colour	WHITE 150 x 35	WHITE 150x35	WHITE 150 x 35
Sill horn	100	100	100
Frames extensions	L (T) B R	L T B R	L (T) B R
Coupling Bars	L T B R	L T B R	L T B R
Internal sizes	W 1163 H 1170	W 1164 H 1164	W 1132 H 552
Ground height	856	856	600
Adjacent to door	L / R Distance	L / R Distance	L / R Distance
Frame colour out	WHITE	WHITE	WHITE
Frame colour in	WHITE	WHITE	WHITE
Ventilators			
Handle details	WHITE	WHITE	Axxeaion WHITE
Fire egress stays			
Easi-clean stays	4 WHITE	4 WHITE	1
Door threshold			
Door Opening			
Door extras			
Other	W/Boards 240 Downstands	Trim + Undercloak @ 1350	Trim Undercloak @ 1250

MAY 2009

GLAZING DETAILS

	1	2	3
Panel details			
Glass & Effect type	CLEAR	CLEAR	CLEAR
Window Energy Rating Black Cleanline Spacer	STD ☑ ENHANCED ☐ N/A ☐	STD ☑ ENHANCED ☐ N/A ☐	STD ☑ ENHANCED ☐ N/A ☐
Alternative Spacer bar colour (if black IWER must = N/A	Silver ☐ Gold ☐	Silver ☐ Gold ☐	Silver ☐ Gold ☐
Patterns	W H	W H	W H

ADDITIONAL WORK/COMMENTS

	1	2	3
Building work codes (see reverse for details) Architraves	12mm WORK W/BOARD	12mm TILES	15 TILES

Customer s/Authorised signature ✱ ..... ✱ Date ..... / ..... / .....


PRODUCTION SPECIFICATION VIEWED FROM INSIDE

Surveyor	Customer	Job No
[illegible]	ROBERTS	30179

Location/Item No	W ITEM 4	4	Lounge Door	5		6

Design
show Mullion widths and Transom depths

Note
For Con'Lesto patterns and waste line egress vents are specified it may not be possible to determine precise transmumption glass penetration details





Marked ring sizes	1164 x 990				1164 x 535						x				
Impost sizes	W 1164		H 1040		W 1164		H 565		W			H			
Product type	WH				WH										
Sill type/colour	LWHITE		150 x 45		LWHITE		150 x 45								
Sill horn	100				100										
Frames extensions	L	T 45	B	R	L	T 45	B	R	L		T	B		R	
Coupling Bars	L	T	B	R	L	T	B	R	L		T	B		R	
Internal sizes	W 1155 1147		H 980		W 1163		H 563		W			H			
Ground height	1060				1476										
Adjacent to door	L / R Distance				L / R Distance				L / R Distance						
Frame colour out	LWHITE				LWHITE										
Frame colour in	LWHITE				LWHITE										
Ventilators															
Handle details	LWHITE				LWHITE										
Fire egress stays															
Easi-clean stays															
Door threshold															
Door Opening															
Door extras															
Other	2NO. DIMENSIONS 960 1650				2NO. DIMENSIONS 960										

Adelaide 26 MAY 2009

GLAZING DETAILS

Panel details															
Glass & Panel type	CLEAR				CLEAR										
Window energy rating Min & Location Zones	STD ☑	ENHANCED ☐	N/A ☐		STD ☑	ENHANCED ☐	N/A ☐		STD ☐	ENHANCED ☐	N/A ☐				
Alternative Supplier not selected but W.E.R. is met	Silver ☐	Gold ☐			Silver ☐	Gold ☐			Silver ☐	Gold ☐					
Patterns	W	H			W	H			W	H					

ADDITIONAL WORK/COMMENTS

Brutong work codes (see notes for details) Architraves			

Customer's authorised signature ✱ ..... ✱ Date .....


BAY/MULLED UNIT SURVEY DETAILS

VIEWED INSIDE

Surveyor	Customer	Job No
[illegible]	[illegible]	[illegible]

Location	Product	Colour In	Colour Out
[illegible]	[illegible]	[illegible]	[illegible]


ELEVATION Denote all item No's from right to left, show all mullion widths and transom depths.



DV = dummy vents FE = Fire escape CM = coupling mullion Frame packer Top ☐ Left ☐ Right ☐

Bay head to remain	Input width	Input height	Sill thickness	Packer head	M'facturing height
Y ☐ N ☐	2364	1685	35	15mm TRADITIONAL	1431

PLAN DETAILS Denote all widths and projections on sketch.



PLAN FE: Adjacent to 1

PLAN CM: 2 @ 1184 mm

Sill type	150 x 35	Sill colour	WHITE	Sill horn	ASC
Structural key	Y ☐ N ☑	Bay Pole / Post	2x 850	Pole / Post length	
Internal Width	2216 - 2363	Fire egress stays			
Internal Height	1462	Door handles			
Groove Height	540	Door threshold			
Adjacent to door	...	Door opening			
Ventilators	...	Door extras			
Window handle details	WHITE	Other	2x Cover Plate 350		

GLASS DETAILS

Glass details	Special glass/panel details/geo'lead details/spacer colour
[illegible]	

Additional work/notes. Refer to additional work codes on reverse of page 1

[illegible]

Customer's signature [illegible] Date [illegible]