ATLANTIC COURT, FERRY ROAD, SHOREHAM-BY-SEA, BN43 5YJ
Proposed replacement entrance doors & side screens

DOOR/WINDOW REFERENCE	SIZE (approx. to be verified on site)	EXISTING	PROPOSED	NO.	IMAGE
Main communal entrance doors with side screens **1-10** **11-20** **21-30** **31-40** **41-50** **51-60**	2895w x 2290h Tbc on site	White PVCu and double glazed	White powdercoated aluminium and double glazed	**6**	
Side screens (2 each entrance)	1150w x 2290h Tbc on site	White PVCu and double glazed	White powdercoated aluminium and double glazed	**6 pairs**	 

Notes

1. All windows to be a like-for-like replacement in terms of aesthetic design.

2. To be white powdercoated aluminium frames and double glazed in a 28mm double glazed unit comprising 6mm outer, 16mm cavity (argon fill gas), 6mm inner pane of soft coat low-E glass, to be Pilkington K or similar ('U' value = 1.6W/m2K).

3. Glazing to comply with BS6206 for safe breakage, is to be clearly marked as such.

4. All dimensions are approximate and are subject to site verification by contractor PRIOR to manufacture.

5. All new windows/doors to be manufactured and installed by a FENSA approved contractor with a formal insurance backed guarantee supplied on completion.

Wayne Gander MCIAT
Chartered Architectural Technologist
98 Durrington Lane, Worthing,
West Sussex, BN13 2RQ
M 07808 887896
E waynegander08@gmail.com