


"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

Half Round 112mm/68mm Rainwater



FloPlast recommend the use of lubricant on all gutter seals for ease of fitting and improved performance.

"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

Half Round 112mm Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

Colour CI Dimensions 112 52	Features & Benefits: ▪ The original Half Round profile. ▪ 20 year "Cast Iron" colour guarantee. ▪ Good flow capacity. ▪ Pre-fitted gutter seal retaining clip system for fast user friendly installation. ▪ Cost effective. ▪ Can be used on Grade I listed properties. ▪ All the benefits of PVC-U for quick and easy installation.
---	--

Product	Colour	Code
---------	--------	------

	2m	CI RG2
	4m	CI RG4

Angle 	90°	CI RA1
	135°	CI RA2

Angle - Any Degree 	CI	RA9
---	-----------	-----

FloPlast will fabricate any non-standard angle to special order

Running Outlet 	68mm Round	CI RO1
---	------------	---------------

Stopend Outlet 	68mm Round	CI RO2
---	------------	---------------

Stopend 	External	CI RE1
	Internal	CI RE2

Product	Colour	Code
---------	--------	------

Fascia Bracket 	CI	RK1
--	-----------	-----

Union Bracket 	CI	RU1
---	-----------	-----

To Ogee Cast Iron Adaptors 	Ogee R/H	CI RD3
	Ogee L/H	CI RD4
	To Half Round	CI RD5

For 68mm Round Downpipe see page 26.




Important when ordering: Please add colour reference to code: **CI** "Cast Iron" Style

"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

Hi-Cap 115mm/68mm Rainwater



FloPlast recommend the use of lubricant on all gutter seals for ease of fitting and improved performance.

"CAST IRON" STYLE RAINWATER SYSTEMS



Hi-Cap 115mm Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

20 YEAR
CAST IRON
GUARANTEE

Colour



Dimensions



Features & Benefits:

- 20 year "Cast Iron" colour guarantee.
- A semi-elliptical profile .
- High capacity - ideal for large roof areas.
- Pre-fitted gutter seal retaining clip system for fast user friendly installation.
- Cost effective.
- Can be used on Grade I listed properties.
- All the benefits of PVC-U for quick and easy installation.

Product	Colour	Price
---------	--------	-------

Gutter



4m



RGH4

Angle



90°



RAH1



135°



RAH2

Angle - Any Degree



RAH9

FloPlast will fabricate any non-standard angle to special order.

Running Outlet



68mm
Round



ROH1

Stopend Outlet



68mm
Round



ROH2

External Stopend



External



REH1

Internal Stopend



Internal



REH2

Product	Colour	Price
---------	--------	-------

Fascia Bracket



RKH1

Union Bracket



RUH1

For 68mm Round Downpipe see page 26.




Important when ordering: Please add colour reference to code: **CI** "Cast Iron" Style

"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

Niagara Ogee 110mm/65mm Rainwater



FloPlast recommend the use of lubricant on all gutter seals for ease of fitting and improved performance.

"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

Niagara Ogee 110mm Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

Colour CI Dimensions 110	Features & Benefits: ▪ Traditional style ogee Hopper available. ▪ High capacity system. ▪ Water-tight seal and retaining clip pre-fitted for fast user friendly installation. ▪ Black fixing bolts available. ▪ Extremely cost effective solution for old style refurbishment and new build installations. ▪ Running Outlet can be connected to 68mm or 65mm round downpipes. ▪ Can be used on Grade I listed properties.
--	---

Product	Colour	Code
Gutter		
	3m	CI RGN3
	4m	CI RGN4
90° Angle		
	Internal	CI RAN1
	External	CI RAN2
135° Angle		
	Internal	CI RAN3
	External	CI RAN4
Angle - Any Degree		
		CI RAN9

FloPlast will fabricate any non-standard angle to special order.

Running Outlet - Multi Outlet		
		CI RON1
Stopend Outlet - 65mm Square		
	L/H	CI RON2
	R/H	CI RON3

Product	Colour	Code
Stopend - External		
	L/H	CI REN1
	R/H	CI REN2
Stopend - Internal		
	L/H	CI REN3
	R/H	CI REN4
Fascia Bracket		
		CI RKN1
Union Bracket		
		CI RUN1

For 68mm "Cast Iron" Style Round Downpipe, see page 26.

For 65mm "Cast Iron" Style Square Downpipe see page 27.



Important when ordering: Please add colour reference to code: **CI** "Cast Iron" Style

"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

68mm Round Downpipe and Fittings Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

Colour CI Dimensions 68 ○	Features & Benefits: ▪ Traditional round profile. ▪ Can be used with Half Round, Hi-Cap and Niagara Rainwater Systems. ▪ Durable and lightweight. ▪ A practical, easy to install system. ▪ Cost effective. ▪ Easy to cut using a fine toothed saw. ▪ Suitable for new build and refurbishment applications. ▪ Can be used on Grade I listed properties.
---	--

Product	Colour	Code
Pipe		
 2.5m	CI	RP2.5
Offset Bend		
 92½°	CI	RB8
 112½°	CI	RB6
Shoe		
 With fixing lugs Requires 2 x FC50 fixings	CI	RB4
Pipe Clip		
 With fixing lugs Requires 2 x FC50 fixings	CI	RC4
Pipe Socket		
 With fixing lugs Requires 2 x FC50 fixings	CI	RS2
67½° Branch		
 CI		RY1
Access Pipe		
  CI		RX1
Square/Round Downpipe Adaptor		
 CI		RDS2

Product	Colour	Code
Universal Hopper: Connects to 65mm square and 68mm round downpipe	CI	RH1
Ogee Hopper: Connects to 65mm square and 68mm round downpipe		
 With fixing lugs Requires 2 x FC50 fixings	CI	RH4
Rectangular Hopper: Connects to 65mm square and 68mm round downpipe		
 With fixing lugs Requires 2 x FC50 fixings	CI	RH5
This product is rotationally moulded and subject to bowing along its length up to +/-4%.		
Cast Iron Fixings C€		
 CI		FC50
12 gauge x 50mm stainless steel fixings for "Cast Iron" Range (Socket fixings).		
Fleur-de-Lis		
 55mm	CI	FL55
75mm	CI	FL70
Tudor Rose		
 40mm	CI	TR55
55mm	CI	TR70
Decorative Square		
 40mm	CI	DS55
70mm	CI	DS70
Lion's Head		
 75mm	CI	LH55
90mm	CI	LH70

Important when ordering: Please add colour reference to code: **CI** "Cast Iron" Style

"CAST IRON" STYLE RAINWATER SYSTEMS



20 YEAR
CAST IRON
GUARANTEE

65mm Square Downpipe and Fittings Standard: BS EN 607, BS EN 12200 -1, BS EN 1462

Colour 	Features & Benefits:	
	- Attractive square profile. - Can be used with Squareline and Niagara Rainwater Systems. - Durable and lightweight. - A practical, easy to install system. - Cost effective. - Easy to cut using a fine toothed saw. - Suitable for new build and refurbishment applications. - Can be used on Grade I listed properties.	

Product	Colour	Code
Pipe		
 2.5m		RPS2.5
Offset Bend		
 92½°		RBS8
 112½°		RBS6
Shoe		
 With fixing lugs Requires 2 x FC50 fixings		RBS4
Pipe Clip		
 With fixing lugs Requires 2 x FC50 fixings		RCS4
Pipe Socket		
 With fixing lugs Requires 2 x FC50 fixings		RSS2
67½° Branch		
		RYS2

Product	Colour	Code
Universal Hopper: Connects to 65mm square and 68mm round downpipe		RH1
Ogee Hopper: Connects to 65mm square and 68mm round downpipe		
 With fixing lugs Requires 2 x FC50 fixings		RH4
Rectangular Hopper: Connects to 65mm square and 68mm round downpipe		
 With fixing lugs Requires 2 x FC50 fixings		RH5
This product is rotationally moulded and subject to bowing along its length up to +/-4%.		
Cast Iron Fixings C€		
		FC50
12 gauge x 50mm stainless steel fixings for "Cast Iron" Range (Socket fixings).		
Fleur-de-Lis		
 55mm		FL55
75mm		FL70
Tudor Rose		
 40mm		TR55
55mm		TR70
Decorative Square		
 40mm		DS55
70mm		DS70
Lion's Head		
 75mm		LH55
90mm		LH70

Important when ordering: Please add colour reference to code:  "Cast Iron" Style