

Block 1-6
Existing Southern Elevation.
(1:50)



Southern Elevation
Entrance



Block 1-6
Proposed Southern Elevation.
(1:50)



Location Plan.
(1:1250)



Block Plan.
(1:500)

New windows to be double glazed UPVC with maximum u-value of 1.8W/m²k, design to the planning authority's approval. Glazing to be toughened below 800mm from finished floor level. All windows to be fitted with trickle vents giving minimum background ventilation of 8,000mm² free area.

0 25.0m 40.0m 50.0m
SCALE BAR (1:1250)

0 10.0m 15.0m 25.0m 50.0m
SCALE BAR (1:500)

0 2.0m 3.0m 5.0m 10.0m
SCALE BAR (1:100)

0 1.0m 1.5m 2.0m 3.0m 5.0m 10.0m
SCALE BAR (1:50)

General Notes

T.P. OFFICE COPY

1. All dimensions to be checked on site. All details and dimensions relating to the sub-contractors or suppliers work must be checked and agreed between the subcontractors or supplier and the general contractor.
2. This drawing is to be read in conjunction with all relevant architect's and engineer's drawings and the specification.
3. Works to comply with current Codes of Practice, British Standards and Building Regulations.
4. Contractor to provide all necessary vertical and lateral restraint strapping in order to comply with The Building Regulations.

BOROUGH OF WORTHING
DEPOSITED
TP REF No.
WB/ 11 / 0159/ [illegible]

DATE	DESCRIPTION

CLIENT:
Countrywide Property Management

ARCHITECT:
-

JOB TITLE:
Block 1-6
Harrison Court
Worthing

DRAWING TITLE:
Timber Entrance Structure Replacement

DRAWING NUMBER	JOB No	DRG No
	10314	01

SCALE		
As shown @ A1	DRAWN BY	CW
	DATE	Dec '10
	ENGINEER	CW
WORK TO FIGURED DIMENSIONS ONLY	CHECKED BY	PJG

PHILIP GOACHER ASSOCIATES
CONSULTING CIVIL AND STRUCTURAL ENGINEERS
PARK HOUSE
122a NEWLAND ROAD, WORTHING
WEST SUSSEX, BN11 1LB
Tel: (01903) 217723 Email: mail@pgoacher.co.uk
www.pgoacher.co.uk