ADUR & WORTHING
PLANNING SERVICES
PLAN AWDM/0074/15
DATE 10 FEB 2015

New Stormwater Valve & Soakaway See Note 10

RWP

Cast Iron Guard

Grey Pitched Roof

3 Layer Felted Warm Roof 50x220 C24 Joists @ 400 Ctrs See Notes 6.

178x102 UB 19 New Grey Steel Over Cavity Load Bearing & Padstone

New Double Glazed Grey Aluminium Doors See Note 14

Catnic CC 90/100 Lintel

50x220 C24 Flat Roof Joists @ 400 Ctrs See Notes 6

50x220 C24 Suspended Ground Floor Joists @ 400 Ctrs. See Notes 3

Catnic CC 90/100

New Grey Aluminium Gutter See Note 14

50x220 C24 Suspended Ground Floor Joists @ 400 Ctrs See Notes 3

1 Soil Vent Pipe to Grey, Vented & Kept Clear

Section (1:50)

450mm Wide Trench Fill Foundations Min 1.0m Formation Depth & Subject to Building Inspection

Grey Manhole

Grey Foul Water Drain

Grey Sup

New Render Finish Cavity Masonry See Note 2

450mm Wide Trench Foundation See Note 1

Grey Rainwater Down Water Drain

Boundary (Larch Lap Timber)

Cavities Continuous, Catnic Second Hand Tie New Masonry to Grey.

New PVC Door Grey Down See Note 14

178x102 UB 19 + 215x100x10m Thick Mild Steel Bearing Plates

Dotted Profile of Grey Rear Elevation Masonry to be Removed

Kitchen

Heat

Dining

New Heat Detector Interlinked with Hallway Smoke Detector

Bath

Smoke Detector

Bed 2

Bed 1

Ground Floor Plan (1:50)

Rear Elevation (1:100)

White UPVC Framed Window

Painted Finish

2510 Grd Level

Painted White Render to Match Grey

Side Elevation (1:100)

165 Greenways Crescent, Shoreham Rev. C