



ADUR DISTRICT
COUNCIL

ENERGY STATEMENT TEMPLATE

Name of proposal:	East Street and New Road, Shoreham
Type of application (pre-application, outline, full, condition discharge, reserved matters)	Full Planning Application

Is the site within the Shoreham Harbour regeneration Area? NO

Is the site within the Shoreham Heat Network Area? YES

Please provide a short description of the proposal in question:

Erection of 2 new detached cottages and associated landscaping and parking further to the approval of the main part of the site reference AWDM/1419/23.

Table 1: Energy Statement Summary

	Energy Statement Summary	Energy demand (kWh/yr)	Energy consumption savings (%)	CO₂ emissions (kg/yr)	CO₂ emission savings (%)
Step 1	Calculate the baseline scheme compliant with 2013* Building Regulations				
Step 2	Calculate the proposed scheme after energy efficiency measures				
Step 3	Calculate the proposed scheme after connection to a heating/cooling network				
Step 4	Calculate the CO₂ emission savings target (10% of CO₂ emissions after Stage 3)				10%
		Energy generation (kWh/yr)	Energy generation savings (%)	CO₂ emissions (kg/yr)	CO₂ emission savings (%)
Step 5	Calculate the proposed scheme after renewables savings to meet the 10% reduction target as a minimum				
		Net energy demand (kWh/yr)	Net energy consumption savings (%)	Net CO₂ emissions (kg/yr)	Net CO₂ emission savings (%)
Step 6	Calculate the net energy demand and CO₂ emissions from the baseline scheme after all reductions				

*The baseline scheme must be a 2013 Building Regulations compliant building (please note that use of the building regulation backstops/software default is not equivalent to a compliant building and is therefore not acceptable)

Step 7	Show this information in graph form
[INSERT GRAPH HERE]	
Step 8	Summarise the measures taken under Step 2, 3 and 5 to achieve the total savings
<p>The new dwellings are conceived as traditional forms with pitched roofs and modestly sized window openings. Heat loss or overheating through excessive glazing is therefore minimized. South, east and west facing roof slopes provide possible surfaces for PV panels and for roof lights which contribute to day lighting of attic rooms. Opening roof lights will assist with venting.</p> <p>The new buildings will be well insulated to comply with the requirements of the enhanced LI Building Regulations June 2022.</p> <p>Windows and doors will be thermally broken and double glazed. Proposed masonry walls will have inherent thermal mass.</p> <p>Pitched roofs are proposed as tiles.</p>	

TABLE 2: Energy Strategy

The Executive Summary must be accompanied by a full energy strategy for the development. Please provide full details of how the scheme complies with the principles of this SPD and the relevant policies in the Adur Local Plan and/or Shoreham Harbour Joint Area Action Plan. Please see information requirements below:

I. Passive design - Provide details of passive design measures included in the development, explaining how these measures will reduce energy demand. These include:

- Building form (eg. internal layout, building materials used. etc.)
- Orientation and shading - including orientation of roofs to maximise solar energy potential.
- The positioning of openings - to allow the penetration of solar radiation, visible light, and for ventilation.
- Thermal mass (to reduce the need for heating during winter)

Accommodation to units R5 & R6 takes advantage of windows facing south which give natural light and solar benefit to ground, first and second floor rooms.

2. Energy efficiency - Provide details of physical measures to ensure the energy efficient use of the building, explaining how these measures will reduce energy demand. These include:

- Use of insulating materials (with a high energy performance) - eg. levels of roof insulation, wall insulation, air tightness, etc.
- Minimisation of thermal bridging
- Use of materials with a high energy performance (low U-values)
- Electrical appliances
- Low-energy fixtures (eg. LED lighting)

All internal and external lighting will be from low energy LED fittings.

External lighting to communal spaces will be fitted with movement detectors to turn off lighting when these spaces are unoccupied.

3. Heating, cooling and hot water - Provide details of measures to minimise the amount of energy and carbon dioxide emissions used to heat and/or cool the building and provide hot water (in accordance with the heating hierarchy). These include:

System:

- Connection to existing heating/cooling network (most preferred)
 - Protected pipe routes
 - Plant room location
 - Plant room design
- Site-wide heating/cooling network
- Building-wide heating/cooling network
- Individual heating/cooling systems (least preferred)

Technology:

- Renewable/waste energy sources (such as biomass, heat pumps, solar thermal) (most preferred)
- Low carbon technologies (such as gas-CHP)
- Conventional systems (such as gas or direct electric) (least preferred)

All fitted electrical appliances will be GRADE A+ or better.

4. Overheating - Provide details of measures to minimise the amount of energy and carbon dioxide emissions used to prevent the building from overheating during warm weather. These include:

- Ground cooling
- Canal water cooling
- Minimise internal heat generation through energy efficient design
- Reducing the amount of heat entering the building in summer
- Use of thermal mass and high ceilings to manage the heat within the building
- Ventilation - Passive (most preferred); Mechanical (least preferred)

[Insert text here]

5. Renewable technologies - Provide details of renewable energy technologies used to generate energy used onsite in the table below. These include:

- Solar PV (Photovoltaics)
- Solar Thermal (Solar Water Heating)
- Wind turbines
- Biomass fuelled electricity and heat generating plant
- Air source heat pump
- Water/Ground source heat pump
- District heating
- Combined Heat & Power (CHP) and Combined Cooling, Heat & Power (CCHP)

Technology type (eg. PV, solar thermal, biomass)	Description	Capacity from this technology (kW)	Estimated annual generation (kWh)	Total CO ₂ saving from this technology (kg CO ₂ /m ²)
Example: Solar PV	28m ² of 345W PV panels, 16% efficiency	3kWp	2550 kWh	1045
[Add lines as needed]				
TOTAL				

Please provide the rationale for the chosen renewable energy technologies, and demonstrate that they are the most suitable options for the proposed development scheme below:

6. Energy Performance Gap - Note how the Performance Gap will be addressed following construction of the building. This must include:

- The proposed measures to monitor the energy performance of the development.
- The proposed measures to address any gap between predicted and actual energy performance of the development.

[Insert text here]

7. Feasibility and viability - As per Principle 8 in the Supplementary Planning Document, if you do not consider it feasible to meet any of the above requirements please use this section to provide the following:

- A. Demonstrate that all options have been explored, and the reasons why the meeting the requirement/s is not feasible.
- B. Outline which measures meeting the requirements that are feasible.

Please note: If it is considered that any of the requirements are not feasible, a full open-book viability appraisal should be submitted alongside this Energy Statement which clearly demonstrates that this is the case. The viability appraisal must:

- Be completed by a suitably qualified, independent individual.
- Include baseline energy consumption and carbon emissions calculations for regulated energy use
- Compare the financial viability of a compliant scheme with the proposed scheme
- Provide a breakdown of the cost estimates and assumptions used for the assessment
- Present Internal Rate of Return (IRR), capital expenditure, cost and carbon savings as outputs.

[Insert text here]