From: Jeremy Sergeant <Jeremy.Sergeant@worthing.gov.uk>
Sent: 27 July 2010 10:28
To: Hannah Barker
Subject: 14 Downsway
Attachments: 14 Downsway Shoreham i.doc

Please find notes attached.

Many thanks

Jeremy Sergeant
Assistant Parks Manager
Adur District Council

Tel : (01273) 263136
e-mail : jeremy.sergeant@worthing.gov.uk

Leisure and Cultural Services Parks Department
The Parks Office Commerce Way Lancing West Sussex BN15 8TA
visit Adur DC's website at : http://www.adur.gov.uk



Think before you print

Please consider the environment, only print out this e-mail if absolutely necessary.

ADUR
DISTRICT COUNCIL

Internal memo

Leisure and
Direct Services

From: Jeremy Sergeant

Ref.: JS/69.42

Date: 27/07/10

To: Hannah Barker

Your ref: ADC/0261/10

Tree Survey and Inspection

Tree (*Species*) T1 = Lime	Age (*est*): T1 = 60yrs	Height: T1 = 18+m

LOCATION (Site Address) 14 Downsway Shoreham

Proximity of other trees

Importance of tree to locality Conservation area Tpo Tree

REASON FOR REPORT
Request to Crown lift and remove epicormic growth

REMARKS / CONDITION:
T1 = Tree is healthy and has no obvious signs of damage or decay. There does appear to have been some damage to the main trunk, but this has completely callused over.

WORK / REQUIREMENTS;
T1 = Crown lift all-round up to 4-5 meters (as measured from ground level) and remove epicormic growth.

Recommend above works be permitted.

TREE VALUE

A	Important tree worth saving	✓
B	Less important than above	
C	Suspect tree requires monitoring	
D	Dead or of no consequence	