



INPOST UK LOCKERS: BATTERY AND ELECTRICAL SPECIFICATIONS

Confidentiality

This document constitutes strictly confidential information intended solely for the use of the person or entity to whom it is addressed. If you are not the intended recipient, any disclosure, copying, distribution, dissemination or other use of or action in reliance on the contents of this information is strictly prohibited. It is also forbidden to share any part of this document with any third party, without a written consent of InPost UK Limited. All content, such as text, graphics, images, data compilations etc. contained in this document are the property or trademarks of InPost UK Limited.

All information, content, materials regarding products and/or services provided by InPost UK Limited in this document is provided on an “as is” and “as available” basis. We make no representations or warranties of any kind, express or implied, regarding the information contained herein, in particular in the context of the merchantability or fitness for any particular purpose of its products and services. To the fullest extent permitted by law, we shall not be liable for any damages of any kind arising from or connection with any information, content, materials contained in or otherwise made available to you through these documents.

SAFE SECURE TAILORED TO YOUR LOCATION

- Roof with 2 cameras
- Fully outdoor, tested in climate chamber
- Shock and floor sensor
- Concrete base
- Multiple locker sizes and configurations
- Internal and external lockers available



InPost Parcel Lockers can be extended, vertically modified and even created in an 'L shape' to maximise the available space at your premises.

InPost® Battery Lockers

Modular, starting at 2 metres in length extending in 1 metre increments

Dimensions/Weight for 2-metre locker

Width	1936 mm
Height	2265mm
Depth	794 mm
Weight	925kg

Dimensions/Weight for 1-metre extensions

Width	968 mm
Height	2265mm
Depth	794 mm
Weight	435kg

Compartment Sizes

Small boxes:	99x 410 x 675mm
Medium boxes:	208x 410 x 675mm
Large boxes:	440x 410 x 675mm



4-metre locker

InPost® FM™ (ELECTRICAL LOCKER)

Modular version combined for outdoor

- Roof with 2 cameras
- LED lighting over each module
- 12.1 inch vertical touch screen
- Concrete base



InPost® Central 2m FM™ (ELECTRICAL LOCKER)

Module "Central Quattro"

Dimensions/Weight

Width	2011 mm
Height	2221-2424 mm
Depth	919 mm
Weight	~900 - 1000 kg

Compartment Sizes

Small boxes:	88 x 410 x 664 mm
Medium boxes:	170 x 410 x 664 mm
Large boxes:	385 x 410 x 664 mm

Power Requirements


- Feed: 230 V AC 50 Hz
- Power consumption: 120~600 W* (15 W per additional module)
- Monthly electric power consumption: 90 kWh

* dependent on the equipment (heater, etc.). Taking into account central module with two locker modules.



InPost® FM Central 2m™

Dimensions



InPost® FM with 0.5m Extension

Module "Central Quattro" with 0.5m Unit

Dimensions/Weight

Width	2493 mm
Height	2221-2424 mm
Depth	919 mm
Weight	~900 - 1000 kg

Compartment Sizes

Small boxes:	88 x 410 x 664 mm
Medium boxes:	170 x 410 x 664 mm
Large boxes:	385 x 410 x 664 mm

Power Requirements


- Feed: 230 V AC 50 Hz
- Power consumption: 120~600 W* (15 W per additional module)
- Monthly electric power consumption: 90 kWh

* dependent on the equipment (heater, etc.). Taking into account central module with two locker modules.



InPost® locker with 0.5m Extension

Dimensions



InPost® FM with 1m extension

Module "Central Quattro" with 1m Unit

Dimensions/Weight

Width	2944 mm
Height	2221-2424 mm
Depth	919 mm
Weight	~900 - 1000 kg per 2m

Compartment Sizes

Small boxes:	88 x 410 x 664 mm
Medium boxes:	170 x 410 x 664 mm
Large boxes:	385 x 410 x 664 mm

Power Requirements


- Feed: 230 V AC 50 Hz
- Power consumption: 120~600 W* (15 W per additional module)
- Monthly electric power consumption: 90 kWh

* dependent on the equipment (heater, etc.). Taking into account central module with two locker modules.



InPost[®] FM with 1m extension

Dimensions



Note: InPost Lockers increase in 0.5m 1m and 2m modular sections up to 12 m with the minimum that can be installed being the central 2m NFM unit.

InPost® FM with 2m Extension

Module "Central Quattro" with 2m Unit

Dimensions/Weight

Width	3939 mm
Height	2221-2424 mm
Depth	919 mm
Weight	~900 - 1000 kg per 2m

Compartment Sizes

Small boxes:	88 x 410 x 664 mm
Medium boxes:	170 x 410 x 664 mm
Large boxes:	385 x 410 x 664 mm

Power Requirements

- Feed: 230 V AC 50 Hz
- Power consumption: 120~600 W* (15 W per additional module)
- Monthly electric power consumption: 90 kWh

* dependent on the equipment (heater, etc.). Taking into account central module with two locker modules.



InPost[®] FM with 2m Extension

Dimensions

Note: InPost Lockers increase in 0.5m, 1m and 2m modular sections up to 12m with the minimum that can be installed being the central 2m NFM unit.

