Delivered-To:
jo.morin@adur-worthing.gov.uk
Received: by
2002:ab4:9c83:0:b0:228:9c3d:b6af with
SMTP id t3csp1743489ecz;
        Tue, 25 Jul 2023 01:25:47
-0700 (PDT)
X-Received: by
2002:a2e:7a02:0:b0:2b6:fe55:7318 with
SMTP id
v2-20020a2e7a02000000b002b6fe557318mr7
964416ljc.12.1690273547509;
        Tue, 25 Jul 2023 01:25:47
-0700 (PDT)
ARC-Seal: i=1; a=rsa-sha256;
t=1690273547; cv=none;
        d=google.com; s=arc-20160816;

b=wkD7xHSBOG6k19rqSHleWR7oqfQyFhIXZBIo
M9EJqUINycKbz54FnBD3Fn7yfeMwSV

DHVGjE9iPoCAJlHjR5xl4ynRBP1sqMRzmCV9OW
SHsaE3XR6x4u5PwuZROdC3nBHpv3Oj

0uAD6GjH+G3tjh6sohz01j28kPuTeY+BR6cXw+
LgSztnY3JVvn5h0B5kl3C/noWyKKWu

vtM9se6Pe4cu+jFYmIHRz1x1epukSYSJ8O0mYk
Z/yZNv0XwpkPApuorzFJFpZlDeL+Tp

P9yiv+uuXQYY+QtP1skraumUBwKfR49KXZF8Jw
Z9NBlZVoccsFL+yK08QksCWACgegen
         O4qQ==
ARC-Message-Signature: i=1;
a=rsa-sha256; c=relaxed/relaxed;
d=google.com; s=arc-20160816;

h=to:subject:message-id:date:from:mime
-version:dkim-signature;

bh=dPii/O6HtiMAZRdZQBUV23DwH6WR+JUOTw4
7obdOIHM=;

fh=45NwDmPiQUtA9yPOcYPHk/0GL9MRH/VvCvl
q/iHPS+c=;

b=1C0tLtyhvPlcEBqf7T4CK78HTgVvSYIDtFh7
yuooLaiL3uEG5ikMipwpj5fuqGPRpt

KkPe/pANCUk7S0QWfsdk+nV1SKBctlk8RKHLcc
R7G3ke4LhMyhaDQItZimBmSINZPRJx

+5NpqHK/tG8zAMyM6A02MYGym4sEJb2guTYySy
1w/90vjXWyuEvdX5WZTFZuaQDoCBpm

Lnv/S2BJPStDjOOdDWXCPdp08dgBvwe95Nl9a8
a8a3ATg5gxF7co2yr/KJDsEr0+Rf16

vJuVwkEwRTR42xo5WyOUZlKlA/MI8NLe4MK80z
nP5Yk0QkKoXUjiWzp/b7tLDuJa/2/K
        A3/g==
ARC-Authentication-Results: i=1;
mx.google.com;
       dkim=pass
header.i=@adur-worthing.gov.uk
header.s=adurworthing
header.b=Cr3YH9BT;
       spf=pass (google.com: domain
of
michael.lavender@adur-worthing.gov.uk
designates 209.85.220.41 as permitted
sender)
smtp.mailfrom=michael.lavender@adur-wo
rthing.gov.uk;
       dmarc=pass (p=REJECT sp=REJECT
dis=NONE)
header.from=adur-worthing.gov.uk
Return-Path:
<michael.lavender@adur-worthing.gov.uk
>
Received: from
mail-sor-f41.google.com
(mail-sor-f41.google.com.
[209.85.220.41])
        by mx.google.com with SMTPS
id
11-20020a2eb94b000000b002b7097418c9sor

```
3651191ljs.8.2023.07.25.01.25.47
        for
<jo.morin@adur-worthing.gov.uk>
        (Google Transport Security);
        Tue, 25 Jul 2023 01:25:47
-0700 (PDT)
Received-SPF: pass (google.com:
domain of
michael.lavender@adur-worthing.gov.uk
designates 209.85.220.41 as permitted
sender) client-ip=209.85.220.41;
Authentication-Results:
mx.google.com;
       dkim=pass
header.i=@adur-worthing.gov.uk
header.s=adurworthing
header.b=Cr3YH9BT;
       spf=pass (google.com: domain
of
michael.lavender@adur-worthing.gov.uk
designates 209.85.220.41 as permitted
sender)
smtp.mailfrom=michael.lavender@adur-wo
rthing.gov.uk;
       dmarc=pass (p=REJECT sp=REJECT
dis=NONE)
header.from=adur-worthing.gov.uk
DKIM-Signature: v=1; a=rsa-sha256;
c=relaxed/relaxed;
        d=adur-worthing.gov.uk;
s=adurworthing; t=1690273547;
x=1690878347;

h=to:subject:message-id:date:from:mime
-version:from:to:cc:subject
         :date:message-id:reply-to;

bh=dPii/O6HtiMAZRdZQBUV23DwH6WR+JUOTw4
7obdOIHM=;

b=Cr3YH9BTKXzU/bfrXzINnu1baI2hBciOURHA
tFI1x+e9gYHXkYMtNtnncwVK+hJPJG

ykeo5kXrrWOmGE2j/AWHWH/nK+psMdbqWwtXOr
```

ccN/QTb00raZtKG2E0sEnL1umh37Ek

Bqot4nzQsiQcPoLVqK7QrkQ3kkrPc2HG/ghtNv
6PsbPxW8bgk5Z5FweEg/jLIk3I3Z0z

11Nh/LdPJDzl90PkpIKDlM+cWLzXaqp9wIBYSh
AnIBAc++jIYR7f9NwlI4tyWx5EpJ6H

B3jAr4Nvz0JqMj/+/YOMJy+1nJ+QPx1WNKqPde
mssKimq6dnTNjktqqkNz/MgODRscmy
phAA==
X-Google-DKIM-Signature: v=1;
a=rsa-sha256; c=relaxed/relaxed;
d=1e100.net; s=20221208;
t=1690273547; x=1690878347;

h=to:subject:message-id:date:from:mime
-version:x-gm-message-state

:from:to:cc:subject:date:message-id:re
ply-to;

bh=dPii/O6HtiMAZRdZQBUV23DwH6WR+JUOTw4
7obdOIHM=;

b=G8uO46rtULusmzrbhZRhBwewK4wD8Icg61Mg
n69YT0h1RK/6bdq4+KDO6vl08BRRDZ

1oJdSl1e6Ic0eQCLgAA7CG9KWPjugI76Xo7JvR
VyFWHzAs0FtLuZZHO0HH8PiTmpr+eD

9gY6+bk5gsB9k+6uukA65MfmISfq/Y/lVnBngP
ZU/zKNVwnQ2dWuwatGqPNKgts8NM22

fsGMm8addpbsOFg84yG/g6MMISKysFp/oKXVat
Qj4WolPRXkiUPsSxu/MqaA9hmDhRrQ

Xsb1Ez+UxglviaTM9ezsq0BirgNBGejkPGndrx
ku+ZNPXaANOiylwKDT+rCoTf2VK+eV
JkWQ==
X-Gm-Message-State:
ABy/qLbEj55zjC5JeQWtui4zZbvxNusRGHSXN/
pWY76LqLOCfSwKhlbs
ZQkA4C+Cdu5Qtp0yPW5RLm31ILlAGa5b7OAuQ

FPDtHBhs3tWKBwNnPI=
X-Google-Smtp-Source:
APBJJlH+G8Fd3SzdgSQU9nxaNS5bP18noFdUlI
mHSeFlWJWuhTFiNqAeQ8Sw5TcbMxkSeOBl95jO
CJ1Db7FFPCGQKoY=
X-Received: by
2002:a2e:7003:0:b0:2b6:c8e8:915f with
SMTP id
 l3-20020a2e7003000000b002b6c8e8915fmr
8851317ljc.22.1690273546720; Tue, 25
Jul
 2023 01:25:46 -0700 (PDT)
MIME-Version: 1.0
From: Michael Lavender
<michael.lavender@adur-worthing.gov.uk
>
Date: Tue, 25 Jul 2023 09:25:36 +0100
Message-ID:
<CAKyetd3XxbggOgVKLf-vAUuT7BMxv3j9AK3z
QC_mdFqWDJoX2A@mail.gmail.com>
Subject: AWDM/0924/23: 77 - 79 Chapel
Road
To: Jo Morin
<jo.morin@adur-worthing.gov.uk>
Content-Type: multipart/alternative;
boundary="00000000000053789b06014b7ab2
"

--00000000000053789b06014b7ab2
Content-Type: text/plain;
charset="UTF-8"

Hi Jo,,

I am happy with the acoustic report.
It provides advice for sound
insulating the loft rooms, the
ceiling between the commercial and
residential spaces and for glazing
overlooking the A24. This advice
needs
to be followed during the conversion.

With regards to ventilation, two

ventilation schemes have been
proposed.
Wall vents and MVHR. It would be
useful to confirm what ventilation
approach will be taken as it is not
clear how wall vents will work in
the
loft rooms.

I see asbestos material in the
existing property has been identified
and
this will be removed.

Regards

--

Michael Lavender
Senior Environmental Health Officer,
Public Health & Regulation
01273 263343
Adur & Worthing Councils
Worthing Town Hall, Chapel Road,
Worthing, West Sussex, BN11 1HA
Environmental Health
<https://www.facebook.com/AdurWorthing
Councils/>
<https://twitter.com/adurandWorthing>
<https://www.youtube.com/user/AdurandW
orthing>

--00000000000053789b06014b7ab2
Content-Type: text/html;
charset="UTF-8"
Content-Transfer-Encoding:
quoted-printable

<div dir=3D"ltr">Hi
Jo,,
 I am happy
with the acoustic re=
port. It provides advice for sound
insulating the loft rooms, the
ceiling b=

etween the commercial and residential
spaces and for glazing overlooking
th=
e A24. This advice needs to be
followed during the
conversion.=C2=A0 <=
div>
 With regards to
ventilation, two ventilation schemes
hav=
e been proposed. Wall vents and MVHR.
It would be useful to confirm what
ve=
ntilation approach will be taken as
it is not clear how wall vents will
wor=
k in the loft
rooms.=C2=A0=C2=A0
</div
> I see asbestos ma=
terial in the existing property has
been identified and this will be
remove=
d.=C2=A0
 Rega
rds<br
clear=3D"all">
 <=
span
class=3D"gmail_signature_prefix">--

<div dir=3D"ltr" class=
=3D"gmail_signature"
data-smartmail=3D"gmail_signature"><ta
ble style=3D"bor=
der-collapse:collapse" border=3D"0"
cellspacing=3D"0"
cellpadding=3D"0">
<tbody
style=3D"font-size:13px;line-height:16
px">
<tr>
<td
style=3D"font-weight:bold;font-size:13
px;line-height:16px">=C2=A0</td>
</tr>
<tr>
<td

```
style=3D"font-weight:bold;font-size:16
px;line-height:25px">Michael Lave=
nder <span
style=3D"font-weight:normal;font-size:
13px"> </span></td>
</tr>
<tr>
<td>Senior Environmental Health
Officer,  Public Health &amp;
Regulation </=
td>
</tr>
<tr>
<td>01273 263343 </td>
</tr>
<tr>
<td></td>
</tr>
<tr>
<td>Adur &amp; Worthing Councils
</td>
</tr>
<tr>
<td> Worthing Town Hall, Chapel Road,
Worthing, West Sussex, BN11
1HA</td>
</tr>
<tr>
<td>Environmental Health </td>
</tr>
<tr>
<td style=3D"padding-top:10px"><a
style=3D"text-decoration:none;border:n
one=
;padding:0" title=3D"Facebook"
href=3D"https://www.facebook.com/AdurW
orthin=
gCouncils/" target=3D"_blank"> <img
src=3D"https://www.adur-worthing.gov.u
k=
/_assets/signature/facebook.png"
alt=3D"" width=3D"25" height=3D"25">
</a> =
<a
```

```
style=3D"text-decoration:none;border:n
one;padding:0" title=3D"Twitter" h=
ref=3D"https://twitter.com/adurandWort
hing" target=3D"_blank"> <img
src=3D"=
https://www.adur-worthing.gov.uk/_asse
ts/signature/twitter.png" alt=3D""
wi=
dth=3D"25" height=3D"25"> </a> <a
style=3D"text-decoration:none;border:n
one=
;padding:0" title=3D"YouTube"
href=3D"https://www.youtube.com/user/A
durandW=
orthing" target=3D"_blank"> <img
src=3D"https://www.adur-worthing.gov.u
k/_a=
ssets/signature/youtube.png" alt=3D""
width=3D"25"
height=3D"25">=C2=A0</a>=
</td>
</tr>
<tr>
<td style=3D"padding-top:12px"><img
src=3D"https://www.adur-worthing.gov.u
k=
/_assets/signature/dce.png" alt=3D""
width=3D"175" height=3D"80"></td>
</tr>
</tbody>
</table></div></div></div>

--00000000000053789b06014b7ab2--
```