

Southview Road, Southwick

Hydraulic Modelling Report

January 2026

Scheme Information	
Scheme:	Southview Road, Southwick
Report Title:	Hydraulic Modelling Report
Client:	GTA Civils and Transport Ltd
Instruction:	The instruction to undertake this modelling was received from Florence Van Vaerenbergh of GTA Civils and Transport Ltd.
File Ref:	17247-HMR-01.docx
Supporting Documents:	This Hydraulic Modelling Report should be read in conjunction with the associated Flood Risk Assessment written by GTA Civils and Transport Ltd.

Approval Record	
Author:	Martha Hughes BSc (Hons) MSc
Checker:	Louise Page BSc (Hons) MCIWEM
Approver:	Adam Parkinson BSc (Hons) MCIWEM

Document History		
Revision	Date	Comment
1	22/01/2026	First issue

The copyright in this document (including its electronic form) shall remain vested in Waterco Limited (Waterco) but the Client shall have a licence to copy and use the document for the purpose for which it was provided. Waterco shall not be liable for the use by any person of the document for any purpose other than that for which the same was provided by Waterco. This document shall not be reproduced in whole or in part or relied upon by third parties for any use whatsoever without the express written authority of Waterco.

This report will remain valid for a period of twelve months (from the date of last issue) after which the source data should be reviewed in order to reassess the findings and conclusions on the basis of latest available information

Form Ref:

F-57.7-B

Contents

Introduction.....	1
Hydraulic Model Build	3
Model Simulation Setup	7
Model Limitations.....	9
Model Results	11
Conclusions.....	12
Recommendations.....	12

Tables

Table 1: Glossary of Technical Terms	iv
Table 2: Modelling Short Codes.....	v
Table 3: Site Overview	1
Table 4: Site Flood Risk.....	2
Table 5: General model overview.....	3
Table 6: Data sources	4
Table 7: Peak net rainfall	5
Table 8: 2D model details.....	6
Table 9: Primary simulations under normal conditions (NC)	8
Table 10: Sources of uncertainty and assumptions.....	9
Table 11: Sensitivity test details	10

Appendices

Appendix A	Location Plan and Aerial Image
Appendix B	Proposed Development Plan
Appendix C	EA Flood Maps
Appendix D	2D Model Extent
Appendix E	Topographical Survey
Appendix F	Hydrology
Appendix G	Simulated Flood Maps

Glossary and Modelling Short Codes

Table 1: Glossary of Technical Terms

Term / Acronym	Definition
1D (model)	One dimensional – A type of model typically built using watercourse cross-section survey data to represent the watercourse and adjacent floodplain
2D (model)	Two dimensional – A type of hydraulic model typically built using LiDAR and site-specific topographic data to represent the wider floodplain
1D-2D (model)	A combination of 1D and 2D modelling (i.e. typically a representation of the watercourse and floodplain respectively)
AEP	Annual Exceedance Probability – the probability that a storm event will occur in any given year
Defra	Department for Environment, Food and Rural Affairs
DfI	Department for Infrastructure – one of nine departments in Northern Ireland responsible for regional strategic planning and development policy
EA	Environment Agency – non-departmental public body responsible for the protection and enhancement of the environment in England
ESTRY	Industry standard flood modelling software (1D engine built into TUFLOW)
FCA	Flood Consequence Assessment
FRA	Flood Risk Assessment
FFL	Finished Floor Level
Flood risk	The product of the frequency or likelihood of a flood event and the consequences (such as loss, damage, harm, distress and disruption)
FMP	Flood Modeller Pro – industry standard flood modelling software
HMR	Hydraulic Modelling Report
IDB	Internal Drainage Board
LA	Local authority
LiDAR	Light Detection and Ranging (i.e. Ground elevation data)
LLFA	Lead Local Flood Authority
Main river	A watercourse on which the relevant regulatory body (e.g. EA/NRW/SEPA/DfI) has permissive powers, but not a duty, to carry out maintenance, improvement, or construction work.
MIKE (11/21/FLOOD)	Industry standard flood modelling software
NGR	National Grid Reference
NRW	Natural Resources Wales – Welsh Government sponsored body responsible for managing the environment and natural resources of Wales
Ordinary watercourse	A river, stream, ditch, cut, sluice, dyke or non-public sewer that is not a designated main river, and for which the LA has flood risk management responsibilities and powers.

Term / Acronym	Definition
SEPA	Scottish Environment Protection Agency – non-departmental public body responsible for the protection and enhancement of the environment in Scotland
TN	Technical Note
TUFLOW	Industry standard flood modelling software

Short codes are used in the naming and referencing of model files, events and scenarios to ensure a consistent, high-quality naming convention is followed and to simplify communication of model results.

Table 2: Modelling Short Codes

Model Short Code	Definition
ABC	Model identifier
BL[x]-[y]	A y% blockage at location x (e.g. BL1-67 – 67% blockage at location “1”)
BR[x]-[y]	A y metre wide breach scenario at location x (e.g. BR2-50 – 50m wide breach at location “2”)
CC	Climate change
DEV	Post-development site layout
EXG	Existing (pre-development) site layout
MIT	Flood mitigation option
NC	“Normal conditions” A model setup representative of present channel and floodplain conditions throughout the study area – no additional structure blockages, defence breaches or pump failures
OPT	Development option
Q[x]	1 / x % AEP fluvial event
R[x]	1 / x % AEP pluvial event
ST[x]	Sensitivity test x (e.g. ST1 – channel and floodplain roughness +20%)
T[x]	1 / x % AEP tidal event

Introduction

Waterco has been commissioned to undertake a detailed hydraulic modelling study in support of the FRA being prepared for a proposed residential development, on Southview Road in Southwick, by GTA Civils & Transport Ltd.

The main objective of this hydraulic modelling study is to quantify existing pluvial flood risk at the site and the change in flood risk elsewhere (if any) as a result of the development. To enable this, a linked 2D¹ rainfall-on-grid model has been constructed. This report considers pluvial flood risk only, other sources of flooding have not been considered. The purpose of this report is to summarise the hydraulic modelling works completed.

Site Description and Proposed Development

A full description of the existing site layout, flood risk and the proposed development site layout can be found within the associated FRA. Table 3 provides an overview of the existing site. A location plan and an aerial photograph of the site are included in Appendix A .

Table 3: Site Overview

Site Overview	
Site Address	Southview Road Southwick Brighton BN42 4TS
NGR (located at centre of site)	524152, 105888
Current Site Use	Greenfield
Regulatory body	LLFA – West Sussex County Council

The proposed development comprises of two residential dwellings with associated hard and soft landscaping, with a proposed access road. A proposed development plan is included in Appendix B.

The outputs of this hydraulic modelling study provide a detailed, up-to-date assessment of the existing pluvial flood risk at the site and quantify the change in flood risk elsewhere (if any) as a result of the proposed development.

¹ A 2-Dimensional (2D) Digital Terrain Model (DTM) of the potential floodplain (created from LiDAR).

Flood Risk & History

Table 4 provides a brief overview of the flood risk pertaining to the site.

Table 4: Site Flood Risk

Site Flood Risk	
Type of Flood Risk	Pluvial
Primary Source of Flood Risk	Surface water overland flow
EA Flood Map for Planning Surface Water (March 2025)	1 in 30 – 3.3% chance of flooding each year. 1 in 100 – 1% chance of flooding each year. 1 in 1000 – 0.1% chance of flooding each year. The flood map is included in Appendix C.
Adur and Worthing Strategic Flood Risk Assessment (SFRA) 2024	The SFRA surface water flood risk mapping shows the site to experience flooding up to and during the 0.1% AEP + Upper End climate change event.
Available Model Data	The SFRA surface water flood risk mapping has been taken from the Risk of Flooding from Surface Water (RoFSW) dataset published by the EA. JBA carried out additional modelling to account for the impact of climate change. This generalised modelling approach is not suitable for site-specific assessment, therefore, a site-specific model has been constructed.
Historical Flooding	There is no evidence of historical flooding at the site. The EA Historical Flood Map shows that flooding occurred in November 1960 to the gardens and properties north-west of the site along Somerly Gardens and Underdown Road, and in the area of Hill View Allotment and south-east of the site along Roman Way. The source of the flooding is noted as drainage. The flood map is included in Appendix C.

Hydraulic Model Build

The information provided in this section details the modelling works carried out as part of this scheme. The model log² provided with the model files should be consulted if further details are required. An explanation of the file, event and scenario naming convention used is provided in the model log.

Model Approach

Table 5 provides a general overview of the model itself. The 2D model extent is provided in Appendix D.

Table 5: General model overview

General Model Overview	
Brief Summary:	A new 2D pluvial only hydraulic model of the study area has been developed using the latest available LiDAR data to assess the existing flood risk to the site and quantify the change in flood risk elsewhere as a result of the proposed development (if any).
Model Type:	2D
Software Builds:	TUFLOW 2025-2-1 HPC Single Precision (Latest build available at the start of the project)
Simulation Type:	Pluvial
Waterco Model Reference & Version:	17247-33530-004

² Doc ref: 17247-33530-Model_Log.xlsx

Data Sources

Table 6 details the data sources used within the model build process.

Table 6: Data sources

Data Source	Doc Ref	Provider	Date/Age	Comments
Topographic Data				
Existing site topographical survey	X_12383_survey_m.dwg 17247-Existing_Site_Levels_00 1.2dm	Acad Mapping Ltd Land Surveyors	April 2017	The LiDAR data levels at the site have been compared to the topographical survey of the site and found to be within +/- 150mm. Included in Appendix E.
EA LiDAR DTM (1m)	17247-1m_DTM_2022.tif	EA	2022	Full model extent coverage
Post-development site layout plan	Proposed Surface_0.5.asc x_12383_3D strings.dwg x_12383_3D triangulations.dwg X_12383_site plan_m.dwg	GTA Civils & Transport	December 2025	Full coverage of site
Other Data				
OS MasterMap	213725-1_OSM_1_Shape_Areas.shp	Bluesky International Limited	2025	Covers the site and immediate vicinity
OS Open Zoomstack	OS Open Zoomstack	Ordnance Survey	June 2025	Contain OS Data ©Crown Copyright (2025)

Hydrology

To investigate the surface water flood risk, a range of rainfall events have been simulated; 50% (R2), 3.33% (R30), 1% (R100) and 0.1% (R1000) AEP events. The impact of future climate change has also been investigated during the 3.33% and 1% AEP events, by increasing rainfall by 40% and 45% respectively (R30CC40, R100CC45). A 45% climate change uplift has also been applied to the 0.1% AEP event (R1000CC45) as per the Adur and Worthing Level 1 Strategic Flood Risk Assessment (2024).

Design hyetographs based on an optimum storm duration are required as input to the hydraulic model. To provide the required rainfall hyetographs, the ReFH2 method has been undertaken.

The subject catchment is 1.04km² and was purchased from the FEH Web Service at NGR 524100, 105550. A watershed analysis was carried out in GIS software based on 1m resolution LiDAR data. The results of the

watershed analysis showed some discrepancies between the FEH catchment and GIS watershed catchment boundaries. The catchment boundary was based on the higher resolution watershed analysis. A comparison of the FEH catchment boundary and the adopted catchment boundary is shown in Appendix F. The remaining catchment descriptors for the subject site, which are included in the net rainfall calculations in ReFH2 have been checked and where necessary, updated in accordance with the FEH Handbook and Flood Estimation Guidelines. The catchment descriptors DPLBAR and URBEXT2000 have been updated. The original and updated catchment descriptors are included in Appendix F.

The adopted storm duration is 3.25 hours, and the summer profile has been adopted by default given the urban nature of the catchment.

The net rainfall (hyetographs) has been calculated using the ReFH2 calculation method. The net rainfall is used as this will account for the losses from infiltration in the catchment which the model does not account for. The peak net rainfall results are summarised in Table 7. The full ReFH2 reports are included in Appendix F.

There are uncertainties associated with the urban element of the catchment, the ReFH2 calculations undertaken do not account for sewers.

The ReFH2 reports show there is a large reduction in rainfall depth between the total rain and net rainfall values. A reason for the reduction, is the high BFIHOST19 of the catchment (0.903), which is underlain by chalk bedrock and superficial deposits of clay, silt, sand and gravel. Given this, the ReFH2 outputs are considered suitable for this assessment.

Table 7: Peak net rainfall

Pluvial Design Event (AEP)	Peak Net Rainfall (mm)
50%	1.23
3.33%	2.75
3.33% + 40% CC	3.84
1%	3.49
1% + 45% CC	5.06
0.1%	5.48
0.1%+ 45% CC	7.94

2D Model Information

Table 8 summarises the details of the 2D model, including the various parameters within the model.

Table 8: 2D model details

2D Model Details		
Number of Domains and Extent:	1 domain. The model extent is shown in Appendix D.	
DTM Data Sources:	The 2D TUFLOW model has been constructed from EA LiDAR DTM (1m). The LiDAR data levels at the site have been compared to the topographical survey of the site and found to be within +/- 150mm. As the LiDAR offers a higher resolution, this dataset has been utilised in the model.	
Cell Size:	2m – this resolution is adequate to represent the flow paths on site and within the wider floodplain whilst maintaining a reasonable run time.	
Building Representation:	High roughness – 0.5s/m ^{1/3}	
Existing Flood Defences:	None.	
General Bank Levels (Non-Defence):	None.	
Roughness Approach and Values (s/m ^{1/3}):	Manning’s n based on Chow (1959), survey, photographs, and aerial imagery. Land use at the site and areas that are shown to drain to the site has been based on OS MasterMap data. Elsewhere, in the wider model extent land use has been assigned based on OS Open Zoomstack mapping and a material value applied. A 2D roughness fix has been applied to the car park at St Theresa’s Roman Catholic Church to update the roughness from 0.035 (land/grass) to 0.02 (road/pavements).	
	Buildings	0.500
	Gardens, driveways, steps, land, grass, slopes, cliffs	0.035
	Water	0.030
	Rough grassland	0.060
	Rail	0.025
	Road, path, pavements	0.020
	Structures	0.020
	Pylon	0.035
Boundary Conditions:	Rainfall applied to the delineated surface water catchment which contributes to the 2D domain. Rainfall runoff method ReFH2 (version 2.3) has been used to provide design hyetographs for input into the hydraulic model. The net rainfall hyetographs, which include the losses through infiltration have been applied directly to the 2D domain using a TUFLOW 2d_rf rainfall polygon. The downstream boundaries are represented using a 2D Head-Discharge (HQ) boundary. The HQ boundary slope has been estimated based on local ground slope.	

Structures:	None.
Post-Development Layout:	An alternative 2D DEV2 model has been created using the proposed level data provided by the Client (Appendix B). A TUFLOW z-shape layer has been used to represent the proposed building finished floor levels (FFLs). The northern building has been set to 11.46m AOD and the southern building to 11.15m AOD. A TUFLOW 2d_mat layer has been applied within the site boundary, specifying Manning's n values that correspond to the proposed development layout.
Other DTM Adjustments:	Minor DTM filtering errors corrected using z-shape polygons to interpolate levels based on surrounding values.
Timestep:	1s
Initial Conditions:	None.
Non-Default Parameters:	Cell Wet/Dry Depth = 0.2mm (as recommended for rainfall modelling).
Further Comments:	See assumptions and notes tab in the model log. (Doc Ref: 17247-33530-Model_Log.xlsx)

Model Simulation Setup

The list of simulations modelled for this study are detailed in this section.

Primary Simulations

Primary simulations have been modelled for a range of pluvial design events for the existing site scenario and proposed development scenario. A 'no rain on building' scenario has been simulated for the proposed development scenario to differentiate between surface water flow paths and rain falling on the proposed buildings that would be captured by the property drains.

Table 9: Primary simulations under normal conditions (NC)

Pluvial Design Event (AEP)	Climate Change Allowance	Site Layout
50%	-	Existing (EXG)
3.33%	-	
3.33%	40	
1%	-	
1%	45	
0.1%	-	
0.1%	45	
50%	-	Proposed Development (DEV2) / Proposed Development No Rain on Building (DEV2_NC_NR_BUILD)
3.33%	-	
3.33%	40	
1%	-	
1%	45	
0.1%	-	
0.1%	45	

Model Limitations

This section presents the steps taken throughout the modelling process to reduce uncertainty and improve confidence in the model outputs. Efforts have been made to assess and reduce the levels of uncertainty at each stage of the modelling process. The most appropriate available information has been used to construct the model to represent flooding mechanisms. The assumptions made are generally conservative for modelled water levels at the proposed scheme location and are therefore appropriate for the assessment of flood risk.

In the absence of available calibration data, sensitivity testing of four identified sources of uncertainty has been carried out along with model validation against a known flood event (if available) and a review of the model's performance rating. Table 10 lists and ranks identified sources of uncertainty and the assumptions made as part of the model build process.

Limitations and Assumptions

Table 10: Sources of uncertainty and assumptions

Rank	Source	Selected method	Assumptions
1	Friction parameters	Manning's n roughness coefficient based on available guidance (Chow 1959)	Floodplain roughness has been assigned using the best available information (and aerial photographs, OSMM, OS Open Zoomstack). The floodplain roughness values may vary over the year and the sensitivity tests have been carried out to quantify the impact.
2	Boundary conditions	2D HQ Boundary	The HQ boundary slopes have been estimated from LiDAR levels local to the boundary. Sensitivity testing of the specified slope value has been carried out to assess any potential impact to the water levels at the site.
3	Rainfall hyetographs	ReFH2 approach	See hydrology section above for detail. Sensitivity tests have been carried out to quantify the impact.
4	TUFLOW "control number"	Default	TUFLOW HPC constantly assesses and adjusts its "control number" to ensure stability criteria are met. Under or overlocking this value can affect simulation speed and stability. The default value of "1.0" has been used. Sensitivity testing of the control number has been carried out.
5	Topography	DTM and survey data	Latest available 1m resolution LiDAR data has been used to represent the floodplain topography. Comparison between site-specific topographical survey data and LiDAR data at the site show that generally levels are within 150mm. Therefore, LiDAR was used due to higher resolution. For the proposed scheme, the existing ground levels were modified within the proposed scheme footprint using polygons such as z shapes.
6	Grid size	2m cell size	This is suitable to represent most of the floodplain features across the model extents to an appropriate level of detail.

Rank	Source	Selected method	Assumptions
7	Change in climate condition	Predictions of anticipated change to rainfall	Climate change events selected based on NPPF guidance.

Sensitivity Tests

Sensitivity testing of the top four ranked sources of uncertainty (see Table 10) has been carried out. A total of eight sensitivity tests have been carried out (ST1-8) with respect to the 1% AEP +45% CC pluvial event. Details of these sensitivity tests can be found in Table 11.

Table 11: Sensitivity test details

Sensitivity Test Short Code	Varied Parameter	Adjustment	Pluvial Event (AEP)	Site Layout
ST1	Roughness coefficients	+20%	1% AEP +45% CC	EXG
ST2	Roughness coefficients	-20%	1% AEP +45% CC	EXG
ST3	Downstream boundary slope	+20%	1% AEP +45% CC	EXG
ST4	Downstream boundary slope	-20%	1% AEP +45% CC	EXG
ST5	Rainfall intensity	+20%	1% AEP +45% CC	EXG
ST6	Rainfall intensity	-20%	1% AEP +45% CC	EXG
ST7	HPC Control Number Factor	+0.2	1% AEP +45% CC	EXG
ST8	HPC Control Number Factor	-0.2	1% AEP +45% CC	EXG

The results of sensitivity tests ST1 and ST2 show that a significant variation (+/-20%) in the Manning's 'n' coefficients used within the floodplain does not increase/decrease the maximum water levels by more than 30mm. Changes to the flood extent across the site during this event are negligible.

The results of sensitivity tests ST3 and ST4 show that significantly varying the slope value used at the downstream boundary by +/-20% does not have any effect on the maximum water level in the floodplain. The assessment of flood risk at the site remains unaffected.

The results of sensitivity tests ST5 and ST6 show that significantly varying the rainfall intensity used by +/-20% respectively causes an increase/decrease in maximum water levels and flood extents throughout the model as can be expected. The results show that the maximum flood depths on site for the 1% AEP +45% CC pluvial event return period varies by approximately +/- 8mm.

The results of sensitivity tests ST7 and ST8 show that varying the Control Number Factor by +/-20% respectively does not affect the assessment of flood risk at the site.

Model Validation

Comparison of model results against historical data was not possible as there are no available maps, flood extents or gauge data of past historical flooding at the site. The EA historical flood map shows that instances of flooding have occurred within the wider model extent in November 1960. There is no additional

information on the event to analyse or validate the model against and the flooding source is stated as drainage which is not considered in this study. Increased significance has therefore been placed on sensitivity testing to understand confidence in the model outputs.

Model Performance

Run performance has been monitored throughout the model build process and then during each simulation carried out, to ensure a suitable model convergence was achieved.

2D Stability

A review of the 2D log files shows that there are no comments, warnings or errors warranting attention.

Mass balance error statistics show that during the 50% AEP event, there is a single instability timestep correction along Sandown Road due to change in ground levels. During ST7 there are four instability timestep corrections at Cross Road Garden and at the junction of Lower Drive with Old Shoreham Road, which are associated with an increase in the HPC Control Number Factor. These are not expected to have a significant impact on the assessment of flood risk at the site and are therefore deemed acceptable.

Mass error is within the acceptable $\pm 1\%$ threshold and efficiency is above 87% in all simulated events.

Model Results

This section of the report documents the results obtained from the primary simulations.

Maximum flood depth, velocity and hazard mapping has been provided for each primary simulation in Appendix G. Flood hazard ratings have been calculated in accordance with DEFRA document 'FD2320: Flood Risks to People' and EA guidance document 'Supplementary Note on Flood Hazard Ratings and Thresholds'.

Maximum water level mapping for the 1% AEP +45% CC and 0.1% AEP +45% CC events is included in Appendix G.

Existing Site Layout Simulations

The results of the hydraulic modelling show the site experiences flooding during all simulated events. During the simulated flood events, flooding on site is caused by rainfall on site and an overland flow from elsewhere entering the site via the northern site boundary. The overland flow exits the site along the southern site boundary. During all simulated events, there is also an overland flow entering the site at the north-east boundary.

DEV2 Simulations - Post-Development Site Layout

When the development levels are considered, the proposed buildings are flood free during all simulated events. During the simulated flood events, surface water enters the site via the northern site boundary and flows west of the proposed buildings and exits the site along the southern boundary. During all simulated events, there is also an overland flow entering the site at the north-east boundary.

The surface water extents shown around the perimeter of the building on the flood mapping is due to the rainfall on grid modelling approach, with rainfall being applied directly to the buildings which would be captured by the property drains. A 'no rain on building' scenario has been simulated where no rainfall is applied to the proposed buildings to represent this, which show the buildings are flood free. The 'no rain on building' flood maps are included in Appendix G.

Flood Risk Impact Off Site

The potential impact of the proposed development on flood risk elsewhere has been quantified by comparing the equivalent EXG and DEV2 simulation results. To provide a detailed assessment of the relative changes in flood depths throughout the floodplain, a series of maximum flood depth difference maps have been created and are included in Appendix G. The maps show that the proposed development has no significant impact on offsite flood risk.

Conclusions

Waterco has been commissioned to undertake a detailed hydraulic modelling study in support of the FRA being prepared for the proposed residential development along Southview Road, Southwick, Brighton, BN42 4TS.

A new 2D pluvial hydraulic model of the study area has been developed to assess the existing pluvial flood risk to the site and quantify the change in flood risk elsewhere as a result of the proposed development (if any).

The results of the hydraulic modelling show that during the existing scenario the site experiences flooding during all simulated events.


When the development levels are considered, the proposed buildings are flood free during all simulated events.

The proposed development has no significant impact on offsite flood risk.

Recommendations

The outputs of this modelling study should be used to support the Flood Risk Assessment.

Appendix A Location Plan and Aerial Image



Notes:
1) All dimensions are in metres and all levels in metres above Ordnance Datum unless stated otherwise

LEGEND

Site Boundary

CLIENT:

gta Civils & Transport

Waterco
www.waterco.co.uk

SCHEME:

Southview Road, Southwick

PLOT TITLE:

Location Plan

PLOT STATUS:		DATE:	
FINAL		19-01-2026	

DRAWN:	CHECKED:	APPROVED:	PLOT SCALE AT A3:
MH	LP	AP	1:2000

PLOT NAME:	REVISION:
17247_Location_Plan	-



Notes:
1) All dimensions are in metres and all levels in metres above Ordnance Datum unless stated otherwise

LEGEND

 Site Boundary



CLIENT:
 **gta** Civils & Transport

 **Waterco**
www.waterco.co.uk

SCHEME:
Southview Road, Southwick


PLOT TITLE:
Aerial Plan

PLOT STATUS:	FINAL	DATE:	19-01-2026
--------------	-------	-------	------------

DRAWN:	CHECKED:	APPROVED:	PLOT SCALE AT A3:
MH	LP	AP	1:2000

PLOT NAME:	17247_Aerial_Plan	REVISION:	-
------------	-------------------	-----------	---

Appendix B Proposed Development Plan



DESIGN NOTES

1. RAINWATER STORAGE DESIGN BASED ON 1 IN 100 YR STORM + 45%.
2. APPROVAL TO BE GAINED FROM SOUTHERN WATER FOR CONNECTIONS TO FOUL AND SURFACE WATER SEWERS.
3. CONTRACTOR TO ALLOW FOR NEW FOUL AND SURFACE WATER SEWER CONNECTIONS INTO SOUTHVIEW ROAD.
4. INVERT LEVEL OF STORM SEWER AT PROPOSED POINT OF CONNECTION HAS BEEN INTERPOLATED FROM SEWER RECORDS. CONTRACTOR TO CONFIRM SEWER'S INVERT LEVEL AS EARLY AS POSSIBLE TO INFORM DETAILED DESIGN.

GENERAL NOTES

1. The location, size, depth and identification of existing services that may be shown or referred to on this drawing have been assessed from non intrusive observations, record drawings or the like. The contractor shall safely carry out intrusive investigations, trial holes or soundings prior to commencing work to satisfy himself that it is safe to proceed and that the assessments are accurate. Any discrepancies shall be notified to gta prior to works commencing.
2. Tender or billing drawings shall not be used for construction or the ordering of materials.
3. Do not scale. All dimensions and levels to be site confirmed.
4. This drawing shall be read in conjunction with all relevant architects, consultants drawings and specifications, together with H&S plan requirements.
5. Copyright : This drawing must not be copied, amended nor reproduced without the prior written agreement of gta.
6. All drawings specifications and recommendations made by gta are subject to Local Authority and other relevant Statutory Authorities approval. Any works or services made abortive due to the client proceeding prior to these approvals is considered wholly at the Clients risk. gta hold no responsibility for resulting abortive works or costs.
7. If viewing this drawing as an Autocad file (.dwg) in digital format then it is done so with this Disclaimer due to the fact that it can be altered and manipulated following its issue by GTA Civils & Transport and therefore, any alteration or modification of DWG data files provided by GTA Civils & Transport, by you or a third party, without GTA Civils and Transport's express written approval, is done so entirely at your own risk. Modification includes (but is not limited to) turning layers on and off, unfreezing layers and reloading, turning on and off print functions and unloading x-refs.
8. Your attention is also drawn to the fact that the information contained within this file may be subject to alteration at any time, pending technical approval from an approving authority or at the client's instruction. It is therefore strongly recommended that multiple and regular cross checks are made against the current contract drawings.
9. Should any apparent discrepancies between the data contained within the DWG file and the current contract drawings become evident, it must be reported back to GTA Civils & Transport as soon as reasonably practicable. Precedence should be given to the current contract drawings (PDF) unless advised otherwise.

KEY

- Private surface water drain
- Private Surface Water Manhole
- Private Foul water drain
- Private Foul Water Manhole
- SIC Surface Water Plastic Inspection Chamber
- FIC Foul Plastic Inspection Chamber
- Permeable Paving area

P2	Updated to latest layout	14.01.26	NG	FVV
P1	INITIAL ISSUE	03.02.23	AF	JP
Rev	Amendments	Date	Dsn	Chk

Status PRELIMINARY

Client S.D. HOLDINGS LTD

Architect CIRCLE25 DESIGN

Project LAND TO REAR OF 53-61 SOUTHVIEW ROAD, SOUTHWICK


Title SITE DRAINAGE

Date	FEBRUARY 2023	Scale @ A1	1:200
Clients Ref.		Project Ref.	12383

gta Civils & Transport
Maple House, 192-198 London Road,
Burgess Hill, West Sussex, RH15 9RD
Tel:01444 871444 Web: www.gtacivils.co.uk

Drawing Number	12383-100	Rev.	P2
----------------	-----------	------	----

Appendix C EA Flood Maps



Notes:
1) All dimensions are in metres and all levels in metres above Ordnance Datum unless stated otherwise

LEGEND

Site Boundary

Annual Likelihood of Flooding

- 1 in 30
- 1 in 100
- 1 in 1000

CLIENT:

gta Civils & Transport

Waterco
www.waterco.co.uk

SCHEME:

Southview Road, Southwick


PLOT TITLE:

EA Flood Map for Planning - Present Day
Extents - Surface Water
Data published January 2025

PLOT STATUS:		DATE:	
FINAL		20-01-2026	

DRAWN:	CHECKED:	APPROVED:	PLOT SCALE AT A3:
MH	LP	AP	1:2000

PLOT NAME:	REVISION:
17247_EA_FMFP_SW_PD	-



Notes:
1) All dimensions are in metres and all levels in metres above Ordnance Datum unless stated otherwise

LEGEND

Site Boundary

Annual Likelihood of Flooding

- 1 in 30
- 1 in 100
- 1 in 1000

SHOREHAM-BY-SEA Mile Oak Portslade Village **SOUTHWICK** Kingston by Sea Power Sta **PORTSLADE-BY-SEA** West Blatch

CLIENT:

gta Civils & Transport

Waterco
www.waterco.co.uk

SCHEME:

Southview Road, Southwick

PLOT TITLE:

EA Flood Map for Planning - Climate Change Extents - Surface Water
Data published January 2025


PLOT STATUS:

FINAL

DATE: 20-01-2026

DRAWN: MH CHECKED: LP APPROVED: AP PLOT SCALE AT A3: 1:2000

PLOT NAME: 17247_EA_FMFP_SW_CC REVISION: -




Notes:

- 1) All dimensions are in metres and all levels in metres above Ordnance Datum unless stated otherwise
- 2) The Historic Flood Map is a GIS layer showing the maximum extent of individual Recorded Flood Outlines from river, the sea and groundwater springs that meet a set criteria. It shows areas of land that have previously been subject to flooding in England. This excludes flooding from surface water, except in areas where it is impossible to determine whether the source is fluvial or surface water but the dominant source is fluvial.
- 3) If an area is not covered by the Historic Flood Map it does not mean that the area has never flooded, only that the EA do not currently have records of flooding in this area that meet the criteria for inclusion.
- 4) The Historic Flood Map takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding. It will include flood extents that may have been affected by overtopping, breaches or blockages.


LEGEND

- Site Boundary
- Historic Flood Map



CLIENT:		gta Civils & Transport	
		waterco www.waterco.co.uk	
SCHEME:		Southview Road, Southwick	
PLOT TITLE:		EA Historic Flood Risk Data revised August 2025	
PLOT STATUS:		FINAL	DATE: 20-01-2026
DRAWN:	CHECKED:	APPROVED:	PLOT SCALE AT A3:
MH	LP	AP	1:2000
PLOT NAME:			REVISION:
17247_EA_Historic_Flood_Risk			-

Appendix D 2D Model Extent



Notes:
1) All dimensions are in metres and all levels in metres above Ordnance Datum unless stated otherwise

LEGEND

- Site Boundary
- 2D Model Extent
- Rainfall Boundary
- 2D Water Level (H) vs Flow Boundary (Q)

CLIENT:
gta Civils & Transport
waterco
www.waterco.co.uk

SCHEME:
Southview Road, Southwick

PLOT TITLE:
Model Extent Plan

PLOT STATUS:
FINAL

DATE:
19-01-2026

DRAWN: MH
CHECKED: LP
APPROVED: AP
PLOT SCALE AT A3: 1:7000

PLOT NAME: 17247_Model_Extent_Plan
REVISION: -

Appendix E Topographical Survey

This drawing is confidential and must not be copied or distributed without written consent. Do Not Scale

CLIENT

Circle 25 Design

PROJECT

Land At Southview Road Southwick

TITLE

SITE SURVEY

SCALE

1:100

DATE

24/04/17

BY

MG

NUMBER

M1131

SHEET

1

REV

-

Acad Mapping Ltd

Land Surveyors

Franches Farm House

Mark Cross

East Sussex TN6 3NS

Telephone (01892) 853663

Fax (01892) 853628

e-mail info@acadmapping.com



ACAD

MAPPING

Survey carried out using GPS to establish control stations combined with Total Station methods for detail & levels. Grid relates to Ordnance Survey National Grid.

Species of trees must be confirmed by a qualified arboriculturist before any design work takes place.

Spreads of trees shown as average.



Appendix F Hydrology



Notes:

1) All dimensions are in metres and all levels in metres above Ordnance Datum unless stated otherwise

LEGEND

- Site Boundary
- FEH Catchment Boundary
- Rainfall Watershed Analysis Catchment Boundary

CLIENT:

gta Civils & Transport

waterco
www.waterco.co.uk

SCHEME:

Southview Road, Southwick

PLOT TITLE:

Catchment Boundary Plan

PLOT STATUS:		FINAL		DATE:	19-01-2026
DRAWN:	MH	CHECKED:	LP	APPROVED:	AP
PLOT SCALE AT A3:				1:7000	

PLOT NAME:		17247_Catchment_Boundary_Plan		REVISION:	-
------------	--	-------------------------------	--	-----------	---

Catchment Descriptor	FEH Web Service	Revised
AREA	0.96	1.04
ALTBAR	41	41
ASPBAR	185	185
ASPVAR	0.83	0.83
BFIHOST	0.925	0.925
BFIHOST19	0.903	0.903
DPLBAR	1.01	1.06
DPSBAR	57.1	57.1
FARL	1	1
FPEXT	0.0443	0.0443
FPDBAR	0.172	0.172
FPLOC	0.169	0.169
LDP	1.97	1.97
PROPWET	0.34	0.34
RMED-1H	37.5	37.5
RMED-1D	11.1	11.1
RMED-2D	47.5	47.5
SAAR	772	772
SAAR4170	779	779
SPRHOST	8.8	8.8
URBCONC1990	0.91	0.91
URBEXT1990	0.3112	0.31
URBLOC1990	0.686	0.686
URBCONC2000	0.858	0.858
URBEXT2000	0.3008	0.3998
URBLOC2000	0.749	0.749
C	-0.026	-0.026
D1	0.39761	0.39761
D2	0.30566	0.30566
D3	0.36512	0.36512
E	0.30842	0.30842
F	2.45002	2.45002
C(1 km)	-0.026	-0.026
D1(1 km)	0.403	0.403
D2(1 km)	0.303	0.303
D3(1 km)	0.362	0.362
E(1 km)	0.309	0.309
F(1 km)	2.443	2.443

UK Design Flood Estimation

Generated on 14 November 2025 13:28:33 by martha.hughes
Printed from the ReFH2 Flood Modelling software package, version 4.2.9376.28705

Summary of estimate using the Flood Estimation Handbook revitalised flood hydrograph method (ReFH2)

Site details

Checksum: 66DC-6177

Site name: Updated Rainfall Catchment Descriptors_524100_105550_v5_1_0

Easting: 524100

Northing: 105550

Country: England, Wales or Northern Ireland

Catchment Area (km²): 1.04

Using plot scale calculations: No

Model: 2.3

Site description: None

Model run: 2 year

Summary of results

Rainfall - FEH22 (mm):	23.16	Total runoff (ML):	4.64
Total Rainfall (mm):	22.08	Total flow (ML):	6.68
Peak Rainfall (mm):	6.08	Peak flow (m ³ /s):	0.45

Parameters

Where the user has overridden a system-generated value, this original value is shown in square brackets after the value used.

** Indicates that the user locked the duration/timestep*

Rainfall parameters (Rainfall - FEH22)

Name	Value	User-defined?
Duration (hh:mm:ss)	03:15:00	No
Timestep (hh:mm:ss)	00:15:00	No
SCF (Seasonal correction factor)	0.98	No
ARF (Areal reduction factor)	0.97	No
Seasonality	Summer	No

Loss model parameters

Name	Value	User-defined?
Cini (mm)	23.22	No
Cmax (mm)	1163.57	No
Use alpha correction factor	No	No
Alpha correction factor	n/a	No

Routing model parameters

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Name	Value	User-defined?
Tp (hr)	1.88	No
Up	0.65	No
Uk	0.8	No

Baseflow model parameters

Name	Value	User-defined?
BF0 (m ³ /s)	0	No
BL (hr)	48.35	No
BR	3.68	No

Urbanisation parameters

Name	Value	User-defined?
Sewer capacity (m ³ /s)	0	No
Exporting drained area (km ²)	0	No
Urban area (km ²)	0.66 [0.65]	Yes
Effective URBEXT2000	0.41	n/a
Impervious runoff factor	0.7	No
Imperviousness factor	0.4	No
Tp scaling factor	0.75	No
Depression storage depth (mm)	0.5	No

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time series data

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
00:00:00	0.418	0.000	0.081	0.000	0.002	0.002
00:15:00	0.582	0.000	0.113	0.001	0.002	0.003
00:30:00	0.828	0.000	0.162	0.004	0.002	0.007
00:45:00	1.209	0.000	0.237	0.011	0.002	0.013
01:00:00	1.846	0.000	0.364	0.022	0.002	0.024
01:15:00	3.117	0.000	0.620	0.040	0.002	0.042
01:30:00	6.077	0.000	1.229	0.069	0.002	0.071
01:45:00	3.117	0.000	0.640	0.117	0.003	0.120
02:00:00	1.846	0.000	0.383	0.183	0.003	0.186
02:15:00	1.209	0.000	0.252	0.255	0.003	0.258
02:30:00	0.828	0.000	0.173	0.326	0.003	0.329
02:45:00	0.582	0.000	0.122	0.389	0.004	0.393
03:00:00	0.418	0.000	0.088	0.433	0.004	0.437
03:15:00	0.000	0.000	0.000	0.442	0.005	0.447
03:30:00	0.000	0.000	0.000	0.426	0.006	0.432
03:45:00	0.000	0.000	0.000	0.395	0.007	0.402
04:00:00	0.000	0.000	0.000	0.356	0.007	0.363
04:15:00	0.000	0.000	0.000	0.313	0.008	0.321
04:30:00	0.000	0.000	0.000	0.271	0.009	0.279
04:45:00	0.000	0.000	0.000	0.233	0.009	0.242
05:00:00	0.000	0.000	0.000	0.198	0.010	0.208
05:15:00	0.000	0.000	0.000	0.167	0.010	0.177
05:30:00	0.000	0.000	0.000	0.137	0.011	0.148
05:45:00	0.000	0.000	0.000	0.110	0.011	0.122
06:00:00	0.000	0.000	0.000	0.085	0.012	0.097
06:15:00	0.000	0.000	0.000	0.062	0.012	0.074
06:30:00	0.000	0.000	0.000	0.042	0.012	0.054
06:45:00	0.000	0.000	0.000	0.026	0.012	0.039
07:00:00	0.000	0.000	0.000	0.017	0.013	0.029
07:15:00	0.000	0.000	0.000	0.011	0.013	0.023
07:30:00	0.000	0.000	0.000	0.007	0.013	0.019
07:45:00	0.000	0.000	0.000	0.004	0.013	0.017
08:00:00	0.000	0.000	0.000	0.002	0.013	0.015
08:15:00	0.000	0.000	0.000	0.001	0.013	0.014

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
08:30:00	0.000	0.000	0.000	0.001	0.013	0.013
08:45:00	0.000	0.000	0.000	0.000	0.013	0.013
09:00:00	0.000	0.000	0.000	0.000	0.013	0.013
09:15:00	0.000	0.000	0.000	0.000	0.013	0.013
09:30:00	0.000	0.000	0.000	0.000	0.013	0.013
09:45:00	0.000	0.000	0.000	0.000	0.013	0.013
10:00:00	0.000	0.000	0.000	0.000	0.012	0.012
10:15:00	0.000	0.000	0.000	0.000	0.012	0.012
10:30:00	0.000	0.000	0.000	0.000	0.012	0.012
10:45:00	0.000	0.000	0.000	0.000	0.012	0.012
11:00:00	0.000	0.000	0.000	0.000	0.012	0.012
11:15:00	0.000	0.000	0.000	0.000	0.012	0.012
11:30:00	0.000	0.000	0.000	0.000	0.012	0.012
11:45:00	0.000	0.000	0.000	0.000	0.012	0.012
12:00:00	0.000	0.000	0.000	0.000	0.012	0.012
12:15:00	0.000	0.000	0.000	0.000	0.012	0.012
12:30:00	0.000	0.000	0.000	0.000	0.012	0.012
12:45:00	0.000	0.000	0.000	0.000	0.012	0.012
13:00:00	0.000	0.000	0.000	0.000	0.012	0.012
13:15:00	0.000	0.000	0.000	0.000	0.012	0.012
13:30:00	0.000	0.000	0.000	0.000	0.012	0.012
13:45:00	0.000	0.000	0.000	0.000	0.012	0.012
14:00:00	0.000	0.000	0.000	0.000	0.011	0.011
14:15:00	0.000	0.000	0.000	0.000	0.011	0.011
14:30:00	0.000	0.000	0.000	0.000	0.011	0.011
14:45:00	0.000	0.000	0.000	0.000	0.011	0.011
15:00:00	0.000	0.000	0.000	0.000	0.011	0.011
15:15:00	0.000	0.000	0.000	0.000	0.011	0.011
15:30:00	0.000	0.000	0.000	0.000	0.011	0.011
15:45:00	0.000	0.000	0.000	0.000	0.011	0.011
16:00:00	0.000	0.000	0.000	0.000	0.011	0.011
16:15:00	0.000	0.000	0.000	0.000	0.011	0.011
16:30:00	0.000	0.000	0.000	0.000	0.011	0.011
16:45:00	0.000	0.000	0.000	0.000	0.011	0.011
17:00:00	0.000	0.000	0.000	0.000	0.011	0.011

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
17:15:00	0.000	0.000	0.000	0.000	0.011	0.011
17:30:00	0.000	0.000	0.000	0.000	0.011	0.011
17:45:00	0.000	0.000	0.000	0.000	0.011	0.011
18:00:00	0.000	0.000	0.000	0.000	0.011	0.011
18:15:00	0.000	0.000	0.000	0.000	0.010	0.010
18:30:00	0.000	0.000	0.000	0.000	0.010	0.010
18:45:00	0.000	0.000	0.000	0.000	0.010	0.010
19:00:00	0.000	0.000	0.000	0.000	0.010	0.010
19:15:00	0.000	0.000	0.000	0.000	0.010	0.010
19:30:00	0.000	0.000	0.000	0.000	0.010	0.010
19:45:00	0.000	0.000	0.000	0.000	0.010	0.010
20:00:00	0.000	0.000	0.000	0.000	0.010	0.010
20:15:00	0.000	0.000	0.000	0.000	0.010	0.010
20:30:00	0.000	0.000	0.000	0.000	0.010	0.010
20:45:00	0.000	0.000	0.000	0.000	0.010	0.010
21:00:00	0.000	0.000	0.000	0.000	0.010	0.010
21:15:00	0.000	0.000	0.000	0.000	0.010	0.010
21:30:00	0.000	0.000	0.000	0.000	0.010	0.010
21:45:00	0.000	0.000	0.000	0.000	0.010	0.010
22:00:00	0.000	0.000	0.000	0.000	0.010	0.010
22:15:00	0.000	0.000	0.000	0.000	0.010	0.010
22:30:00	0.000	0.000	0.000	0.000	0.010	0.010
22:45:00	0.000	0.000	0.000	0.000	0.010	0.010
23:00:00	0.000	0.000	0.000	0.000	0.010	0.010
23:15:00	0.000	0.000	0.000	0.000	0.009	0.009
23:30:00	0.000	0.000	0.000	0.000	0.009	0.009
23:45:00	0.000	0.000	0.000	0.000	0.009	0.009
24:00:00	0.000	0.000	0.000	0.000	0.009	0.009
24:15:00	0.000	0.000	0.000	0.000	0.009	0.009
24:30:00	0.000	0.000	0.000	0.000	0.009	0.009
24:45:00	0.000	0.000	0.000	0.000	0.009	0.009
25:00:00	0.000	0.000	0.000	0.000	0.009	0.009
25:15:00	0.000	0.000	0.000	0.000	0.009	0.009
25:30:00	0.000	0.000	0.000	0.000	0.009	0.009
25:45:00	0.000	0.000	0.000	0.000	0.009	0.009

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
26:00:00	0.000	0.000	0.000	0.000	0.009	0.009
26:15:00	0.000	0.000	0.000	0.000	0.009	0.009
26:30:00	0.000	0.000	0.000	0.000	0.009	0.009
26:45:00	0.000	0.000	0.000	0.000	0.009	0.009
27:00:00	0.000	0.000	0.000	0.000	0.009	0.009
27:15:00	0.000	0.000	0.000	0.000	0.009	0.009
27:30:00	0.000	0.000	0.000	0.000	0.009	0.009
27:45:00	0.000	0.000	0.000	0.000	0.009	0.009
28:00:00	0.000	0.000	0.000	0.000	0.009	0.009
28:15:00	0.000	0.000	0.000	0.000	0.009	0.009
28:30:00	0.000	0.000	0.000	0.000	0.008	0.008
28:45:00	0.000	0.000	0.000	0.000	0.008	0.008
29:00:00	0.000	0.000	0.000	0.000	0.008	0.008
29:15:00	0.000	0.000	0.000	0.000	0.008	0.008
29:30:00	0.000	0.000	0.000	0.000	0.008	0.008
29:45:00	0.000	0.000	0.000	0.000	0.008	0.008
30:00:00	0.000	0.000	0.000	0.000	0.008	0.008
30:15:00	0.000	0.000	0.000	0.000	0.008	0.008
30:30:00	0.000	0.000	0.000	0.000	0.008	0.008
30:45:00	0.000	0.000	0.000	0.000	0.008	0.008
31:00:00	0.000	0.000	0.000	0.000	0.008	0.008
31:15:00	0.000	0.000	0.000	0.000	0.008	0.008
31:30:00	0.000	0.000	0.000	0.000	0.008	0.008
31:45:00	0.000	0.000	0.000	0.000	0.008	0.008
32:00:00	0.000	0.000	0.000	0.000	0.008	0.008
32:15:00	0.000	0.000	0.000	0.000	0.008	0.008
32:30:00	0.000	0.000	0.000	0.000	0.008	0.008
32:45:00	0.000	0.000	0.000	0.000	0.008	0.008
33:00:00	0.000	0.000	0.000	0.000	0.008	0.008
33:15:00	0.000	0.000	0.000	0.000	0.008	0.008
33:30:00	0.000	0.000	0.000	0.000	0.008	0.008
33:45:00	0.000	0.000	0.000	0.000	0.008	0.008
34:00:00	0.000	0.000	0.000	0.000	0.008	0.008
34:15:00	0.000	0.000	0.000	0.000	0.008	0.008
34:30:00	0.000	0.000	0.000	0.000	0.007	0.007

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
34:45:00	0.000	0.000	0.000	0.000	0.007	0.007
35:00:00	0.000	0.000	0.000	0.000	0.007	0.007
35:15:00	0.000	0.000	0.000	0.000	0.007	0.007
35:30:00	0.000	0.000	0.000	0.000	0.007	0.007
35:45:00	0.000	0.000	0.000	0.000	0.007	0.007
36:00:00	0.000	0.000	0.000	0.000	0.007	0.007
36:15:00	0.000	0.000	0.000	0.000	0.007	0.007
36:30:00	0.000	0.000	0.000	0.000	0.007	0.007
36:45:00	0.000	0.000	0.000	0.000	0.007	0.007
37:00:00	0.000	0.000	0.000	0.000	0.007	0.007
37:15:00	0.000	0.000	0.000	0.000	0.007	0.007
37:30:00	0.000	0.000	0.000	0.000	0.007	0.007
37:45:00	0.000	0.000	0.000	0.000	0.007	0.007
38:00:00	0.000	0.000	0.000	0.000	0.007	0.007
38:15:00	0.000	0.000	0.000	0.000	0.007	0.007
38:30:00	0.000	0.000	0.000	0.000	0.007	0.007
38:45:00	0.000	0.000	0.000	0.000	0.007	0.007
39:00:00	0.000	0.000	0.000	0.000	0.007	0.007
39:15:00	0.000	0.000	0.000	0.000	0.007	0.007
39:30:00	0.000	0.000	0.000	0.000	0.007	0.007
39:45:00	0.000	0.000	0.000	0.000	0.007	0.007
40:00:00	0.000	0.000	0.000	0.000	0.007	0.007
40:15:00	0.000	0.000	0.000	0.000	0.007	0.007
40:30:00	0.000	0.000	0.000	0.000	0.007	0.007
40:45:00	0.000	0.000	0.000	0.000	0.007	0.007
41:00:00	0.000	0.000	0.000	0.000	0.007	0.007
41:15:00	0.000	0.000	0.000	0.000	0.007	0.007
41:30:00	0.000	0.000	0.000	0.000	0.006	0.006
41:45:00	0.000	0.000	0.000	0.000	0.006	0.006
42:00:00	0.000	0.000	0.000	0.000	0.006	0.006
42:15:00	0.000	0.000	0.000	0.000	0.006	0.006
42:30:00	0.000	0.000	0.000	0.000	0.006	0.006
42:45:00	0.000	0.000	0.000	0.000	0.006	0.006
43:00:00	0.000	0.000	0.000	0.000	0.006	0.006
43:15:00	0.000	0.000	0.000	0.000	0.006	0.006

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
43:30:00	0.000	0.000	0.000	0.000	0.006	0.006
43:45:00	0.000	0.000	0.000	0.000	0.006	0.006
44:00:00	0.000	0.000	0.000	0.000	0.006	0.006
44:15:00	0.000	0.000	0.000	0.000	0.006	0.006
44:30:00	0.000	0.000	0.000	0.000	0.006	0.006
44:45:00	0.000	0.000	0.000	0.000	0.006	0.006
45:00:00	0.000	0.000	0.000	0.000	0.006	0.006
45:15:00	0.000	0.000	0.000	0.000	0.006	0.006
45:30:00	0.000	0.000	0.000	0.000	0.006	0.006
45:45:00	0.000	0.000	0.000	0.000	0.006	0.006
46:00:00	0.000	0.000	0.000	0.000	0.006	0.006
46:15:00	0.000	0.000	0.000	0.000	0.006	0.006
46:30:00	0.000	0.000	0.000	0.000	0.006	0.006
46:45:00	0.000	0.000	0.000	0.000	0.006	0.006
47:00:00	0.000	0.000	0.000	0.000	0.006	0.006
47:15:00	0.000	0.000	0.000	0.000	0.006	0.006
47:30:00	0.000	0.000	0.000	0.000	0.006	0.006
47:45:00	0.000	0.000	0.000	0.000	0.006	0.006
48:00:00	0.000	0.000	0.000	0.000	0.006	0.006
48:15:00	0.000	0.000	0.000	0.000	0.006	0.006
48:30:00	0.000	0.000	0.000	0.000	0.006	0.006
48:45:00	0.000	0.000	0.000	0.000	0.006	0.006
49:00:00	0.000	0.000	0.000	0.000	0.006	0.006
49:15:00	0.000	0.000	0.000	0.000	0.006	0.006
49:30:00	0.000	0.000	0.000	0.000	0.005	0.005
49:45:00	0.000	0.000	0.000	0.000	0.005	0.005
50:00:00	0.000	0.000	0.000	0.000	0.005	0.005
50:15:00	0.000	0.000	0.000	0.000	0.005	0.005
50:30:00	0.000	0.000	0.000	0.000	0.005	0.005
50:45:00	0.000	0.000	0.000	0.000	0.005	0.005
51:00:00	0.000	0.000	0.000	0.000	0.005	0.005
51:15:00	0.000	0.000	0.000	0.000	0.005	0.005
51:30:00	0.000	0.000	0.000	0.000	0.005	0.005
51:45:00	0.000	0.000	0.000	0.000	0.005	0.005
52:00:00	0.000	0.000	0.000	0.000	0.005	0.005

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
52:15:00	0.000	0.000	0.000	0.000	0.005	0.005
52:30:00	0.000	0.000	0.000	0.000	0.005	0.005
52:45:00	0.000	0.000	0.000	0.000	0.005	0.005
53:00:00	0.000	0.000	0.000	0.000	0.005	0.005
53:15:00	0.000	0.000	0.000	0.000	0.005	0.005
53:30:00	0.000	0.000	0.000	0.000	0.005	0.005
53:45:00	0.000	0.000	0.000	0.000	0.005	0.005
54:00:00	0.000	0.000	0.000	0.000	0.005	0.005
54:15:00	0.000	0.000	0.000	0.000	0.005	0.005
54:30:00	0.000	0.000	0.000	0.000	0.005	0.005
54:45:00	0.000	0.000	0.000	0.000	0.005	0.005
55:00:00	0.000	0.000	0.000	0.000	0.005	0.005
55:15:00	0.000	0.000	0.000	0.000	0.005	0.005
55:30:00	0.000	0.000	0.000	0.000	0.005	0.005
55:45:00	0.000	0.000	0.000	0.000	0.005	0.005
56:00:00	0.000	0.000	0.000	0.000	0.005	0.005
56:15:00	0.000	0.000	0.000	0.000	0.005	0.005
56:30:00	0.000	0.000	0.000	0.000	0.005	0.005
56:45:00	0.000	0.000	0.000	0.000	0.005	0.005
57:00:00	0.000	0.000	0.000	0.000	0.005	0.005
57:15:00	0.000	0.000	0.000	0.000	0.005	0.005
57:30:00	0.000	0.000	0.000	0.000	0.005	0.005
57:45:00	0.000	0.000	0.000	0.000	0.005	0.005
58:00:00	0.000	0.000	0.000	0.000	0.005	0.005
58:15:00	0.000	0.000	0.000	0.000	0.005	0.005
58:30:00	0.000	0.000	0.000	0.000	0.005	0.005
58:45:00	0.000	0.000	0.000	0.000	0.005	0.005
59:00:00	0.000	0.000	0.000	0.000	0.005	0.005
59:15:00	0.000	0.000	0.000	0.000	0.004	0.004
59:30:00	0.000	0.000	0.000	0.000	0.004	0.004
59:45:00	0.000	0.000	0.000	0.000	0.004	0.004
60:00:00	0.000	0.000	0.000	0.000	0.004	0.004
60:15:00	0.000	0.000	0.000	0.000	0.004	0.004
60:30:00	0.000	0.000	0.000	0.000	0.004	0.004
60:45:00	0.000	0.000	0.000	0.000	0.004	0.004

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
61:00:00	0.000	0.000	0.000	0.000	0.004	0.004
61:15:00	0.000	0.000	0.000	0.000	0.004	0.004
61:30:00	0.000	0.000	0.000	0.000	0.004	0.004
61:45:00	0.000	0.000	0.000	0.000	0.004	0.004
62:00:00	0.000	0.000	0.000	0.000	0.004	0.004
62:15:00	0.000	0.000	0.000	0.000	0.004	0.004
62:30:00	0.000	0.000	0.000	0.000	0.004	0.004
62:45:00	0.000	0.000	0.000	0.000	0.004	0.004
63:00:00	0.000	0.000	0.000	0.000	0.004	0.004
63:15:00	0.000	0.000	0.000	0.000	0.004	0.004
63:30:00	0.000	0.000	0.000	0.000	0.004	0.004
63:45:00	0.000	0.000	0.000	0.000	0.004	0.004
64:00:00	0.000	0.000	0.000	0.000	0.004	0.004
64:15:00	0.000	0.000	0.000	0.000	0.004	0.004
64:30:00	0.000	0.000	0.000	0.000	0.004	0.004
64:45:00	0.000	0.000	0.000	0.000	0.004	0.004
65:00:00	0.000	0.000	0.000	0.000	0.004	0.004
65:15:00	0.000	0.000	0.000	0.000	0.004	0.004
65:30:00	0.000	0.000	0.000	0.000	0.004	0.004
65:45:00	0.000	0.000	0.000	0.000	0.004	0.004
66:00:00	0.000	0.000	0.000	0.000	0.004	0.004
66:15:00	0.000	0.000	0.000	0.000	0.004	0.004
66:30:00	0.000	0.000	0.000	0.000	0.004	0.004
66:45:00	0.000	0.000	0.000	0.000	0.004	0.004
67:00:00	0.000	0.000	0.000	0.000	0.004	0.004
67:15:00	0.000	0.000	0.000	0.000	0.004	0.004
67:30:00	0.000	0.000	0.000	0.000	0.004	0.004
67:45:00	0.000	0.000	0.000	0.000	0.004	0.004
68:00:00	0.000	0.000	0.000	0.000	0.004	0.004
68:15:00	0.000	0.000	0.000	0.000	0.004	0.004
68:30:00	0.000	0.000	0.000	0.000	0.004	0.004
68:45:00	0.000	0.000	0.000	0.000	0.004	0.004
69:00:00	0.000	0.000	0.000	0.000	0.004	0.004
69:15:00	0.000	0.000	0.000	0.000	0.004	0.004
69:30:00	0.000	0.000	0.000	0.000	0.004	0.004

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
69:45:00	0.000	0.000	0.000	0.000	0.004	0.004
70:00:00	0.000	0.000	0.000	0.000	0.004	0.004
70:15:00	0.000	0.000	0.000	0.000	0.004	0.004
70:30:00	0.000	0.000	0.000	0.000	0.004	0.004
70:45:00	0.000	0.000	0.000	0.000	0.004	0.004
71:00:00	0.000	0.000	0.000	0.000	0.004	0.004
71:15:00	0.000	0.000	0.000	0.000	0.004	0.004
71:30:00	0.000	0.000	0.000	0.000	0.003	0.003
71:45:00	0.000	0.000	0.000	0.000	0.003	0.003
72:00:00	0.000	0.000	0.000	0.000	0.003	0.003
72:15:00	0.000	0.000	0.000	0.000	0.003	0.003
72:30:00	0.000	0.000	0.000	0.000	0.003	0.003
72:45:00	0.000	0.000	0.000	0.000	0.003	0.003
73:00:00	0.000	0.000	0.000	0.000	0.003	0.003
73:15:00	0.000	0.000	0.000	0.000	0.003	0.003
73:30:00	0.000	0.000	0.000	0.000	0.003	0.003
73:45:00	0.000	0.000	0.000	0.000	0.003	0.003
74:00:00	0.000	0.000	0.000	0.000	0.003	0.003
74:15:00	0.000	0.000	0.000	0.000	0.003	0.003
74:30:00	0.000	0.000	0.000	0.000	0.003	0.003
74:45:00	0.000	0.000	0.000	0.000	0.003	0.003
75:00:00	0.000	0.000	0.000	0.000	0.003	0.003
75:15:00	0.000	0.000	0.000	0.000	0.003	0.003
75:30:00	0.000	0.000	0.000	0.000	0.003	0.003
75:45:00	0.000	0.000	0.000	0.000	0.003	0.003
76:00:00	0.000	0.000	0.000	0.000	0.003	0.003
76:15:00	0.000	0.000	0.000	0.000	0.003	0.003
76:30:00	0.000	0.000	0.000	0.000	0.003	0.003
76:45:00	0.000	0.000	0.000	0.000	0.003	0.003
77:00:00	0.000	0.000	0.000	0.000	0.003	0.003
77:15:00	0.000	0.000	0.000	0.000	0.003	0.003
77:30:00	0.000	0.000	0.000	0.000	0.003	0.003
77:45:00	0.000	0.000	0.000	0.000	0.003	0.003
78:00:00	0.000	0.000	0.000	0.000	0.003	0.003
78:15:00	0.000	0.000	0.000	0.000	0.003	0.003

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
78:30:00	0.000	0.000	0.000	0.000	0.003	0.003
78:45:00	0.000	0.000	0.000	0.000	0.003	0.003
79:00:00	0.000	0.000	0.000	0.000	0.003	0.003
79:15:00	0.000	0.000	0.000	0.000	0.003	0.003
79:30:00	0.000	0.000	0.000	0.000	0.003	0.003
79:45:00	0.000	0.000	0.000	0.000	0.003	0.003
80:00:00	0.000	0.000	0.000	0.000	0.003	0.003
80:15:00	0.000	0.000	0.000	0.000	0.003	0.003
80:30:00	0.000	0.000	0.000	0.000	0.003	0.003
80:45:00	0.000	0.000	0.000	0.000	0.003	0.003
81:00:00	0.000	0.000	0.000	0.000	0.003	0.003
81:15:00	0.000	0.000	0.000	0.000	0.003	0.003
81:30:00	0.000	0.000	0.000	0.000	0.003	0.003
81:45:00	0.000	0.000	0.000	0.000	0.003	0.003
82:00:00	0.000	0.000	0.000	0.000	0.003	0.003
82:15:00	0.000	0.000	0.000	0.000	0.003	0.003
82:30:00	0.000	0.000	0.000	0.000	0.003	0.003
82:45:00	0.000	0.000	0.000	0.000	0.003	0.003
83:00:00	0.000	0.000	0.000	0.000	0.003	0.003
83:15:00	0.000	0.000	0.000	0.000	0.003	0.003
83:30:00	0.000	0.000	0.000	0.000	0.003	0.003
83:45:00	0.000	0.000	0.000	0.000	0.003	0.003
84:00:00	0.000	0.000	0.000	0.000	0.003	0.003
84:15:00	0.000	0.000	0.000	0.000	0.003	0.003
84:30:00	0.000	0.000	0.000	0.000	0.003	0.003
84:45:00	0.000	0.000	0.000	0.000	0.003	0.003
85:00:00	0.000	0.000	0.000	0.000	0.003	0.003
85:15:00	0.000	0.000	0.000	0.000	0.003	0.003
85:30:00	0.000	0.000	0.000	0.000	0.003	0.003
85:45:00	0.000	0.000	0.000	0.000	0.003	0.003
86:00:00	0.000	0.000	0.000	0.000	0.003	0.003
86:15:00	0.000	0.000	0.000	0.000	0.003	0.003
86:30:00	0.000	0.000	0.000	0.000	0.003	0.003
86:45:00	0.000	0.000	0.000	0.000	0.003	0.003
87:00:00	0.000	0.000	0.000	0.000	0.003	0.003

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
87:15:00	0.000	0.000	0.000	0.000	0.003	0.003
87:30:00	0.000	0.000	0.000	0.000	0.003	0.003
87:45:00	0.000	0.000	0.000	0.000	0.002	0.002

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Appendix

Catchment descriptors *

Name	Value	User-defined value used?
Area (km ²)	1.04	No
ALTBAR	41	No
ASPBAR	185	No
ASPVAR	0.83	No
BFIHOST	0.93	No
BFIHOST19	0.9	No
DPLBAR (km)	1.06	No
DPSBAR (mkm ⁻¹)	57.1	No
FARL	1	No
LDP	1.97	No
PROPWET	0.34	No
RMED1H	11.1	No
RMED1D	37.5	No
RMED2D	47.5	No
SAAR (mm)	772	No
SAAR4170 (mm)	779	No
SPRHOST	8.8	No
URBEXT2000	0.41 [0.4]	Yes
URBEXT1990	0.31	No
URBCONC	0.86	No
URBLOC	0.75	No
DDF parameter C	-0.03	No
DDF parameter D1	0.4	No
DDF parameter D2	0.31	No
DDF parameter D3	0.37	No
DDF parameter E	0.31	No
DDF parameter F	2.45	No
DDF parameter C (1km grid value)	-0.03	No
DDF parameter D1 (1km grid value)	0.4	No
DDF parameter D2 (1km grid value)	0.3	No
DDF parameter D3 (1km grid value)	0.36	No
DDF parameter E (1km grid value)	0.31	No
DDF parameter F (1km grid value)	2.44	No

Values in square brackets are the original values loaded from the FEH Web Service or FEH CD-ROM

*The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.

UK Design Flood Estimation

Generated on 14 November 2025 13:43:05 by martha.hughes
Printed from the ReFH2 Flood Modelling software package, version 4.2.9376.28705

Summary of estimate using the Flood Estimation Handbook revitalised flood hydrograph method (ReFH2)

Site details

Checksum: 66DC-6177

Site name: Updated Rainfall Catchment Descriptors_524100_105550_v5_1_0

Easting: 524100

Northing: 105550

Country: England, Wales or Northern Ireland

Catchment Area (km²): 1.04

Using plot scale calculations: No

Model: 2.3

Site description: None

Model run: 30 year

Summary of results

Rainfall - FEH22 (mm):	49.58	Total runoff (ML):	10.37
Total Rainfall (mm):	47.26	Total flow (ML):	15.65
Peak Rainfall (mm):	13.01	Peak flow (m ³ /s):	0.99

Parameters

Where the user has overridden a system-generated value, this original value is shown in square brackets after the value used.

** Indicates that the user locked the duration/timestep*

Rainfall parameters (Rainfall - FEH22)

Name	Value	User-defined?
Duration (hh:mm:ss)	03:15:00	No
Timestep (hh:mm:ss)	00:15:00	No
SCF (Seasonal correction factor)	0.98	No
ARF (Areal reduction factor)	0.97	No
Seasonality	Summer	No

Loss model parameters

Name	Value	User-defined?
Cini (mm)	23.22	No
Cmax (mm)	1163.57	No
Use alpha correction factor	No	No
Alpha correction factor	n/a	No

Routing model parameters

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Name	Value	User-defined?
Tp (hr)	1.88	No
Up	0.65	No
Uk	0.8	No

Baseflow model parameters

Name	Value	User-defined?
BF0 (m ³ /s)	0	No
BL (hr)	48.35	No
BR	3.68	No

Urbanisation parameters

Name	Value	User-defined?
Sewer capacity (m ³ /s)	0	No
Exporting drained area (km ²)	0	No
Urban area (km ²)	0.66 [0.65]	Yes
Effective URBEXT2000	0.41	n/a
Impervious runoff factor	0.7	No
Imperviousness factor	0.4	No
Tp scaling factor	0.75	No
Depression storage depth (mm)	0.5	No

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time series data

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m³/s)	Net Rain (mm)	Runoff (m³/s)	Baseflow (m³/s)	Total Flow (m³/s)
00:00:00	0.894	0.000	0.173	0.000	0.002	0.002
00:15:00	1.247	0.000	0.244	0.002	0.002	0.004
00:30:00	1.771	0.000	0.348	0.009	0.002	0.011
00:45:00	2.587	0.000	0.512	0.023	0.002	0.025
01:00:00	3.953	0.000	0.792	0.046	0.002	0.049
01:15:00	6.673	0.000	1.362	0.085	0.002	0.088
01:30:00	13.009	0.000	2.746	0.149	0.003	0.151
01:45:00	6.673	0.000	1.455	0.254	0.003	0.257
02:00:00	3.953	0.000	0.877	0.399	0.003	0.403
02:15:00	2.587	0.000	0.580	0.559	0.004	0.563
02:30:00	1.771	0.000	0.400	0.717	0.005	0.722
02:45:00	1.247	0.000	0.283	0.858	0.006	0.864
03:00:00	0.894	0.000	0.203	0.959	0.008	0.967
03:15:00	0.000	0.000	0.000	0.982	0.010	0.992
03:30:00	0.000	0.000	0.000	0.951	0.012	0.962
03:45:00	0.000	0.000	0.000	0.885	0.014	0.899
04:00:00	0.000	0.000	0.000	0.799	0.017	0.816
04:15:00	0.000	0.000	0.000	0.704	0.019	0.723
04:30:00	0.000	0.000	0.000	0.611	0.021	0.632
04:45:00	0.000	0.000	0.000	0.526	0.023	0.549
05:00:00	0.000	0.000	0.000	0.449	0.025	0.474
05:15:00	0.000	0.000	0.000	0.378	0.026	0.404
05:30:00	0.000	0.000	0.000	0.313	0.028	0.340
05:45:00	0.000	0.000	0.000	0.252	0.029	0.281
06:00:00	0.000	0.000	0.000	0.196	0.030	0.225
06:15:00	0.000	0.000	0.000	0.144	0.031	0.175
06:30:00	0.000	0.000	0.000	0.099	0.031	0.130
06:45:00	0.000	0.000	0.000	0.064	0.032	0.096
07:00:00	0.000	0.000	0.000	0.042	0.033	0.074
07:15:00	0.000	0.000	0.000	0.027	0.033	0.060
07:30:00	0.000	0.000	0.000	0.018	0.033	0.051
07:45:00	0.000	0.000	0.000	0.011	0.033	0.044
08:00:00	0.000	0.000	0.000	0.007	0.034	0.040
08:15:00	0.000	0.000	0.000	0.004	0.034	0.037

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
08:30:00	0.000	0.000	0.000	0.002	0.034	0.036
08:45:00	0.000	0.000	0.000	0.001	0.033	0.035
09:00:00	0.000	0.000	0.000	0.001	0.033	0.034
09:15:00	0.000	0.000	0.000	0.000	0.033	0.034
09:30:00	0.000	0.000	0.000	0.000	0.033	0.033
09:45:00	0.000	0.000	0.000	0.000	0.033	0.033
10:00:00	0.000	0.000	0.000	0.000	0.033	0.033
10:15:00	0.000	0.000	0.000	0.000	0.033	0.033
10:30:00	0.000	0.000	0.000	0.000	0.032	0.032
10:45:00	0.000	0.000	0.000	0.000	0.032	0.032
11:00:00	0.000	0.000	0.000	0.000	0.032	0.032
11:15:00	0.000	0.000	0.000	0.000	0.032	0.032
11:30:00	0.000	0.000	0.000	0.000	0.032	0.032
11:45:00	0.000	0.000	0.000	0.000	0.032	0.032
12:00:00	0.000	0.000	0.000	0.000	0.031	0.031
12:15:00	0.000	0.000	0.000	0.000	0.031	0.031
12:30:00	0.000	0.000	0.000	0.000	0.031	0.031
12:45:00	0.000	0.000	0.000	0.000	0.031	0.031
13:00:00	0.000	0.000	0.000	0.000	0.031	0.031
13:15:00	0.000	0.000	0.000	0.000	0.031	0.031
13:30:00	0.000	0.000	0.000	0.000	0.030	0.030
13:45:00	0.000	0.000	0.000	0.000	0.030	0.030
14:00:00	0.000	0.000	0.000	0.000	0.030	0.030
14:15:00	0.000	0.000	0.000	0.000	0.030	0.030
14:30:00	0.000	0.000	0.000	0.000	0.030	0.030
14:45:00	0.000	0.000	0.000	0.000	0.030	0.030
15:00:00	0.000	0.000	0.000	0.000	0.029	0.029
15:15:00	0.000	0.000	0.000	0.000	0.029	0.029
15:30:00	0.000	0.000	0.000	0.000	0.029	0.029
15:45:00	0.000	0.000	0.000	0.000	0.029	0.029
16:00:00	0.000	0.000	0.000	0.000	0.029	0.029
16:15:00	0.000	0.000	0.000	0.000	0.029	0.029
16:30:00	0.000	0.000	0.000	0.000	0.029	0.029
16:45:00	0.000	0.000	0.000	0.000	0.028	0.028
17:00:00	0.000	0.000	0.000	0.000	0.028	0.028

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
17:15:00	0.000	0.000	0.000	0.000	0.028	0.028
17:30:00	0.000	0.000	0.000	0.000	0.028	0.028
17:45:00	0.000	0.000	0.000	0.000	0.028	0.028
18:00:00	0.000	0.000	0.000	0.000	0.028	0.028
18:15:00	0.000	0.000	0.000	0.000	0.028	0.028
18:30:00	0.000	0.000	0.000	0.000	0.027	0.027
18:45:00	0.000	0.000	0.000	0.000	0.027	0.027
19:00:00	0.000	0.000	0.000	0.000	0.027	0.027
19:15:00	0.000	0.000	0.000	0.000	0.027	0.027
19:30:00	0.000	0.000	0.000	0.000	0.027	0.027
19:45:00	0.000	0.000	0.000	0.000	0.027	0.027
20:00:00	0.000	0.000	0.000	0.000	0.027	0.027
20:15:00	0.000	0.000	0.000	0.000	0.026	0.026
20:30:00	0.000	0.000	0.000	0.000	0.026	0.026
20:45:00	0.000	0.000	0.000	0.000	0.026	0.026
21:00:00	0.000	0.000	0.000	0.000	0.026	0.026
21:15:00	0.000	0.000	0.000	0.000	0.026	0.026
21:30:00	0.000	0.000	0.000	0.000	0.026	0.026
21:45:00	0.000	0.000	0.000	0.000	0.026	0.026
22:00:00	0.000	0.000	0.000	0.000	0.025	0.025
22:15:00	0.000	0.000	0.000	0.000	0.025	0.025
22:30:00	0.000	0.000	0.000	0.000	0.025	0.025
22:45:00	0.000	0.000	0.000	0.000	0.025	0.025
23:00:00	0.000	0.000	0.000	0.000	0.025	0.025
23:15:00	0.000	0.000	0.000	0.000	0.025	0.025
23:30:00	0.000	0.000	0.000	0.000	0.025	0.025
23:45:00	0.000	0.000	0.000	0.000	0.025	0.025
24:00:00	0.000	0.000	0.000	0.000	0.024	0.024
24:15:00	0.000	0.000	0.000	0.000	0.024	0.024
24:30:00	0.000	0.000	0.000	0.000	0.024	0.024
24:45:00	0.000	0.000	0.000	0.000	0.024	0.024
25:00:00	0.000	0.000	0.000	0.000	0.024	0.024
25:15:00	0.000	0.000	0.000	0.000	0.024	0.024
25:30:00	0.000	0.000	0.000	0.000	0.024	0.024
25:45:00	0.000	0.000	0.000	0.000	0.024	0.024

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
26:00:00	0.000	0.000	0.000	0.000	0.023	0.023
26:15:00	0.000	0.000	0.000	0.000	0.023	0.023
26:30:00	0.000	0.000	0.000	0.000	0.023	0.023
26:45:00	0.000	0.000	0.000	0.000	0.023	0.023
27:00:00	0.000	0.000	0.000	0.000	0.023	0.023
27:15:00	0.000	0.000	0.000	0.000	0.023	0.023
27:30:00	0.000	0.000	0.000	0.000	0.023	0.023
27:45:00	0.000	0.000	0.000	0.000	0.023	0.023
28:00:00	0.000	0.000	0.000	0.000	0.023	0.023
28:15:00	0.000	0.000	0.000	0.000	0.022	0.022
28:30:00	0.000	0.000	0.000	0.000	0.022	0.022
28:45:00	0.000	0.000	0.000	0.000	0.022	0.022
29:00:00	0.000	0.000	0.000	0.000	0.022	0.022
29:15:00	0.000	0.000	0.000	0.000	0.022	0.022
29:30:00	0.000	0.000	0.000	0.000	0.022	0.022
29:45:00	0.000	0.000	0.000	0.000	0.022	0.022
30:00:00	0.000	0.000	0.000	0.000	0.022	0.022
30:15:00	0.000	0.000	0.000	0.000	0.021	0.021
30:30:00	0.000	0.000	0.000	0.000	0.021	0.021
30:45:00	0.000	0.000	0.000	0.000	0.021	0.021
31:00:00	0.000	0.000	0.000	0.000	0.021	0.021
31:15:00	0.000	0.000	0.000	0.000	0.021	0.021
31:30:00	0.000	0.000	0.000	0.000	0.021	0.021
31:45:00	0.000	0.000	0.000	0.000	0.021	0.021
32:00:00	0.000	0.000	0.000	0.000	0.021	0.021
32:15:00	0.000	0.000	0.000	0.000	0.021	0.021
32:30:00	0.000	0.000	0.000	0.000	0.021	0.021
32:45:00	0.000	0.000	0.000	0.000	0.020	0.020
33:00:00	0.000	0.000	0.000	0.000	0.020	0.020
33:15:00	0.000	0.000	0.000	0.000	0.020	0.020
33:30:00	0.000	0.000	0.000	0.000	0.020	0.020
33:45:00	0.000	0.000	0.000	0.000	0.020	0.020
34:00:00	0.000	0.000	0.000	0.000	0.020	0.020
34:15:00	0.000	0.000	0.000	0.000	0.020	0.020
34:30:00	0.000	0.000	0.000	0.000	0.020	0.020

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
34:45:00	0.000	0.000	0.000	0.000	0.020	0.020
35:00:00	0.000	0.000	0.000	0.000	0.019	0.019
35:15:00	0.000	0.000	0.000	0.000	0.019	0.019
35:30:00	0.000	0.000	0.000	0.000	0.019	0.019
35:45:00	0.000	0.000	0.000	0.000	0.019	0.019
36:00:00	0.000	0.000	0.000	0.000	0.019	0.019
36:15:00	0.000	0.000	0.000	0.000	0.019	0.019
36:30:00	0.000	0.000	0.000	0.000	0.019	0.019
36:45:00	0.000	0.000	0.000	0.000	0.019	0.019
37:00:00	0.000	0.000	0.000	0.000	0.019	0.019
37:15:00	0.000	0.000	0.000	0.000	0.019	0.019
37:30:00	0.000	0.000	0.000	0.000	0.019	0.019
37:45:00	0.000	0.000	0.000	0.000	0.018	0.018
38:00:00	0.000	0.000	0.000	0.000	0.018	0.018
38:15:00	0.000	0.000	0.000	0.000	0.018	0.018
38:30:00	0.000	0.000	0.000	0.000	0.018	0.018
38:45:00	0.000	0.000	0.000	0.000	0.018	0.018
39:00:00	0.000	0.000	0.000	0.000	0.018	0.018
39:15:00	0.000	0.000	0.000	0.000	0.018	0.018
39:30:00	0.000	0.000	0.000	0.000	0.018	0.018
39:45:00	0.000	0.000	0.000	0.000	0.018	0.018
40:00:00	0.000	0.000	0.000	0.000	0.018	0.018
40:15:00	0.000	0.000	0.000	0.000	0.017	0.017
40:30:00	0.000	0.000	0.000	0.000	0.017	0.017
40:45:00	0.000	0.000	0.000	0.000	0.017	0.017
41:00:00	0.000	0.000	0.000	0.000	0.017	0.017
41:15:00	0.000	0.000	0.000	0.000	0.017	0.017
41:30:00	0.000	0.000	0.000	0.000	0.017	0.017
41:45:00	0.000	0.000	0.000	0.000	0.017	0.017
42:00:00	0.000	0.000	0.000	0.000	0.017	0.017
42:15:00	0.000	0.000	0.000	0.000	0.017	0.017
42:30:00	0.000	0.000	0.000	0.000	0.017	0.017
42:45:00	0.000	0.000	0.000	0.000	0.017	0.017
43:00:00	0.000	0.000	0.000	0.000	0.017	0.017
43:15:00	0.000	0.000	0.000	0.000	0.016	0.016

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
43:30:00	0.000	0.000	0.000	0.000	0.016	0.016
43:45:00	0.000	0.000	0.000	0.000	0.016	0.016
44:00:00	0.000	0.000	0.000	0.000	0.016	0.016
44:15:00	0.000	0.000	0.000	0.000	0.016	0.016
44:30:00	0.000	0.000	0.000	0.000	0.016	0.016
44:45:00	0.000	0.000	0.000	0.000	0.016	0.016
45:00:00	0.000	0.000	0.000	0.000	0.016	0.016
45:15:00	0.000	0.000	0.000	0.000	0.016	0.016
45:30:00	0.000	0.000	0.000	0.000	0.016	0.016
45:45:00	0.000	0.000	0.000	0.000	0.016	0.016
46:00:00	0.000	0.000	0.000	0.000	0.016	0.016
46:15:00	0.000	0.000	0.000	0.000	0.015	0.015
46:30:00	0.000	0.000	0.000	0.000	0.015	0.015
46:45:00	0.000	0.000	0.000	0.000	0.015	0.015
47:00:00	0.000	0.000	0.000	0.000	0.015	0.015
47:15:00	0.000	0.000	0.000	0.000	0.015	0.015
47:30:00	0.000	0.000	0.000	0.000	0.015	0.015
47:45:00	0.000	0.000	0.000	0.000	0.015	0.015
48:00:00	0.000	0.000	0.000	0.000	0.015	0.015
48:15:00	0.000	0.000	0.000	0.000	0.015	0.015
48:30:00	0.000	0.000	0.000	0.000	0.015	0.015
48:45:00	0.000	0.000	0.000	0.000	0.015	0.015
49:00:00	0.000	0.000	0.000	0.000	0.015	0.015
49:15:00	0.000	0.000	0.000	0.000	0.015	0.015
49:30:00	0.000	0.000	0.000	0.000	0.014	0.014
49:45:00	0.000	0.000	0.000	0.000	0.014	0.014
50:00:00	0.000	0.000	0.000	0.000	0.014	0.014
50:15:00	0.000	0.000	0.000	0.000	0.014	0.014
50:30:00	0.000	0.000	0.000	0.000	0.014	0.014
50:45:00	0.000	0.000	0.000	0.000	0.014	0.014
51:00:00	0.000	0.000	0.000	0.000	0.014	0.014
51:15:00	0.000	0.000	0.000	0.000	0.014	0.014
51:30:00	0.000	0.000	0.000	0.000	0.014	0.014
51:45:00	0.000	0.000	0.000	0.000	0.014	0.014
52:00:00	0.000	0.000	0.000	0.000	0.014	0.014

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
52:15:00	0.000	0.000	0.000	0.000	0.014	0.014
52:30:00	0.000	0.000	0.000	0.000	0.014	0.014
52:45:00	0.000	0.000	0.000	0.000	0.013	0.013
53:00:00	0.000	0.000	0.000	0.000	0.013	0.013
53:15:00	0.000	0.000	0.000	0.000	0.013	0.013
53:30:00	0.000	0.000	0.000	0.000	0.013	0.013
53:45:00	0.000	0.000	0.000	0.000	0.013	0.013
54:00:00	0.000	0.000	0.000	0.000	0.013	0.013
54:15:00	0.000	0.000	0.000	0.000	0.013	0.013
54:30:00	0.000	0.000	0.000	0.000	0.013	0.013
54:45:00	0.000	0.000	0.000	0.000	0.013	0.013
55:00:00	0.000	0.000	0.000	0.000	0.013	0.013
55:15:00	0.000	0.000	0.000	0.000	0.013	0.013
55:30:00	0.000	0.000	0.000	0.000	0.013	0.013
55:45:00	0.000	0.000	0.000	0.000	0.013	0.013
56:00:00	0.000	0.000	0.000	0.000	0.013	0.013
56:15:00	0.000	0.000	0.000	0.000	0.013	0.013
56:30:00	0.000	0.000	0.000	0.000	0.012	0.012
56:45:00	0.000	0.000	0.000	0.000	0.012	0.012
57:00:00	0.000	0.000	0.000	0.000	0.012	0.012
57:15:00	0.000	0.000	0.000	0.000	0.012	0.012
57:30:00	0.000	0.000	0.000	0.000	0.012	0.012
57:45:00	0.000	0.000	0.000	0.000	0.012	0.012
58:00:00	0.000	0.000	0.000	0.000	0.012	0.012
58:15:00	0.000	0.000	0.000	0.000	0.012	0.012
58:30:00	0.000	0.000	0.000	0.000	0.012	0.012
58:45:00	0.000	0.000	0.000	0.000	0.012	0.012
59:00:00	0.000	0.000	0.000	0.000	0.012	0.012
59:15:00	0.000	0.000	0.000	0.000	0.012	0.012
59:30:00	0.000	0.000	0.000	0.000	0.012	0.012
59:45:00	0.000	0.000	0.000	0.000	0.012	0.012
60:00:00	0.000	0.000	0.000	0.000	0.012	0.012
60:15:00	0.000	0.000	0.000	0.000	0.012	0.012
60:30:00	0.000	0.000	0.000	0.000	0.011	0.011
60:45:00	0.000	0.000	0.000	0.000	0.011	0.011

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
61:00:00	0.000	0.000	0.000	0.000	0.011	0.011
61:15:00	0.000	0.000	0.000	0.000	0.011	0.011
61:30:00	0.000	0.000	0.000	0.000	0.011	0.011
61:45:00	0.000	0.000	0.000	0.000	0.011	0.011
62:00:00	0.000	0.000	0.000	0.000	0.011	0.011
62:15:00	0.000	0.000	0.000	0.000	0.011	0.011
62:30:00	0.000	0.000	0.000	0.000	0.011	0.011
62:45:00	0.000	0.000	0.000	0.000	0.011	0.011
63:00:00	0.000	0.000	0.000	0.000	0.011	0.011
63:15:00	0.000	0.000	0.000	0.000	0.011	0.011
63:30:00	0.000	0.000	0.000	0.000	0.011	0.011
63:45:00	0.000	0.000	0.000	0.000	0.011	0.011
64:00:00	0.000	0.000	0.000	0.000	0.011	0.011
64:15:00	0.000	0.000	0.000	0.000	0.011	0.011
64:30:00	0.000	0.000	0.000	0.000	0.011	0.011
64:45:00	0.000	0.000	0.000	0.000	0.011	0.011
65:00:00	0.000	0.000	0.000	0.000	0.010	0.010
65:15:00	0.000	0.000	0.000	0.000	0.010	0.010
65:30:00	0.000	0.000	0.000	0.000	0.010	0.010
65:45:00	0.000	0.000	0.000	0.000	0.010	0.010
66:00:00	0.000	0.000	0.000	0.000	0.010	0.010
66:15:00	0.000	0.000	0.000	0.000	0.010	0.010
66:30:00	0.000	0.000	0.000	0.000	0.010	0.010
66:45:00	0.000	0.000	0.000	0.000	0.010	0.010
67:00:00	0.000	0.000	0.000	0.000	0.010	0.010
67:15:00	0.000	0.000	0.000	0.000	0.010	0.010
67:30:00	0.000	0.000	0.000	0.000	0.010	0.010
67:45:00	0.000	0.000	0.000	0.000	0.010	0.010
68:00:00	0.000	0.000	0.000	0.000	0.010	0.010
68:15:00	0.000	0.000	0.000	0.000	0.010	0.010
68:30:00	0.000	0.000	0.000	0.000	0.010	0.010
68:45:00	0.000	0.000	0.000	0.000	0.010	0.010
69:00:00	0.000	0.000	0.000	0.000	0.010	0.010
69:15:00	0.000	0.000	0.000	0.000	0.010	0.010
69:30:00	0.000	0.000	0.000	0.000	0.010	0.010

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
69:45:00	0.000	0.000	0.000	0.000	0.009	0.009
70:00:00	0.000	0.000	0.000	0.000	0.009	0.009
70:15:00	0.000	0.000	0.000	0.000	0.009	0.009
70:30:00	0.000	0.000	0.000	0.000	0.009	0.009
70:45:00	0.000	0.000	0.000	0.000	0.009	0.009
71:00:00	0.000	0.000	0.000	0.000	0.009	0.009
71:15:00	0.000	0.000	0.000	0.000	0.009	0.009
71:30:00	0.000	0.000	0.000	0.000	0.009	0.009
71:45:00	0.000	0.000	0.000	0.000	0.009	0.009
72:00:00	0.000	0.000	0.000	0.000	0.009	0.009
72:15:00	0.000	0.000	0.000	0.000	0.009	0.009
72:30:00	0.000	0.000	0.000	0.000	0.009	0.009
72:45:00	0.000	0.000	0.000	0.000	0.009	0.009
73:00:00	0.000	0.000	0.000	0.000	0.009	0.009
73:15:00	0.000	0.000	0.000	0.000	0.009	0.009
73:30:00	0.000	0.000	0.000	0.000	0.009	0.009
73:45:00	0.000	0.000	0.000	0.000	0.009	0.009
74:00:00	0.000	0.000	0.000	0.000	0.009	0.009
74:15:00	0.000	0.000	0.000	0.000	0.009	0.009
74:30:00	0.000	0.000	0.000	0.000	0.009	0.009
74:45:00	0.000	0.000	0.000	0.000	0.009	0.009
75:00:00	0.000	0.000	0.000	0.000	0.009	0.009
75:15:00	0.000	0.000	0.000	0.000	0.008	0.008
75:30:00	0.000	0.000	0.000	0.000	0.008	0.008
75:45:00	0.000	0.000	0.000	0.000	0.008	0.008
76:00:00	0.000	0.000	0.000	0.000	0.008	0.008
76:15:00	0.000	0.000	0.000	0.000	0.008	0.008
76:30:00	0.000	0.000	0.000	0.000	0.008	0.008
76:45:00	0.000	0.000	0.000	0.000	0.008	0.008
77:00:00	0.000	0.000	0.000	0.000	0.008	0.008
77:15:00	0.000	0.000	0.000	0.000	0.008	0.008
77:30:00	0.000	0.000	0.000	0.000	0.008	0.008
77:45:00	0.000	0.000	0.000	0.000	0.008	0.008
78:00:00	0.000	0.000	0.000	0.000	0.008	0.008
78:15:00	0.000	0.000	0.000	0.000	0.008	0.008

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
78:30:00	0.000	0.000	0.000	0.000	0.008	0.008
78:45:00	0.000	0.000	0.000	0.000	0.008	0.008
79:00:00	0.000	0.000	0.000	0.000	0.008	0.008
79:15:00	0.000	0.000	0.000	0.000	0.008	0.008
79:30:00	0.000	0.000	0.000	0.000	0.008	0.008
79:45:00	0.000	0.000	0.000	0.000	0.008	0.008
80:00:00	0.000	0.000	0.000	0.000	0.008	0.008
80:15:00	0.000	0.000	0.000	0.000	0.008	0.008
80:30:00	0.000	0.000	0.000	0.000	0.008	0.008
80:45:00	0.000	0.000	0.000	0.000	0.008	0.008
81:00:00	0.000	0.000	0.000	0.000	0.008	0.008
81:15:00	0.000	0.000	0.000	0.000	0.007	0.007
81:30:00	0.000	0.000	0.000	0.000	0.007	0.007
81:45:00	0.000	0.000	0.000	0.000	0.007	0.007
82:00:00	0.000	0.000	0.000	0.000	0.007	0.007
82:15:00	0.000	0.000	0.000	0.000	0.007	0.007
82:30:00	0.000	0.000	0.000	0.000	0.007	0.007
82:45:00	0.000	0.000	0.000	0.000	0.007	0.007
83:00:00	0.000	0.000	0.000	0.000	0.007	0.007
83:15:00	0.000	0.000	0.000	0.000	0.007	0.007
83:30:00	0.000	0.000	0.000	0.000	0.007	0.007
83:45:00	0.000	0.000	0.000	0.000	0.007	0.007
84:00:00	0.000	0.000	0.000	0.000	0.007	0.007
84:15:00	0.000	0.000	0.000	0.000	0.007	0.007
84:30:00	0.000	0.000	0.000	0.000	0.007	0.007
84:45:00	0.000	0.000	0.000	0.000	0.007	0.007
85:00:00	0.000	0.000	0.000	0.000	0.007	0.007
85:15:00	0.000	0.000	0.000	0.000	0.007	0.007
85:30:00	0.000	0.000	0.000	0.000	0.007	0.007
85:45:00	0.000	0.000	0.000	0.000	0.007	0.007
86:00:00	0.000	0.000	0.000	0.000	0.007	0.007
86:15:00	0.000	0.000	0.000	0.000	0.007	0.007
86:30:00	0.000	0.000	0.000	0.000	0.007	0.007
86:45:00	0.000	0.000	0.000	0.000	0.007	0.007
87:00:00	0.000	0.000	0.000	0.000	0.007	0.007

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
87:15:00	0.000	0.000	0.000	0.000	0.007	0.007
87:30:00	0.000	0.000	0.000	0.000	0.007	0.007
87:45:00	0.000	0.000	0.000	0.000	0.007	0.007

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Appendix

Catchment descriptors *

Name	Value	User-defined value used?
Area (km ²)	1.04	No
ALTBAR	41	No
ASPBAR	185	No
ASPVAR	0.83	No
BFIHOST	0.93	No
BFIHOST19	0.9	No
DPLBAR (km)	1.06	No
DPSBAR (mkm ⁻¹)	57.1	No
FARL	1	No
LDP	1.97	No
PROPWET	0.34	No
RMED1H	11.1	No
RMED1D	37.5	No
RMED2D	47.5	No
SAAR (mm)	772	No
SAAR4170 (mm)	779	No
SPRHOST	8.8	No
URBEXT2000	0.41 [0.4]	Yes
URBEXT1990	0.31	No
URBCONC	0.86	No
URBLOC	0.75	No
DDF parameter C	-0.03	No
DDF parameter D1	0.4	No
DDF parameter D2	0.31	No
DDF parameter D3	0.37	No
DDF parameter E	0.31	No
DDF parameter F	2.45	No
DDF parameter C (1km grid value)	-0.03	No
DDF parameter D1 (1km grid value)	0.4	No
DDF parameter D2 (1km grid value)	0.3	No
DDF parameter D3 (1km grid value)	0.36	No
DDF parameter E (1km grid value)	0.31	No
DDF parameter F (1km grid value)	2.44	No

Values in square brackets are the original values loaded from the FEH Web Service or FEH CD-ROM

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

UK Design Flood Estimation

Generated on 14 November 2025 13:44:13 by martha.hughes
Printed from the ReFH2 Flood Modelling software package, version 4.2.9376.28705

Summary of estimate using the Flood Estimation Handbook revitalised flood hydrograph method (ReFH2)

Site details

Checksum: 66DC-6177

Site name: Updated Rainfall Catchment Descriptors_524100_105550_v5_1_0

Easting: 524100

Northing: 105550

Country: England, Wales or Northern Ireland

Catchment Area (km²): 1.04

Using plot scale calculations: No

Model: 2.3

Site description: None

Model run: 100 year

Summary of results

Rainfall - FEH22 (mm):	61.77	Total runoff (ML):	13.17
Total Rainfall (mm):	58.88	Total flow (ML):	20.42
Peak Rainfall (mm):	16.21	Peak flow (m ³ /s):	1.26

Parameters

Where the user has overridden a system-generated value, this original value is shown in square brackets after the value used.

** Indicates that the user locked the duration/timestep*

Rainfall parameters (Rainfall - FEH22)

Name	Value	User-defined?
Duration (hh:mm:ss)	03:15:00	No
Timestep (hh:mm:ss)	00:15:00	No
SCF (Seasonal correction factor)	0.98	No
ARF (Areal reduction factor)	0.97	No
Seasonality	Summer	No

Loss model parameters

Name	Value	User-defined?
Cini (mm)	23.22	No
Cmax (mm)	1163.57	No
Use alpha correction factor	No	No
Alpha correction factor	n/a	No

Routing model parameters

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Name	Value	User-defined?
Tp (hr)	1.88	No
Up	0.65	No
Uk	0.8	No

Baseflow model parameters

Name	Value	User-defined?
BF0 (m ³ /s)	0	No
BL (hr)	48.35	No
BR	3.68	No

Urbanisation parameters

Name	Value	User-defined?
Sewer capacity (m ³ /s)	0	No
Exporting drained area (km ²)	0	No
Urban area (km ²)	0.66 [0.65]	Yes
Effective URBEXT2000	0.41	n/a
Impervious runoff factor	0.7	No
Imperviousness factor	0.4	No
Tp scaling factor	0.75	No
Depression storage depth (mm)	0.5	No

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time series data

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m³/s)	Net Rain (mm)	Runoff (m³/s)	Baseflow (m³/s)	Total Flow (m³/s)
00:00:00	1.114	0.000	0.216	0.000	0.002	0.002
00:15:00	1.553	0.000	0.304	0.003	0.002	0.005
00:30:00	2.207	0.000	0.435	0.011	0.002	0.014
00:45:00	3.223	0.000	0.641	0.028	0.002	0.031
01:00:00	4.924	0.000	0.994	0.058	0.002	0.060
01:15:00	8.313	0.000	1.717	0.107	0.003	0.109
01:30:00	16.207	0.000	3.487	0.186	0.003	0.189
01:45:00	8.313	0.000	1.861	0.319	0.003	0.322
02:00:00	4.924	0.000	1.125	0.502	0.004	0.505
02:15:00	3.223	0.000	0.746	0.704	0.004	0.708
02:30:00	2.207	0.000	0.515	0.904	0.006	0.910
02:45:00	1.553	0.000	0.364	1.083	0.008	1.091
03:00:00	1.114	0.000	0.262	1.213	0.010	1.223
03:15:00	0.000	0.000	0.000	1.245	0.013	1.257
03:30:00	0.000	0.000	0.000	1.206	0.016	1.222
03:45:00	0.000	0.000	0.000	1.124	0.019	1.143
04:00:00	0.000	0.000	0.000	1.017	0.022	1.039
04:15:00	0.000	0.000	0.000	0.897	0.025	0.923
04:30:00	0.000	0.000	0.000	0.779	0.028	0.807
04:45:00	0.000	0.000	0.000	0.671	0.031	0.702
05:00:00	0.000	0.000	0.000	0.574	0.034	0.607
05:15:00	0.000	0.000	0.000	0.483	0.036	0.519
05:30:00	0.000	0.000	0.000	0.400	0.038	0.437
05:45:00	0.000	0.000	0.000	0.323	0.039	0.362
06:00:00	0.000	0.000	0.000	0.251	0.041	0.292
06:15:00	0.000	0.000	0.000	0.186	0.042	0.228
06:30:00	0.000	0.000	0.000	0.128	0.043	0.171
06:45:00	0.000	0.000	0.000	0.083	0.044	0.127
07:00:00	0.000	0.000	0.000	0.055	0.045	0.100
07:15:00	0.000	0.000	0.000	0.037	0.045	0.082
07:30:00	0.000	0.000	0.000	0.024	0.046	0.070
07:45:00	0.000	0.000	0.000	0.015	0.046	0.061
08:00:00	0.000	0.000	0.000	0.009	0.046	0.055
08:15:00	0.000	0.000	0.000	0.005	0.046	0.052

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
08:30:00	0.000	0.000	0.000	0.003	0.046	0.049
08:45:00	0.000	0.000	0.000	0.002	0.046	0.048
09:00:00	0.000	0.000	0.000	0.001	0.046	0.047
09:15:00	0.000	0.000	0.000	0.001	0.046	0.046
09:30:00	0.000	0.000	0.000	0.000	0.045	0.046
09:45:00	0.000	0.000	0.000	0.000	0.045	0.045
10:00:00	0.000	0.000	0.000	0.000	0.045	0.045
10:15:00	0.000	0.000	0.000	0.000	0.045	0.045
10:30:00	0.000	0.000	0.000	0.000	0.045	0.045
10:45:00	0.000	0.000	0.000	0.000	0.044	0.044
11:00:00	0.000	0.000	0.000	0.000	0.044	0.044
11:15:00	0.000	0.000	0.000	0.000	0.044	0.044
11:30:00	0.000	0.000	0.000	0.000	0.044	0.044
11:45:00	0.000	0.000	0.000	0.000	0.043	0.043
12:00:00	0.000	0.000	0.000	0.000	0.043	0.043
12:15:00	0.000	0.000	0.000	0.000	0.043	0.043
12:30:00	0.000	0.000	0.000	0.000	0.043	0.043
12:45:00	0.000	0.000	0.000	0.000	0.043	0.043
13:00:00	0.000	0.000	0.000	0.000	0.042	0.042
13:15:00	0.000	0.000	0.000	0.000	0.042	0.042
13:30:00	0.000	0.000	0.000	0.000	0.042	0.042
13:45:00	0.000	0.000	0.000	0.000	0.042	0.042
14:00:00	0.000	0.000	0.000	0.000	0.041	0.041
14:15:00	0.000	0.000	0.000	0.000	0.041	0.041
14:30:00	0.000	0.000	0.000	0.000	0.041	0.041
14:45:00	0.000	0.000	0.000	0.000	0.041	0.041
15:00:00	0.000	0.000	0.000	0.000	0.041	0.041
15:15:00	0.000	0.000	0.000	0.000	0.040	0.040
15:30:00	0.000	0.000	0.000	0.000	0.040	0.040
15:45:00	0.000	0.000	0.000	0.000	0.040	0.040
16:00:00	0.000	0.000	0.000	0.000	0.040	0.040
16:15:00	0.000	0.000	0.000	0.000	0.040	0.040
16:30:00	0.000	0.000	0.000	0.000	0.039	0.039
16:45:00	0.000	0.000	0.000	0.000	0.039	0.039
17:00:00	0.000	0.000	0.000	0.000	0.039	0.039

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
17:15:00	0.000	0.000	0.000	0.000	0.039	0.039
17:30:00	0.000	0.000	0.000	0.000	0.039	0.039
17:45:00	0.000	0.000	0.000	0.000	0.038	0.038
18:00:00	0.000	0.000	0.000	0.000	0.038	0.038
18:15:00	0.000	0.000	0.000	0.000	0.038	0.038
18:30:00	0.000	0.000	0.000	0.000	0.038	0.038
18:45:00	0.000	0.000	0.000	0.000	0.038	0.038
19:00:00	0.000	0.000	0.000	0.000	0.037	0.037
19:15:00	0.000	0.000	0.000	0.000	0.037	0.037
19:30:00	0.000	0.000	0.000	0.000	0.037	0.037
19:45:00	0.000	0.000	0.000	0.000	0.037	0.037
20:00:00	0.000	0.000	0.000	0.000	0.037	0.037
20:15:00	0.000	0.000	0.000	0.000	0.036	0.036
20:30:00	0.000	0.000	0.000	0.000	0.036	0.036
20:45:00	0.000	0.000	0.000	0.000	0.036	0.036
21:00:00	0.000	0.000	0.000	0.000	0.036	0.036
21:15:00	0.000	0.000	0.000	0.000	0.036	0.036
21:30:00	0.000	0.000	0.000	0.000	0.035	0.035
21:45:00	0.000	0.000	0.000	0.000	0.035	0.035
22:00:00	0.000	0.000	0.000	0.000	0.035	0.035
22:15:00	0.000	0.000	0.000	0.000	0.035	0.035
22:30:00	0.000	0.000	0.000	0.000	0.035	0.035
22:45:00	0.000	0.000	0.000	0.000	0.035	0.035
23:00:00	0.000	0.000	0.000	0.000	0.034	0.034
23:15:00	0.000	0.000	0.000	0.000	0.034	0.034
23:30:00	0.000	0.000	0.000	0.000	0.034	0.034
23:45:00	0.000	0.000	0.000	0.000	0.034	0.034
24:00:00	0.000	0.000	0.000	0.000	0.034	0.034
24:15:00	0.000	0.000	0.000	0.000	0.034	0.034
24:30:00	0.000	0.000	0.000	0.000	0.033	0.033
24:45:00	0.000	0.000	0.000	0.000	0.033	0.033
25:00:00	0.000	0.000	0.000	0.000	0.033	0.033
25:15:00	0.000	0.000	0.000	0.000	0.033	0.033
25:30:00	0.000	0.000	0.000	0.000	0.033	0.033
25:45:00	0.000	0.000	0.000	0.000	0.032	0.032

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
26:00:00	0.000	0.000	0.000	0.000	0.032	0.032
26:15:00	0.000	0.000	0.000	0.000	0.032	0.032
26:30:00	0.000	0.000	0.000	0.000	0.032	0.032
26:45:00	0.000	0.000	0.000	0.000	0.032	0.032
27:00:00	0.000	0.000	0.000	0.000	0.032	0.032
27:15:00	0.000	0.000	0.000	0.000	0.031	0.031
27:30:00	0.000	0.000	0.000	0.000	0.031	0.031
27:45:00	0.000	0.000	0.000	0.000	0.031	0.031
28:00:00	0.000	0.000	0.000	0.000	0.031	0.031
28:15:00	0.000	0.000	0.000	0.000	0.031	0.031
28:30:00	0.000	0.000	0.000	0.000	0.031	0.031
28:45:00	0.000	0.000	0.000	0.000	0.031	0.031
29:00:00	0.000	0.000	0.000	0.000	0.030	0.030
29:15:00	0.000	0.000	0.000	0.000	0.030	0.030
29:30:00	0.000	0.000	0.000	0.000	0.030	0.030
29:45:00	0.000	0.000	0.000	0.000	0.030	0.030
30:00:00	0.000	0.000	0.000	0.000	0.030	0.030
30:15:00	0.000	0.000	0.000	0.000	0.030	0.030
30:30:00	0.000	0.000	0.000	0.000	0.029	0.029
30:45:00	0.000	0.000	0.000	0.000	0.029	0.029
31:00:00	0.000	0.000	0.000	0.000	0.029	0.029
31:15:00	0.000	0.000	0.000	0.000	0.029	0.029
31:30:00	0.000	0.000	0.000	0.000	0.029	0.029
31:45:00	0.000	0.000	0.000	0.000	0.029	0.029
32:00:00	0.000	0.000	0.000	0.000	0.029	0.029
32:15:00	0.000	0.000	0.000	0.000	0.028	0.028
32:30:00	0.000	0.000	0.000	0.000	0.028	0.028
32:45:00	0.000	0.000	0.000	0.000	0.028	0.028
33:00:00	0.000	0.000	0.000	0.000	0.028	0.028
33:15:00	0.000	0.000	0.000	0.000	0.028	0.028
33:30:00	0.000	0.000	0.000	0.000	0.028	0.028
33:45:00	0.000	0.000	0.000	0.000	0.028	0.028
34:00:00	0.000	0.000	0.000	0.000	0.027	0.027
34:15:00	0.000	0.000	0.000	0.000	0.027	0.027
34:30:00	0.000	0.000	0.000	0.000	0.027	0.027

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
34:45:00	0.000	0.000	0.000	0.000	0.027	0.027
35:00:00	0.000	0.000	0.000	0.000	0.027	0.027
35:15:00	0.000	0.000	0.000	0.000	0.027	0.027
35:30:00	0.000	0.000	0.000	0.000	0.027	0.027
35:45:00	0.000	0.000	0.000	0.000	0.026	0.026
36:00:00	0.000	0.000	0.000	0.000	0.026	0.026
36:15:00	0.000	0.000	0.000	0.000	0.026	0.026
36:30:00	0.000	0.000	0.000	0.000	0.026	0.026
36:45:00	0.000	0.000	0.000	0.000	0.026	0.026
37:00:00	0.000	0.000	0.000	0.000	0.026	0.026
37:15:00	0.000	0.000	0.000	0.000	0.026	0.026
37:30:00	0.000	0.000	0.000	0.000	0.025	0.025
37:45:00	0.000	0.000	0.000	0.000	0.025	0.025
38:00:00	0.000	0.000	0.000	0.000	0.025	0.025
38:15:00	0.000	0.000	0.000	0.000	0.025	0.025
38:30:00	0.000	0.000	0.000	0.000	0.025	0.025
38:45:00	0.000	0.000	0.000	0.000	0.025	0.025
39:00:00	0.000	0.000	0.000	0.000	0.025	0.025
39:15:00	0.000	0.000	0.000	0.000	0.025	0.025
39:30:00	0.000	0.000	0.000	0.000	0.024	0.024
39:45:00	0.000	0.000	0.000	0.000	0.024	0.024
40:00:00	0.000	0.000	0.000	0.000	0.024	0.024
40:15:00	0.000	0.000	0.000	0.000	0.024	0.024
40:30:00	0.000	0.000	0.000	0.000	0.024	0.024
40:45:00	0.000	0.000	0.000	0.000	0.024	0.024
41:00:00	0.000	0.000	0.000	0.000	0.024	0.024
41:15:00	0.000	0.000	0.000	0.000	0.024	0.024
41:30:00	0.000	0.000	0.000	0.000	0.023	0.023
41:45:00	0.000	0.000	0.000	0.000	0.023	0.023
42:00:00	0.000	0.000	0.000	0.000	0.023	0.023
42:15:00	0.000	0.000	0.000	0.000	0.023	0.023
42:30:00	0.000	0.000	0.000	0.000	0.023	0.023
42:45:00	0.000	0.000	0.000	0.000	0.023	0.023
43:00:00	0.000	0.000	0.000	0.000	0.023	0.023
43:15:00	0.000	0.000	0.000	0.000	0.023	0.023

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
43:30:00	0.000	0.000	0.000	0.000	0.023	0.023
43:45:00	0.000	0.000	0.000	0.000	0.022	0.022
44:00:00	0.000	0.000	0.000	0.000	0.022	0.022
44:15:00	0.000	0.000	0.000	0.000	0.022	0.022
44:30:00	0.000	0.000	0.000	0.000	0.022	0.022
44:45:00	0.000	0.000	0.000	0.000	0.022	0.022
45:00:00	0.000	0.000	0.000	0.000	0.022	0.022
45:15:00	0.000	0.000	0.000	0.000	0.022	0.022
45:30:00	0.000	0.000	0.000	0.000	0.022	0.022
45:45:00	0.000	0.000	0.000	0.000	0.021	0.021
46:00:00	0.000	0.000	0.000	0.000	0.021	0.021
46:15:00	0.000	0.000	0.000	0.000	0.021	0.021
46:30:00	0.000	0.000	0.000	0.000	0.021	0.021
46:45:00	0.000	0.000	0.000	0.000	0.021	0.021
47:00:00	0.000	0.000	0.000	0.000	0.021	0.021
47:15:00	0.000	0.000	0.000	0.000	0.021	0.021
47:30:00	0.000	0.000	0.000	0.000	0.021	0.021
47:45:00	0.000	0.000	0.000	0.000	0.021	0.021
48:00:00	0.000	0.000	0.000	0.000	0.021	0.021
48:15:00	0.000	0.000	0.000	0.000	0.020	0.020
48:30:00	0.000	0.000	0.000	0.000	0.020	0.020
48:45:00	0.000	0.000	0.000	0.000	0.020	0.020
49:00:00	0.000	0.000	0.000	0.000	0.020	0.020
49:15:00	0.000	0.000	0.000	0.000	0.020	0.020
49:30:00	0.000	0.000	0.000	0.000	0.020	0.020
49:45:00	0.000	0.000	0.000	0.000	0.020	0.020
50:00:00	0.000	0.000	0.000	0.000	0.020	0.020
50:15:00	0.000	0.000	0.000	0.000	0.020	0.020
50:30:00	0.000	0.000	0.000	0.000	0.019	0.019
50:45:00	0.000	0.000	0.000	0.000	0.019	0.019
51:00:00	0.000	0.000	0.000	0.000	0.019	0.019
51:15:00	0.000	0.000	0.000	0.000	0.019	0.019
51:30:00	0.000	0.000	0.000	0.000	0.019	0.019
51:45:00	0.000	0.000	0.000	0.000	0.019	0.019
52:00:00	0.000	0.000	0.000	0.000	0.019	0.019

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
52:15:00	0.000	0.000	0.000	0.000	0.019	0.019
52:30:00	0.000	0.000	0.000	0.000	0.019	0.019
52:45:00	0.000	0.000	0.000	0.000	0.019	0.019
53:00:00	0.000	0.000	0.000	0.000	0.018	0.018
53:15:00	0.000	0.000	0.000	0.000	0.018	0.018
53:30:00	0.000	0.000	0.000	0.000	0.018	0.018
53:45:00	0.000	0.000	0.000	0.000	0.018	0.018
54:00:00	0.000	0.000	0.000	0.000	0.018	0.018
54:15:00	0.000	0.000	0.000	0.000	0.018	0.018
54:30:00	0.000	0.000	0.000	0.000	0.018	0.018
54:45:00	0.000	0.000	0.000	0.000	0.018	0.018
55:00:00	0.000	0.000	0.000	0.000	0.018	0.018
55:15:00	0.000	0.000	0.000	0.000	0.018	0.018
55:30:00	0.000	0.000	0.000	0.000	0.018	0.018
55:45:00	0.000	0.000	0.000	0.000	0.017	0.017
56:00:00	0.000	0.000	0.000	0.000	0.017	0.017
56:15:00	0.000	0.000	0.000	0.000	0.017	0.017
56:30:00	0.000	0.000	0.000	0.000	0.017	0.017
56:45:00	0.000	0.000	0.000	0.000	0.017	0.017
57:00:00	0.000	0.000	0.000	0.000	0.017	0.017
57:15:00	0.000	0.000	0.000	0.000	0.017	0.017
57:30:00	0.000	0.000	0.000	0.000	0.017	0.017
57:45:00	0.000	0.000	0.000	0.000	0.017	0.017
58:00:00	0.000	0.000	0.000	0.000	0.017	0.017
58:15:00	0.000	0.000	0.000	0.000	0.017	0.017
58:30:00	0.000	0.000	0.000	0.000	0.017	0.017
58:45:00	0.000	0.000	0.000	0.000	0.016	0.016
59:00:00	0.000	0.000	0.000	0.000	0.016	0.016
59:15:00	0.000	0.000	0.000	0.000	0.016	0.016
59:30:00	0.000	0.000	0.000	0.000	0.016	0.016
59:45:00	0.000	0.000	0.000	0.000	0.016	0.016
60:00:00	0.000	0.000	0.000	0.000	0.016	0.016
60:15:00	0.000	0.000	0.000	0.000	0.016	0.016
60:30:00	0.000	0.000	0.000	0.000	0.016	0.016
60:45:00	0.000	0.000	0.000	0.000	0.016	0.016

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
61:00:00	0.000	0.000	0.000	0.000	0.016	0.016
61:15:00	0.000	0.000	0.000	0.000	0.016	0.016
61:30:00	0.000	0.000	0.000	0.000	0.016	0.016
61:45:00	0.000	0.000	0.000	0.000	0.015	0.015
62:00:00	0.000	0.000	0.000	0.000	0.015	0.015
62:15:00	0.000	0.000	0.000	0.000	0.015	0.015
62:30:00	0.000	0.000	0.000	0.000	0.015	0.015
62:45:00	0.000	0.000	0.000	0.000	0.015	0.015
63:00:00	0.000	0.000	0.000	0.000	0.015	0.015
63:15:00	0.000	0.000	0.000	0.000	0.015	0.015
63:30:00	0.000	0.000	0.000	0.000	0.015	0.015
63:45:00	0.000	0.000	0.000	0.000	0.015	0.015
64:00:00	0.000	0.000	0.000	0.000	0.015	0.015
64:15:00	0.000	0.000	0.000	0.000	0.015	0.015
64:30:00	0.000	0.000	0.000	0.000	0.015	0.015
64:45:00	0.000	0.000	0.000	0.000	0.015	0.015
65:00:00	0.000	0.000	0.000	0.000	0.014	0.014
65:15:00	0.000	0.000	0.000	0.000	0.014	0.014
65:30:00	0.000	0.000	0.000	0.000	0.014	0.014
65:45:00	0.000	0.000	0.000	0.000	0.014	0.014
66:00:00	0.000	0.000	0.000	0.000	0.014	0.014
66:15:00	0.000	0.000	0.000	0.000	0.014	0.014
66:30:00	0.000	0.000	0.000	0.000	0.014	0.014
66:45:00	0.000	0.000	0.000	0.000	0.014	0.014
67:00:00	0.000	0.000	0.000	0.000	0.014	0.014
67:15:00	0.000	0.000	0.000	0.000	0.014	0.014
67:30:00	0.000	0.000	0.000	0.000	0.014	0.014
67:45:00	0.000	0.000	0.000	0.000	0.014	0.014
68:00:00	0.000	0.000	0.000	0.000	0.014	0.014
68:15:00	0.000	0.000	0.000	0.000	0.013	0.013
68:30:00	0.000	0.000	0.000	0.000	0.013	0.013
68:45:00	0.000	0.000	0.000	0.000	0.013	0.013
69:00:00	0.000	0.000	0.000	0.000	0.013	0.013
69:15:00	0.000	0.000	0.000	0.000	0.013	0.013
69:30:00	0.000	0.000	0.000	0.000	0.013	0.013

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
69:45:00	0.000	0.000	0.000	0.000	0.013	0.013
70:00:00	0.000	0.000	0.000	0.000	0.013	0.013
70:15:00	0.000	0.000	0.000	0.000	0.013	0.013
70:30:00	0.000	0.000	0.000	0.000	0.013	0.013
70:45:00	0.000	0.000	0.000	0.000	0.013	0.013
71:00:00	0.000	0.000	0.000	0.000	0.013	0.013
71:15:00	0.000	0.000	0.000	0.000	0.013	0.013
71:30:00	0.000	0.000	0.000	0.000	0.013	0.013
71:45:00	0.000	0.000	0.000	0.000	0.013	0.013
72:00:00	0.000	0.000	0.000	0.000	0.012	0.012
72:15:00	0.000	0.000	0.000	0.000	0.012	0.012
72:30:00	0.000	0.000	0.000	0.000	0.012	0.012
72:45:00	0.000	0.000	0.000	0.000	0.012	0.012
73:00:00	0.000	0.000	0.000	0.000	0.012	0.012
73:15:00	0.000	0.000	0.000	0.000	0.012	0.012
73:30:00	0.000	0.000	0.000	0.000	0.012	0.012
73:45:00	0.000	0.000	0.000	0.000	0.012	0.012
74:00:00	0.000	0.000	0.000	0.000	0.012	0.012
74:15:00	0.000	0.000	0.000	0.000	0.012	0.012
74:30:00	0.000	0.000	0.000	0.000	0.012	0.012
74:45:00	0.000	0.000	0.000	0.000	0.012	0.012
75:00:00	0.000	0.000	0.000	0.000	0.012	0.012
75:15:00	0.000	0.000	0.000	0.000	0.012	0.012
75:30:00	0.000	0.000	0.000	0.000	0.012	0.012
75:45:00	0.000	0.000	0.000	0.000	0.012	0.012
76:00:00	0.000	0.000	0.000	0.000	0.011	0.011
76:15:00	0.000	0.000	0.000	0.000	0.011	0.011
76:30:00	0.000	0.000	0.000	0.000	0.011	0.011
76:45:00	0.000	0.000	0.000	0.000	0.011	0.011
77:00:00	0.000	0.000	0.000	0.000	0.011	0.011
77:15:00	0.000	0.000	0.000	0.000	0.011	0.011
77:30:00	0.000	0.000	0.000	0.000	0.011	0.011
77:45:00	0.000	0.000	0.000	0.000	0.011	0.011
78:00:00	0.000	0.000	0.000	0.000	0.011	0.011
78:15:00	0.000	0.000	0.000	0.000	0.011	0.011

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
78:30:00	0.000	0.000	0.000	0.000	0.011	0.011
78:45:00	0.000	0.000	0.000	0.000	0.011	0.011
79:00:00	0.000	0.000	0.000	0.000	0.011	0.011
79:15:00	0.000	0.000	0.000	0.000	0.011	0.011
79:30:00	0.000	0.000	0.000	0.000	0.011	0.011
79:45:00	0.000	0.000	0.000	0.000	0.011	0.011
80:00:00	0.000	0.000	0.000	0.000	0.011	0.011
80:15:00	0.000	0.000	0.000	0.000	0.011	0.011
80:30:00	0.000	0.000	0.000	0.000	0.010	0.010
80:45:00	0.000	0.000	0.000	0.000	0.010	0.010
81:00:00	0.000	0.000	0.000	0.000	0.010	0.010
81:15:00	0.000	0.000	0.000	0.000	0.010	0.010
81:30:00	0.000	0.000	0.000	0.000	0.010	0.010
81:45:00	0.000	0.000	0.000	0.000	0.010	0.010
82:00:00	0.000	0.000	0.000	0.000	0.010	0.010
82:15:00	0.000	0.000	0.000	0.000	0.010	0.010
82:30:00	0.000	0.000	0.000	0.000	0.010	0.010
82:45:00	0.000	0.000	0.000	0.000	0.010	0.010
83:00:00	0.000	0.000	0.000	0.000	0.010	0.010
83:15:00	0.000	0.000	0.000	0.000	0.010	0.010
83:30:00	0.000	0.000	0.000	0.000	0.010	0.010
83:45:00	0.000	0.000	0.000	0.000	0.010	0.010
84:00:00	0.000	0.000	0.000	0.000	0.010	0.010
84:15:00	0.000	0.000	0.000	0.000	0.010	0.010
84:30:00	0.000	0.000	0.000	0.000	0.010	0.010
84:45:00	0.000	0.000	0.000	0.000	0.010	0.010
85:00:00	0.000	0.000	0.000	0.000	0.010	0.010
85:15:00	0.000	0.000	0.000	0.000	0.009	0.009
85:30:00	0.000	0.000	0.000	0.000	0.009	0.009
85:45:00	0.000	0.000	0.000	0.000	0.009	0.009
86:00:00	0.000	0.000	0.000	0.000	0.009	0.009
86:15:00	0.000	0.000	0.000	0.000	0.009	0.009
86:30:00	0.000	0.000	0.000	0.000	0.009	0.009
86:45:00	0.000	0.000	0.000	0.000	0.009	0.009
87:00:00	0.000	0.000	0.000	0.000	0.009	0.009

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
87:15:00	0.000	0.000	0.000	0.000	0.009	0.009
87:30:00	0.000	0.000	0.000	0.000	0.009	0.009
87:45:00	0.000	0.000	0.000	0.000	0.009	0.009

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Appendix

Catchment descriptors *

Name	Value	User-defined value used?
Area (km ²)	1.04	No
ALTBAR	41	No
ASPBAR	185	No
ASPVAR	0.83	No
BFIHOST	0.93	No
BFIHOST19	0.9	No
DPLBAR (km)	1.06	No
DPSBAR (mkm ⁻¹)	57.1	No
FARL	1	No
LDP	1.97	No
PROPWET	0.34	No
RMED1H	11.1	No
RMED1D	37.5	No
RMED2D	47.5	No
SAAR (mm)	772	No
SAAR4170 (mm)	779	No
SPRHOST	8.8	No
URBEXT2000	0.41 [0.4]	Yes
URBEXT1990	0.31	No
URBCONC	0.86	No
URBLOC	0.75	No
DDF parameter C	-0.03	No
DDF parameter D1	0.4	No
DDF parameter D2	0.31	No
DDF parameter D3	0.37	No
DDF parameter E	0.31	No
DDF parameter F	2.45	No
DDF parameter C (1km grid value)	-0.03	No
DDF parameter D1 (1km grid value)	0.4	No
DDF parameter D2 (1km grid value)	0.3	No
DDF parameter D3 (1km grid value)	0.36	No
DDF parameter E (1km grid value)	0.31	No
DDF parameter F (1km grid value)	2.44	No

Values in square brackets are the original values loaded from the FEH Web Service or FEH CD-ROM

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

UK Design Flood Estimation

Generated on 14 November 2025 13:44:56 by martha.hughes
Printed from the ReFH2 Flood Modelling software package, version 4.2.9376.28705

Summary of estimate using the Flood Estimation Handbook revitalised flood hydrograph method (ReFH2)

Site details

Checksum: 66DC-6177

Site name: Updated Rainfall Catchment Descriptors_524100_105550_v5_1_0

Easting: 524100

Northing: 105550

Country: England, Wales or Northern Ireland

Catchment Area (km²): 1.04

Using plot scale calculations: No

Model: 2.3

Site description: None

Model run: 1000 year

Summary of results

Rainfall - FEH22 (mm):	92.54	Total runoff (ML):	20.69
Total Rainfall (mm):	88.21	Total flow (ML):	34.25
Peak Rainfall (mm):	24.28	Peak flow (m ³ /s):	1.96

Parameters

Where the user has overridden a system-generated value, this original value is shown in square brackets after the value used.

** Indicates that the user locked the duration/timestep*

Rainfall parameters (Rainfall - FEH22)

Name	Value	User-defined?
Duration (hh:mm:ss)	03:15:00	No
Timestep (hh:mm:ss)	00:15:00	No
SCF (Seasonal correction factor)	0.98	No
ARF (Areal reduction factor)	0.97	No
Seasonality	Summer	No

Loss model parameters

Name	Value	User-defined?
Cini (mm)	23.22	No
Cmax (mm)	1163.57	No
Use alpha correction factor	No	No
Alpha correction factor	n/a	No

Routing model parameters

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Name	Value	User-defined?
Tp (hr)	1.88	No
Up	0.65	No
Uk	0.8	No

Baseflow model parameters

Name	Value	User-defined?
BF0 (m ³ /s)	0	No
BL (hr)	48.35	No
BR	3.68	No

Urbanisation parameters

Name	Value	User-defined?
Sewer capacity (m ³ /s)	0	No
Exporting drained area (km ²)	0	No
Urban area (km ²)	0.66 [0.65]	Yes
Effective URBEXT2000	0.41	n/a
Impervious runoff factor	0.7	No
Imperviousness factor	0.4	No
Tp scaling factor	0.75	No
Depression storage depth (mm)	0.5	No

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time series data

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
00:00:00	1.669	0.000	0.325	0.000	0.002	0.002
00:15:00	2.327	0.000	0.457	0.004	0.002	0.006
00:30:00	3.306	0.000	0.656	0.017	0.002	0.019
00:45:00	4.829	0.000	0.972	0.042	0.002	0.045
01:00:00	7.377	0.000	1.516	0.087	0.002	0.090
01:15:00	12.455	0.000	2.647	0.161	0.003	0.163
01:30:00	24.281	0.000	5.476	0.281	0.003	0.284
01:45:00	12.455	0.000	2.970	0.485	0.003	0.488
02:00:00	7.377	0.000	1.811	0.768	0.004	0.772
02:15:00	4.829	0.000	1.206	1.082	0.006	1.088
02:30:00	3.306	0.000	0.835	1.395	0.009	1.404
02:45:00	2.327	0.000	0.593	1.679	0.012	1.690
03:00:00	1.669	0.000	0.427	1.886	0.016	1.902
03:15:00	0.000	0.000	0.000	1.943	0.021	1.965
03:30:00	0.000	0.000	0.000	1.891	0.027	1.918
03:45:00	0.000	0.000	0.000	1.769	0.033	1.802
04:00:00	0.000	0.000	0.000	1.604	0.040	1.644
04:15:00	0.000	0.000	0.000	1.419	0.046	1.465
04:30:00	0.000	0.000	0.000	1.234	0.052	1.286
04:45:00	0.000	0.000	0.000	1.066	0.057	1.123
05:00:00	0.000	0.000	0.000	0.912	0.062	0.974
05:15:00	0.000	0.000	0.000	0.770	0.066	0.836
05:30:00	0.000	0.000	0.000	0.639	0.070	0.708
05:45:00	0.000	0.000	0.000	0.517	0.073	0.590
06:00:00	0.000	0.000	0.000	0.405	0.076	0.481
06:15:00	0.000	0.000	0.000	0.303	0.078	0.381
06:30:00	0.000	0.000	0.000	0.211	0.080	0.292
06:45:00	0.000	0.000	0.000	0.140	0.082	0.222
07:00:00	0.000	0.000	0.000	0.095	0.083	0.178
07:15:00	0.000	0.000	0.000	0.065	0.085	0.149
07:30:00	0.000	0.000	0.000	0.044	0.086	0.129
07:45:00	0.000	0.000	0.000	0.029	0.086	0.115
08:00:00	0.000	0.000	0.000	0.018	0.087	0.105
08:15:00	0.000	0.000	0.000	0.011	0.087	0.098

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
08:30:00	0.000	0.000	0.000	0.007	0.087	0.093
08:45:00	0.000	0.000	0.000	0.004	0.086	0.090
09:00:00	0.000	0.000	0.000	0.002	0.086	0.088
09:15:00	0.000	0.000	0.000	0.001	0.086	0.087
09:30:00	0.000	0.000	0.000	0.000	0.085	0.086
09:45:00	0.000	0.000	0.000	0.000	0.085	0.085
10:00:00	0.000	0.000	0.000	0.000	0.084	0.084
10:15:00	0.000	0.000	0.000	0.000	0.084	0.084
10:30:00	0.000	0.000	0.000	0.000	0.084	0.084
10:45:00	0.000	0.000	0.000	0.000	0.083	0.083
11:00:00	0.000	0.000	0.000	0.000	0.083	0.083
11:15:00	0.000	0.000	0.000	0.000	0.082	0.082
11:30:00	0.000	0.000	0.000	0.000	0.082	0.082
11:45:00	0.000	0.000	0.000	0.000	0.081	0.081
12:00:00	0.000	0.000	0.000	0.000	0.081	0.081
12:15:00	0.000	0.000	0.000	0.000	0.081	0.081
12:30:00	0.000	0.000	0.000	0.000	0.080	0.080
12:45:00	0.000	0.000	0.000	0.000	0.080	0.080
13:00:00	0.000	0.000	0.000	0.000	0.079	0.079
13:15:00	0.000	0.000	0.000	0.000	0.079	0.079
13:30:00	0.000	0.000	0.000	0.000	0.079	0.079
13:45:00	0.000	0.000	0.000	0.000	0.078	0.078
14:00:00	0.000	0.000	0.000	0.000	0.078	0.078
14:15:00	0.000	0.000	0.000	0.000	0.077	0.077
14:30:00	0.000	0.000	0.000	0.000	0.077	0.077
14:45:00	0.000	0.000	0.000	0.000	0.077	0.077
15:00:00	0.000	0.000	0.000	0.000	0.076	0.076
15:15:00	0.000	0.000	0.000	0.000	0.076	0.076
15:30:00	0.000	0.000	0.000	0.000	0.075	0.075
15:45:00	0.000	0.000	0.000	0.000	0.075	0.075
16:00:00	0.000	0.000	0.000	0.000	0.075	0.075
16:15:00	0.000	0.000	0.000	0.000	0.074	0.074
16:30:00	0.000	0.000	0.000	0.000	0.074	0.074
16:45:00	0.000	0.000	0.000	0.000	0.073	0.073
17:00:00	0.000	0.000	0.000	0.000	0.073	0.073

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
17:15:00	0.000	0.000	0.000	0.000	0.073	0.073
17:30:00	0.000	0.000	0.000	0.000	0.072	0.072
17:45:00	0.000	0.000	0.000	0.000	0.072	0.072
18:00:00	0.000	0.000	0.000	0.000	0.072	0.072
18:15:00	0.000	0.000	0.000	0.000	0.071	0.071
18:30:00	0.000	0.000	0.000	0.000	0.071	0.071
18:45:00	0.000	0.000	0.000	0.000	0.070	0.070
19:00:00	0.000	0.000	0.000	0.000	0.070	0.070
19:15:00	0.000	0.000	0.000	0.000	0.070	0.070
19:30:00	0.000	0.000	0.000	0.000	0.069	0.069
19:45:00	0.000	0.000	0.000	0.000	0.069	0.069
20:00:00	0.000	0.000	0.000	0.000	0.069	0.069
20:15:00	0.000	0.000	0.000	0.000	0.068	0.068
20:30:00	0.000	0.000	0.000	0.000	0.068	0.068
20:45:00	0.000	0.000	0.000	0.000	0.068	0.068
21:00:00	0.000	0.000	0.000	0.000	0.067	0.067
21:15:00	0.000	0.000	0.000	0.000	0.067	0.067
21:30:00	0.000	0.000	0.000	0.000	0.067	0.067
21:45:00	0.000	0.000	0.000	0.000	0.066	0.066
22:00:00	0.000	0.000	0.000	0.000	0.066	0.066
22:15:00	0.000	0.000	0.000	0.000	0.066	0.066
22:30:00	0.000	0.000	0.000	0.000	0.065	0.065
22:45:00	0.000	0.000	0.000	0.000	0.065	0.065
23:00:00	0.000	0.000	0.000	0.000	0.065	0.065
23:15:00	0.000	0.000	0.000	0.000	0.064	0.064
23:30:00	0.000	0.000	0.000	0.000	0.064	0.064
23:45:00	0.000	0.000	0.000	0.000	0.064	0.064
24:00:00	0.000	0.000	0.000	0.000	0.063	0.063
24:15:00	0.000	0.000	0.000	0.000	0.063	0.063
24:30:00	0.000	0.000	0.000	0.000	0.063	0.063
24:45:00	0.000	0.000	0.000	0.000	0.062	0.062
25:00:00	0.000	0.000	0.000	0.000	0.062	0.062
25:15:00	0.000	0.000	0.000	0.000	0.062	0.062
25:30:00	0.000	0.000	0.000	0.000	0.061	0.061
25:45:00	0.000	0.000	0.000	0.000	0.061	0.061

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
26:00:00	0.000	0.000	0.000	0.000	0.061	0.061
26:15:00	0.000	0.000	0.000	0.000	0.060	0.060
26:30:00	0.000	0.000	0.000	0.000	0.060	0.060
26:45:00	0.000	0.000	0.000	0.000	0.060	0.060
27:00:00	0.000	0.000	0.000	0.000	0.059	0.059
27:15:00	0.000	0.000	0.000	0.000	0.059	0.059
27:30:00	0.000	0.000	0.000	0.000	0.059	0.059
27:45:00	0.000	0.000	0.000	0.000	0.058	0.058
28:00:00	0.000	0.000	0.000	0.000	0.058	0.058
28:15:00	0.000	0.000	0.000	0.000	0.058	0.058
28:30:00	0.000	0.000	0.000	0.000	0.058	0.058
28:45:00	0.000	0.000	0.000	0.000	0.057	0.057
29:00:00	0.000	0.000	0.000	0.000	0.057	0.057
29:15:00	0.000	0.000	0.000	0.000	0.057	0.057
29:30:00	0.000	0.000	0.000	0.000	0.056	0.056
29:45:00	0.000	0.000	0.000	0.000	0.056	0.056
30:00:00	0.000	0.000	0.000	0.000	0.056	0.056
30:15:00	0.000	0.000	0.000	0.000	0.056	0.056
30:30:00	0.000	0.000	0.000	0.000	0.055	0.055
30:45:00	0.000	0.000	0.000	0.000	0.055	0.055
31:00:00	0.000	0.000	0.000	0.000	0.055	0.055
31:15:00	0.000	0.000	0.000	0.000	0.054	0.054
31:30:00	0.000	0.000	0.000	0.000	0.054	0.054
31:45:00	0.000	0.000	0.000	0.000	0.054	0.054
32:00:00	0.000	0.000	0.000	0.000	0.054	0.054
32:15:00	0.000	0.000	0.000	0.000	0.053	0.053
32:30:00	0.000	0.000	0.000	0.000	0.053	0.053
32:45:00	0.000	0.000	0.000	0.000	0.053	0.053
33:00:00	0.000	0.000	0.000	0.000	0.052	0.052
33:15:00	0.000	0.000	0.000	0.000	0.052	0.052
33:30:00	0.000	0.000	0.000	0.000	0.052	0.052
33:45:00	0.000	0.000	0.000	0.000	0.052	0.052
34:00:00	0.000	0.000	0.000	0.000	0.051	0.051
34:15:00	0.000	0.000	0.000	0.000	0.051	0.051
34:30:00	0.000	0.000	0.000	0.000	0.051	0.051

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
34:45:00	0.000	0.000	0.000	0.000	0.051	0.051
35:00:00	0.000	0.000	0.000	0.000	0.050	0.050
35:15:00	0.000	0.000	0.000	0.000	0.050	0.050
35:30:00	0.000	0.000	0.000	0.000	0.050	0.050
35:45:00	0.000	0.000	0.000	0.000	0.050	0.050
36:00:00	0.000	0.000	0.000	0.000	0.049	0.049
36:15:00	0.000	0.000	0.000	0.000	0.049	0.049
36:30:00	0.000	0.000	0.000	0.000	0.049	0.049
36:45:00	0.000	0.000	0.000	0.000	0.049	0.049
37:00:00	0.000	0.000	0.000	0.000	0.048	0.048
37:15:00	0.000	0.000	0.000	0.000	0.048	0.048
37:30:00	0.000	0.000	0.000	0.000	0.048	0.048
37:45:00	0.000	0.000	0.000	0.000	0.048	0.048
38:00:00	0.000	0.000	0.000	0.000	0.047	0.047
38:15:00	0.000	0.000	0.000	0.000	0.047	0.047
38:30:00	0.000	0.000	0.000	0.000	0.047	0.047
38:45:00	0.000	0.000	0.000	0.000	0.047	0.047
39:00:00	0.000	0.000	0.000	0.000	0.046	0.046
39:15:00	0.000	0.000	0.000	0.000	0.046	0.046
39:30:00	0.000	0.000	0.000	0.000	0.046	0.046
39:45:00	0.000	0.000	0.000	0.000	0.046	0.046
40:00:00	0.000	0.000	0.000	0.000	0.045	0.045
40:15:00	0.000	0.000	0.000	0.000	0.045	0.045
40:30:00	0.000	0.000	0.000	0.000	0.045	0.045
40:45:00	0.000	0.000	0.000	0.000	0.045	0.045
41:00:00	0.000	0.000	0.000	0.000	0.044	0.044
41:15:00	0.000	0.000	0.000	0.000	0.044	0.044
41:30:00	0.000	0.000	0.000	0.000	0.044	0.044
41:45:00	0.000	0.000	0.000	0.000	0.044	0.044
42:00:00	0.000	0.000	0.000	0.000	0.044	0.044
42:15:00	0.000	0.000	0.000	0.000	0.043	0.043
42:30:00	0.000	0.000	0.000	0.000	0.043	0.043
42:45:00	0.000	0.000	0.000	0.000	0.043	0.043
43:00:00	0.000	0.000	0.000	0.000	0.043	0.043
43:15:00	0.000	0.000	0.000	0.000	0.042	0.042

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*

Time (hh:mm:ss)	Rain (mm)	Sewer Loss (m ³ /s)	Net Rain (mm)	Runoff (m ³ /s)	Baseflow (m ³ /s)	Total Flow (m ³ /s)
43:30:00	0.000	0.000	0.000	0.000	0.042	0.042
43:45:00	0.000	0.000	0.000	0.000	0.042	0.042
44:00:00	0.000	0.000	0.000	0.000	0.042	0.042
44:15:00	0.000	0.000	0.000	0.000	0.042	0.042
44:30:00	0.000	0.000	0.000	0.000	0.041	0.041
44:45:00	0.000	0.000	0.000	0.000	0.041	0.041
45:00:00	0.000	0.000	0.000	0.000	0.041	0.041
45:15:00	0.000	0.000	0.000	0.000	0.041	0.041
45:30:00	0.000	0.000	0.000	0.000	0.041	0.041
45:45:00	0.000	0.000	0.000	0.000	0.040	0.040
46:00:00	0.000	0.000	0.000	0.000	0.040	0.040
46:15:00	0.000	0.000	0.000	0.000	0.040	0.040
46:30:00	0.000	0.000	0.000	0.000	0.040	0.040
46:45:00	0.000	0.000	0.000	0.000	0.039	0.039
47:00:00	0.000	0.000	0.000	0.000	0.039	0.039
47:15:00	0.000	0.000	0.000	0.000	0.039	0.039
47:30:00	0.000	0.000	0.000	0.000	0.039	0.039
47:45:00	0.000	0.000	0.000	0.000	0.039	0.039
48:00:00	0.000	0.000	0.000	0.000	0.038	0.038
48:15:00	0.000	0.000	0.000	0.000	0.038	0.038
48:30:00	0.000	0.000	0.000	0.000	0.038	0.038
48:45:00	0.000	0.000	0.000	0.000	0.038	0.038
49:00:00	0.000	0.000	0.000	0.000	0.038	0.038
49:15:00	0.000	0.000	0.000	0.000	0.037	0.037
49:30:00	0.000	0.000	0.000	0.000	0.037	0.037
49:45:00	0.000	0.000	0.000	0.000	0.037	0.037
50:00:00	0.000	0.000	0.000	0.000	0.037	0.037
50:15:00	0.000	0.000	0.000	0.000	0.037	0.037
50:30:00	0.000	0.000	0.000	0.000	0.037	0.037
50:45:00	0.000	0.000	0.000	0.000	0.036	0.036
51:00:00	0.000	0.000	0.000	0.000	0.036	0.036
51:15:00	0.000	0.000	0.000	0.000	0.036	0.036
51:30:00	0.000	0.000	0.000	0.000	0.036	0.036
51:45:00	0.000	0.000	0.000	0.000	0.036	0.036
52:00:00	0.000	0.000	0.000	0.000	0.035	0.035

**The URBEXT2000 has been modified so that the 'Urban' proportion does not exceed 1.*