Reference: 781-1-v4
Date: 1st Aug 2023
Total Items: 7

Project Summary

			Each (inc. VAT)	Total (inc. VAT)
	**1. Lounge** Quantity: 1 Supply & Fit - Remove & replace	PVCu Coupled Items	£0.00	£0.00
	**2. Bedroom** Quantity: 1 Supply & Fit - Remove & replace	Casement - Rehau	£0.00	£0.00
	**3. Bathroom** Quantity: 1 Supply & Fit - Remove & replace	Casement - Rehau	£0.00	£0.00
	**4. Toilet** Quantity: 1 Supply & Fit - Remove & replace	Casement - Rehau	£0.00	£0.00
	**5. Kitchen** Quantity: 1 Supply & Fit - Remove & replace	Casement - Rehau	£0.00	£0.00
	**6. Kitchen** Quantity: 1 Supply & Fit - Remove & replace	Casement - Rehau	£0.00	£0.00

Quotation for:
Mr Mike Peckham
Flat 1
Clarence Court
Brighton Road
Worthing
West Sussex
BN11 2ER

Prepared by:
Tom Haynes sales@precisionwindows.co.uk

Installation Address:
Flat 1 Clarence Court Brighton Road Worthing West Sussex United Kingdom, BN11 2ER

Lead time:
6-8 weeks

Guarantee:
Consumer Protection Association Insurance Backed

Payment terms:
25% Deposit. Balance on installation

Payment schedule:

Deposit (25%):	£0.00
Balance (75%):	£0.00

Final Price:
Of which VAT (20%):

See over
See over

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Project Summary

		Each (inc. VAT)	Total (inc. VAT)
 **7. Lounge** Quantity: 1 Supply & Fit - Remove & replace	PVCu Coupled Items	£0.00	£0.00

Quotation for:
Mr Mike Peckham
Flat 1
Clarence Court
Brighton Road
Worthing
West Sussex
BN11 2ER

Prepared by:
Tom Haynes sales@precisionwindows.co.uk

Installation Address:
Flat 1 Clarence Court Brighton Road Worthing West Sussex United Kingdom, BN11 2ER

Lead time:
6-8 weeks

Guarantee:
Consumer Protection Association Insurance Backed

Payment terms:
25% Deposit. Balance on installation

Payment schedule:

Deposit (25%):	£0.00
Balance (75%):	£0.00

Final Price: £0.00
Of which VAT (20%): £0.00

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 1 - Lounge - Supply & Fit - Remove & replace **Quantity:** 1

PVCu Coupled Items - Elevation view

Viewed from outside



Couplers

Vertical bay post A-B:	Variable Angle
Vertical bay post B-C:	Variable Angle
Vertical bay post C-D:	Variable Angle
Vertical bay post D-E:	Variable Angle

Plan View



Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 1 - Facet A1 - Supply & Fit - Remove & replace **Quantity:** 1

Viewed from outside



Viewed from inside



Casement - Rehau

Frame: Slim Bevel
Transom: Slim Bevel
Bead: Bevel
Frame Joint Type: Welded

Colour: Smooth White

Glass: Double Glazed (Annealed) - Black Spacer - Clear

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 1 - Facet B1 - Supply & Fit - Remove & replace **Quantity:** 1

Viewed from outside



Viewed from inside



Casement - Rehau

Frame: Slim Bevel
Sash: Slim Bevel
Transom: Slim Bevel
Bead: Bevel
Frame Joint Type: Welded
Sash Joint Type: Welded

Colour: Smooth White

Profile Trickle Vent: Small White
Window Handle: Maxim White

Glass: Double Glazed (Annealed) - Black Spacer - Clear

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 1 - Facet C1 - Supply & Fit - Remove & replace **Quantity:** 1

Viewed from outside



Viewed from inside



Casement - Rehau

Frame: Slim Bevel
Transom: Slim Bevel
Bead: Bevel
Frame Joint Type: Welded

Colour: Smooth White

Glass: Double Glazed (Annealed) - Black Spacer - Clear

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 1 - Facet D1 - Supply & Fit - Remove & replace **Quantity:** 1

Viewed from outside



Viewed from inside



Casement - Rehau

Frame: Slim Bevel
Sash: Slim Bevel
Transom: Slim Bevel
Bead: Bevel
Frame Joint Type: Welded
Sash Joint Type: Welded

Colour: Smooth White

Profile Trickle Vent: Small White
Window Handle: Maxim White

Glass: Double Glazed (Annealed) - Black Spacer - Clear

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 1 - Facet E1 - Supply & Fit - Remove & replace **Quantity:** 1

Viewed from outside



Viewed from inside



Casement - Rehau

Frame: Slim Bevel
Transom: Slim Bevel
Bead: Bevel
Frame Joint Type: Welded

Colour: Smooth White

Glass: Double Glazed (Annealed) - Black Spacer - Clear

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 2 - Bedroom - Supply & Fit - Remove & replace **Quantity:** 1

Viewed from outside



Viewed from inside



Casement - Rehau

Frame: Slim Bevel
Sash: Slim Bevel
Transom: Slim Bevel
Mullion: Slim Bevel
Bead: Bevel
Frame Joint Type: Welded
Sash Joint Type: Welded

Colour: Smooth White

Profile Trickle Vent: Small White
Window Handle: Maxim White

G1: Double Glazed (Annealed) - Black Spacer - Clear
G2: Double Glazed (Toughened) - Black Spacer - Clear

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 3 - Bathroom - Supply & Fit - Remove & replace **Quantity:** 1

Viewed from outside



Viewed from inside



Casement - Rehau

Frame: Slim Bevel
Sash: Slim Bevel
Bead: Bevel
Frame Joint Type: Welded
Sash Joint Type: Welded

Colour: Smooth White

Profile Trickle Vent: Large Match Finish
Window Handle: Maxim White

Glass: Double Glazed (Annealed) - Black Spacer - Cotswold

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 4 - Toilet - Supply & Fit - Remove & replace **Quantity:** 1

Viewed from outside



Viewed from inside



Casement - Rehau

Frame: Slim Bevel
Sash: Slim Bevel
Bead: Bevel
Frame Joint Type: Welded
Sash Joint Type: Welded

Colour: Smooth White

Profile Trickle Vent: Small White
Window Handle: Maxim White

Glass: Double Glazed (Annealed) - Black Spacer - Cotswold

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 5 - Kitchen - Supply & Fit - Remove & replace **Quantity:** 1

Viewed from outside



Viewed from inside



Casement - Rehau

Frame: Slim Bevel
Sash: Slim Bevel
Bead: Bevel
Frame Joint Type: Welded
Sash Joint Type: Welded

Colour: Smooth White

Profile Trickle Vent: Small White
Window Handle: Maxim White

Glass: Double Glazed (Annealed) - Black Spacer - Clear

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 6 - Kitchen - Supply & Fit - Remove & replace **Quantity:** 1

Viewed from outside



Viewed from inside



Casement - Rehau

Frame: Slim Bevel
Sash: Slim Bevel
Transom: Slim Bevel
Bead: Bevel
Frame Joint Type: Welded
Sash Joint Type: Welded

Colour: Smooth White

Profile Trickle Vent: Large Match Finish
Window Handle: Maxim White

Glass: Double Glazed (Annealed) - Black Spacer - Clear

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 7 - Lounge - Supply & Fit - Remove & replace **Quantity:** 1

PVCu Coupled Items - Elevation view

Viewed from outside



Couplers

Horizontal coupler A1-A2: 10mm

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 7 - Facet A1 - Supply & Fit - Remove & replace **Quantity:** 1

Viewed from outside



Viewed from inside



Casement - Rehau

Frame: Slim Bevel
Sash: Slim Bevel
Mullion: Slim Bevel
Bead: Bevel
Frame Joint Type: Welded
Sash Joint Type: Welded

Colour: Smooth White

Profile Trickle Vent: Small White
Window Handle: Connoisseur White

Glass: Double Glazed (Annealed) - Black Spacer - Clear

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

Technical detail: 7 - Facet A2 - Supply & Fit - Remove & replace **Quantity:** 1

Viewed from outside



Viewed from inside



French Door - Rehau

Opens: Out
Frame: Slim Bevel
Sash: Standard Bevel - Open Out
Bead: Bevel
Frame Joint Type: Welded
Sash Joint Type: Welded

Colour: Smooth White

Glass: Double Glazed (Toughened) - Black Spacer - Clear

Lock Cylinder: Euro Cylinder Nickel
Door Hinge: Butt Hinge White
Door Handle (master): Balmoral Inline Lever/Lever White
Door Handle (slave): Balmoral Inline Lever/Lever White

Please note - Images shown are for illustrative purposes. Dimensions given are illustrative. Printers & computer screens cannot be relied upon to accurately replicate colours.

Produced using Framepoint ® Technology. Copyright TommyTrinder.com Ltd

***Please note, this price is fully inclusive, includes VAT, expert fitting and contains no hidden extras.**

The double-glazed Argon gas-filled energy saving sealed units will be installed into the Rehau P.V.C.u. frames using internal beads for added security. The double-glazed units fitted will include several energy-saving features, using heat-reflective Planitherm coated glass, warm-edged spacer bars and Argon gas to improve the energy efficiency of your property.

Our Rehau frames all feature a high gloss finish, slim sight lines and can achieve the highest possible thermal and acoustic performance. Our Rehau frames are "A" rated meaning they are incredibly energy efficient, especially when paired with the energy saving double glazed units that we provide.

We know security for you and your home is paramount, so all our window and door systems are made from only the highest quality P.V.C.u and have been designed to provide rigidity and strength. They also come complete with steel reinforcements and high security multi point shoot bolt locking mechanisms, giving you peace of mind about the security of your home.

Lastly, our Rehau windows and doors hold the British Standards certification – BS EN 140001 for environmental standards and our window systems are rated ‘A’ by the British Research Establishment Green Guide for Recyclability, which is something that we deem to be very important.

Our 10-year Insurance backed guarantee is included. Our insurance includes £5 million pounds cover on products and public liability, and £10 million pounds on employer’s liability for your peace of mind.

In carrying out your proposed installation, our fitters will dust sheet traffic areas where they are working. We also ensure that the debris will be removed, recycled if possible (P.V.C.u and Aluminium), and the working areas will be left clean and tidy at the end of every working day.

Our installers will cover all silicone sealant with trims to prevent discolouration from dirt in the atmosphere. Where the double glazing is installed to the internal walls an acrylic paintable sealant will be used. Where P.V.C.u is sealed together, a hard polymer (plastic) sealant will be used, leaving your new installations looking newer for longer.

Conditions of contract

1) The contract for ("the goods") as specified overleaf shall be deemed to include these conditions. These conditions shall come into effect when the company completes the work schedule overleaf ("the order") and the customer accepts the order by signing and dating the authorization.
2) No times for delivery or competition in any of our offers shall be of the essence of the contract and all such times are subject to delays on account of strikes, accidents, government directions, force, machine breakdowns, unavailability of parts, materials or labor and other causes beyond our control.
3) Our policy is one of continuous improvement and we reserve the right to alter the specification at any time without prior notice. Delivery periods will be improved upon if possible, but such times are those anticipated when the customer (you) places the order. When applicable, the anticipated delivery will commence from the date of obtaining planning or building regulation approvals and is an estimate only.
4) Sample goods are intended only to show the working of a typical product and the materials to be used.
5) The goods will be manufactured to the sizes specified by the buyer, unless surveyed by the company's surveyor. No responsibility can be accepted by the company for incorrect sizes supplied by the buyer.
6) Any alteration required to the contract after manufacture shall be deemed to constitute a separate contract.
7) Notwithstanding the ownership of the goods shall pass to the buyer until the goods have been paid for in full, of loss or damage to the goods shall be borne by the buyer as soon as the goods are delivered to them. Delivery to a carrier or to any other person, firm or company on the buyer's behalf shall constitute delivery to the buyer.
8) The employees of the company are not authorized to make oral representations as to description, quality of fitness for purpose of the goods, the customer should ensure that such details be confirmed in writing on this order.
9) No guarantee, warranty or other representation is given by the company concerning the incidence, prevention or elimination of condensation, nor have its employees or agents' authority to give such representations or warranties. The fitting of our products will not in itself eliminate or reduce condensation. This is dependent upon the environment within the dwelling.
10) The company will indicate the rate of VAT on the order. If government institute changes occur, the prevailing rate at the date of the invoice will be charged.
11) The following works and/or materials cannot be warranted or guaranteed whether to brickwork, stonework, timbers of otherwise.
    - Damage attributable to structural or inherent defects in your premises
    - Liability for internal redecorating and replacement of curtains unless specifically stated on your order form.
    - Liability for external plaster and rendering for a distance of 150mm beyond the unit installed by Precision.
    - External chrome, gold, brass and silver finishes and effects may fade, pit or corrode.
    - External stainless-steel furniture is susceptible to "tea staining" in marine conditions (within 10 miles of the coastline or other bodies of water). Stainless steel furniture must be kept clean regularly to avoid this.

- Surface coatings applied to maintain decorative appearance which are liable to deterioration.
- Damage or faults due to accident, misuse, neglect or maintenance otherwise than according to our recommendations
- Fading of colors other than white after 5 years of installation

12) You may retain up to £50 per window if any sealed unit in that window is not of the required specification or it has been damaged on transit to your premises.
13) We contract with you as a result of our representative's assessment of your requirements and conditionally on our surveyor's approval of the work following inspection made after you have signed the contract. If we are advised the work will not be feasible, we will notify you and return your deposit and the contract will be at an end.
14) All orders must be accompanied by a deposit.
15) Payment to the company shall be made in full upon delivery of satisfactory installation, whichever applies.
16) Withing prejudice to its right to claim damages, the company shall be entitled (without prior notification) to charge interest with monthly rests at the rate of 3% per annum above bank base lending rate for the time being enforced on any sums which remain unpaid after the same shall become due.
17) The terms and conditions of this contract are not intended to infringe upon statutory rights of the company or customer.
18) Although care is always taken, the company will only refix any kitchen or bathroom ceramic tiles if supplied by the customer.
19) Although care is always taken, the company cannot accept liability for any damage to any cabling attached to or passing through any existing frames to be replaced.