**From:** planning@adur-worthing.gov.uk <planning@adur-worthing.gov.uk>
**Sent:** 13 November 2024 17:51:42 UTC+00:00
**To:** "planning@adur-worthing.gov.uk" <planning@adur-worthing.gov.uk>
**Subject:** Comments for Planning Application AWDM/1317/24

# Comments summary

Dear Sir/Madam,

Planning Application comments have been made. A summary of the comments is provided below.

Comments were submitted at 13/11/2024 5:51 PM from Mrs Georgina Litherland.

## Application Summary

| | |
|---|---|
| Address: | Shell Worthing Service Station Sompting Avenue Worthing West Sussex BN14 8HP |
| Proposal: | Outline Planning Application and Reserved matters for Petrol Station. Application to Vary Condition No. 3 of Previously approved AWDM/0115/16 which varied WB/0742/68. Amendment: to allow the use of the petrol filling station shop and forecourt pumps 24 hours every day.\|cr\| |
| Case Officer: | Jackie Fox |

Click for further information

## Customer Details

| | |
|---|---|
| Name: | Mrs Georgina Litherland |
| Address: | 72 Broadwater Street East, Worthing, West Sussex BN14 9AP |

## Comments Details

| | |
|---|---|
| Commenter Type: | Neighbour |
| Stance: | Customer objects to the Planning Application |
| Reasons for comment: | - Privacy Light and Noise |
| Comments: | We live adjacent to the Shell Worthing Service Station and wish to formally express our opposition to the proposed extension of their operating hours to a 24-hour schedule. Our primary concern is the anticipated increase in light and noise pollution during nighttime hours. As a family with young children, we believe that any |

additional disturbances could adversely affect their sleep patterns, thereby impacting our overall quality of life.

---

Kind regards