From: Jeremy Sergeant
Sent: 01 April 2014 11:54
To: Matthew Porter
Subject: RE: AWDM/0321/14 7 The Close

Checked the file no mention of it being felled or replacement, it was probably taken down by ADC as part of the DED Control Zone, so agreed that the Council should waive the requirement to re-plant in this case.

Many thanks

Jeremy Sergeant

Jeremy Sergeant - Arboricultural Officer , Planning Regeneration and Wellbeing |
Adur & Worthing Councils Location: Portland House
Internal: 63477 | External: 01273 263477 | E-mail: jeremy.sergeant@adur-worthing.gov.uk
Follow us on Facebook and Twitter - or search Adur and Worthing



Think before you print

From: Matthew Porter
Sent: 27 March 2014 15:09
To: Jeremy Sergeant
Subject: AWDM/0321/14 7 The Close

Hi Jeremy,

You have been consulted on this, but having been on site today it is evident the Elm which was TPO has long gone (probably Dutch Elm). There was no evidence of recent felling or grub out so I think it would be onerous to ask for a replacement on the current homeowner - do you agree?

Matthew Porter - Senior Planning Officer, Development Management |Adur & Worthing Councils
Location: Development Management, Adur & Worthing Councils, Portland House, 44 Richmond Road, Worthing, West Sussex, BN11 1HS
Internal: 63478 | External: 01903 221355 | E-mail: matthew.porter@adur-worthing.gov.uk

Please think before you print this and save paper