Comments for Planning Application AWDM/0441/21

1 message

planning@adur-worthing.gov.uk <planning@adur-worthing.gov.uk> 28 April 2021 at 19:43
To: planning@adur-worthing.gov.uk

Dear Sir/Madam,

Planning Application comments have been made. A summary of the comments is provided below.

Comments were submitted at 28/04/2021 7:44 PM from Mrs Federica Dunn.

Application Summary

Address:	O2 Telecommunication Site Grazing Land To North Manor Hall Road Southwick West Sussex
Proposal:	Replacement of 15m lattice mast with 20m high 5G monopole mast with headframe, 12no. antennas, 2no. 300mm dish and ancillary development.
Case Officer:	Gary Peck

Click for further information

Customer Details

Name:	Mrs Federica Dunn
Address:	31 Manor Close, Southwick, Brighton, West Sussex BN42 4NW

Comments Details

Commenter Type:	Member of the Public
Stance:	Customer objects to the Planning Application
Reasons for comment:	- Other
Comments:	The absence of due investigation of the nature and extent of the risks to the safety of individuals, and human health by the relevant United Kingdom authorities; The absence of appropriate measures, systems and safeguarding steps to address the identified risks or potential risks. My children's safety and the over sensitivity of my eldest son [redacted] has a strong reaction to mast and EMF emissions as of higher frequency. - The value of the properties near by will be therefore diminished.

Kind regards