REV	DATE	DESCRIPTION	BY	CHK'D	APP'D

The drawing is confidential and
the property of Glazewithlime
Reproduced or lent to
it must not be copied
Third parties without written
Although that panel optained

TITLE: REAR OF BUILDING - SD
FLAT COAT 2
SHEET DETAILS

DRAWN BY:	KP
JOB NO:	0315-08-0112
DATE:	18.8.08
SCALE:	1:50
DRG. TYPE:	CA

STATUS: PROPOSED REV:
SHEET 1 of 1
DRAWING NO: B.SC.0697

Glazewithlime

Building Control Approved Document

SCALE 1:50
VIEW A-A

SCALE 1:50
VIEW B-B

SCALE 1:50
SECTION E-E

SCALE 1:50
PLAN VIEW

SCALE 1:50
VIEW C-C

SCALE 1:50
VIEW D-D

NOTES:

LEGEND

C1	125x125 UC30	a. ALL STRUCTURAL STEELWORK TO BE GRADE 275?
C2	125x125 UC52	
B1	125x88 UB19	b. ALL STEELWORK TO BE HOT DIP GALVANISED
B2	152x152 ANGLEBEAM	c. PROVIDE MIN. 2 M30 8.8 GRADE BOLTS PER CONNECTION UNLESS STATED
B3	203x133 UB25	
B4	127x76 RSA	d. ALL FILLET WELDS TO BE MIN. 6mm.
B5	150x12 FFC	

FINISH NOTES:

150D CLOSE WOVEN GFR MEMBRANE
WEARAGE 12mm C50 CONCRETE BLINDING
50mm MELT COMPACTED HARDCORE
MAIN CONCRETE C30\37 D MAX. 20mm AGGREGATE50mm COVER ALL FACES

REINFORCEMENT DETAILS:

A393 FABRIC MESH 50mm COVER TOP & BOTTOM
B10 LINKS
B10 U BARS AROUND PERIMETER @ 300mm c\c
3NO. B10 L BARS AT 4 CORNERS OF SLAB

BUILDING CONTROL APPROVED
Date: 1 9 NOV 2008
MONITORING BOROUGH COUNCIL
Date Rec'd: 5.11.08
BOROUGH OF WORTHING
T.P. OFFICE COPY