ADUR DISTRICT COUNCIL

Mr Nick Jones
Jones Architects
Stone House Studio
The Crescent
Steyning
BN44 3GD

PLANNING PERMISSION

TOWN AND COUNTRY PLANNING ACT 1990
TOWN AND COUNTRY PLANNING (GENERAL PERMITTED DEVELOPMENT) (AMENDMENT) (ENGLAND) ORDER 2015

APPLICATION NUMBER: AWDM/2051/21

Details of Development
SINGLE STOREY FRONT EXTENSION, NEW PITCHED ROOF ACROSS FRONTAGE AT GROUND FLOOR LEVEL, NEW FEATURE WINDOW AT FIRST FLOOR WITH GABLED ROOF ON FRONT ELEVATION, TWO STOREY REAR EXTENSIONS WITH CEDRAL AND TIMBER CLADDING

Location of Development
30 BEACH ROAD SHOREHAM-BY-SEA WEST SUSSEX BN43 5LJ

In pursuance of their powers under the above-mentioned Act and Order the Council hereby notify you that they PERMIT the above development, in accordance with the application and relevant correspondence registered on 11th November 2021.

This is for reasons stated on the schedule overleaf and subject to compliance with the conditions specified thereon.

G Peck

Gary Peck
Planning Services Manager
01/02/2022

Adur District Council, Development Management, Economy Directorate,
Portland House, 44 Richmond Road, Worthing, West Sussex, BN11 1HS
Tel: 01903 221065 Email: planning@adur-worthing.gov.uk
Web: www.adur-worthing.gov.uk

SCHEDULE

Conditions

01. The development hereby permitted shall be carried out in accordance with the following approved plans unless specified otherwise in a subsequent condition imposed on this decision notice.

Reference/Drawing Number	Version	Date Rec
SITE LOCATION & BLOCK PLAN	A000	11.11.2021
EXISTING FLOOR PLANS	A100	11.11.2021
EXISTING ELEVATIONS	A200	11.11.2021
PROPOSED FLOOR PLANS	A110 A	14.01.2022
PROPOSED ELEVATIONS	A210 A	14.01.2022
FRA		11.11.2021

Reason: *For the avoidance of doubt and in the interests of proper planning.*

02. The development hereby permitted shall be begun before the expiration of 3 years from the date of this permission.

Reason: *To comply with Section 91 of the Town and Country Planning Act 1990.*

03. The external materials and finishes of the development hereby permitted shall, prior to commencement of use of the additional floorspace thereby created, be completed to match in design, colour and texture those of the existing building unless otherwise approved in writing by the Local Planning Authority.

Reason: *In the interests of visual amenity and to comply with policy 15 of the Adur Local Plan.*

04. Development shall not commence, other than works of site survey and investigation, until full details of the proposed surface water drainage scheme have been submitted to and approved in writing by the Local Planning Authority. The design should follow the hierarchy of preference for different types of surface water drainage disposal systems as set out in Approved Document H of the Building Regulations, and the recommendations of the SuDS Manual produced by CIRIA. Winter groundwater monitoring to establish highest annual ground water levels and winter infiltration testing to BRE DG365, or similar approved, will be required to support the design of any Infiltration drainage. No building / No part of the extended building shall be occupied until the complete surface water drainage system serving the property has been implemented in accordance with the agreed details and the details so agreed shall be maintained in good working order in perpetuity.

Reason: *To ensure satisfactory and sustainable drainage is installed having regard to policies 35 and 36 of the Local Plan and the National Planning Policy Framework.*

05. The privacy screens for the rear first floor terrace shown on the approved plan shall be erected prior to its first use and retained at all times.

Reason: *In the interest of privacy having regard to policy 15 of the Adur local plan.*

Informatives / Notes to Applicant

01. The Local Planning Authority has acted positively and proactively in determining this application by identifying matters of concern within the application (as originally submitted) and negotiating, with the Applicant, acceptable amendments to the proposal to address those concerns. As a result, the Local Planning Authority has been able to grant planning permission for an acceptable proposal, in accordance with the presumption in favour of sustainable development, as set out within the National Planning Policy Framework.

02. Infiltration rates for soakage structures are to be based on percolation tests undertaken in the winter period and at the location and depth of the proposed structures. The percolation tests must be carried out in accordance with BRE DG365, CIRIA R156 or a similar approved method and cater for the 1 in 10 year storm between the invert of the entry pipe to the soakaway, and the base of the structure. It must also have provision to ensure that there is capacity in the system to contain below ground level the 1 in 100 year event plus 40% on stored volumes, as an allowance for climate change. Adequate freeboard must be provided between the base of the soakaway structure and the highest recorded annual groundwater level identified in that location. Any SuDS or soakaway design must include adequate groundwater monitoring data to determine the highest winter groundwater table in support of the design. The applicant is advised to discuss the extent of groundwater monitoring with the Council's Engineers. Further detail regarding our requirements are available on the following webpage https://www.adur-worthing.gov.uk/planning/applications/submit-fees-forms. A surface water drainage checklist is available on this webpage. This clearly sets out our requirements for avoiding pre-commencement conditions, or to discharge conditions.

03. You are advised that there is a risk in providing ground floor bedrooms in a flood zone unless the finished floor level is above predicted flood levels.

Ref: AWDM/2051/21

TOWN AND COUNTRY PLANNING ACT 1990
TOWN AND COUNTRY PLANNING (GENERAL PERMITTED DEVELOPMENT) (AMENDMENT) (ENGLAND) ORDER 2015

YOUR ATTENTION IS DIRECTED TO THE FOLLOWING NOTES FROM THE ABOVE ORDER. THEY ARE FOR INFORMATION ONLY AND DO NOT PRETEND TO SET OUT THE WHOLE OF THE LAW ON THE SUBJECT. IT WOULD BE WELL FOR YOU TO CONSULT YOUR SOLICITOR IF YOU ARE IN ANY DOUBT

Appeals to the Secretary of State

1. If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.

2. If the decision relates to a householder application, and you want to appeal, then you must do so within 12 weeks of the date of this notice. If the decision relates to a non-householder application, an appeal must be lodged within 6 months of the date of the decision notice. Appeals must be made using a form which you can get from the Secretary of State at Temple Quay House, 2 The Square, Temple Quay, Bristol BS1 6PN (Tel: 0303 444 5000) or online at https://acp.planninginspectorate.gov.uk.

3. The Secretary of State can allow a longer period for giving notice of an appeal, but he will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.

4. The Secretary of State need not consider an appeal if it seems to him that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements to the provisions of any development order and to any directions given under a development order.

5. In practice, the Secretary of State does not refuse to consider appeals solely because the local planning authority based their decision on a direction given by him.

Purchase Notices

6. If either the local planning authority or the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted. In these circumstances, the owner may serve a purchase notice on the District Council in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Planning Act 1990.

7. Where this notice conveys approval or permission, conditional or unconditional, please note that the decision given does not purport to convey any consent or approval which may be required under the Building Act and Building Regulations, or any other legislation.

Reduced time for making a planning appeal where enforcement action is being taken

Where an enforcement notice has been served on the same, or substantially the same, development as in the householder application within 2 years of the date the application was made, the period for receiving an appeal is within 28 days of the date on the decision notice or of the date by which the LPA should have decided the application. Where an enforcement notice was served after the decision notice was issued or after the end of the period the LPA had to determine the application, the period for receiving an appeal is within 28 days of the date the enforcement notice was served (unless this extends the normal 12 weeks deadline).