All work to comply with building regulations and planning consent.
Workmanship and materials to comply with British standards and code of practice.
Scaled dimensions are approximate, take exact dimensions from site.
This drawing was prepared for local authority approval and not as a working drawing.
LOCAL AUTHORITY MAY SCALE THE DRAWING
Any deviation from the drawing to be agreed with the local authority.
Any queries to be agreed prior to construction.
See separate details for Structural engineers calculations.

AMENDMENT

WORTHING
SERVICES
1354/18
- 1 OCT 2018



SIDE ELEVATION (WEST) 1:100 AT A1

Proposed first floor Bathroom will not be fitted out as a Bathroom, instead the Client would like to use the room as a single Bedroom (number 5).
To achieve this the window needs replacing for an emergency escape window which will have a false mullion attached to one of the sashes, to achieve a minimum 600 clear width and minimum 800 clear height when opened.
Cill to be maximum 1000 off floor level.
No alterations required to the structure.
The window looks onto the roof of the bungalow next door and does not over look the garden. However obscure glazing has been included.



GROUND FLOOR PLAN 1:50 AT A1



ESCAPE WINDOW.
OBSCURE GLASS TO 1·7m, ABOVE FLOOR LEVEL,
THEN CLEAR GLASS ABOVE 1·7m.

FIRST FLOOR PLAN 1:50 AT A1



Tony Standing Designs
Drawing for Domestic Extensions

Title	CHANGE OF USE FROM SHOWER ROOM TO BEDROOM, 21 THE MEADWAY, SHOREHAM BEACH. BN43 5RN.				
Client	MRS. H. PACKER				
Drawn By: Date	TS JUNE 18	Drawing Revision	C704-8 A	Scale	AS SHOWN
Mr A J G Standing 4 Coombe Road, Steyning BN44 3LF	Phone: 01903 814151 / 07595 277995				

Sheet Size A1