
T.P. OFFICE COPY


BEAM SCHEDULE

B1	-	203 x 102 x 23UB Grade 43 with min 100mm end bearing onto 300 x 100 x 150, and 440 x 100 x 220mm thick mass concrete padstones
B2	-	203 x 102 x 23UB Grade 43 with min 100mm end bearing onto 300 x 100 x 150, and 440 x 100 x 220mm thick mass concrete padstones
B3	-	152 x 89 x 16UB Grade 43 with min 100mm end bearing onto engineering brick padstones
B4	-	2/ 127 x 76 x 13UB Grade 43 with min 100mm bearing or 2/ 100 x 140 deep PS Concrete beams or 2no Catnic CN5XA's
B5	-	127 x 76 x 13UB Grade 43 with min 100mm bearing
CJ1	-	50 x 122 C16 grade joists at 400mm centres
CJ2	-	50 x 97 C16 grade joists at 400mm centres
CJ3	-	50 x 97 C16 grade joists at 400mm centres


ALL THE ABOVE TO BE READ IN CONJUNCTION WITH ENGINEERS CALCULATIONS AND DETAILS AT ALL TIMES



Ground floor plan 1:50



First floor 1:50






Plasterboard sheets to provide mass per unit area of 10kg/m² with staggered joints, to comply with Part E (1.703 (Type 4.1))


Partition provide fire resistance of 90 minutes, and sound reduction of 61dB – As British Gypsum White Book GypWall QUIET system

SOUNDPROOFING DETAIL 1
NEW PARTITION




SOUNDPROOFING DETAIL 2
EXISTING MASONRY WALLS
1:10


BOROUGH OF WORTHING
DEPOSITED 15.09
TP. REF. No.
WB/ 08 / 1030/FUL




SOUNDPROOFING DETAIL 3
EXISTING FLOORS



Site plan 1:1250



Second floor 1:50



Block plan 1:500

WORTHING BOROUGH COUNCIL
22 JUN 2009
CONSENT GRANTED SUBJECT TO CONDITIONS

C	STRUCTURAL INFO ADDED	AJS 07	JS
B	TO BE CLARIFIED NOTES (B)	AJS 07	JS
A	UPDATED FOR PLANNING SUBMISSION	JUN 07	JS

Client	MRS V. NEWTON / P. RHODES ESQ.
Address	167 Brighton Road : Worthing
Drawing	CHANGE OF USE - OFFICES TO TWO SELF CONTAINED FLATS
No.	7806 : 1c
Scale	1:50 1:100 1:200 1:1250
Drawn	JS
Date	JUN 06

All electrical works to meet requirements of Part P (Electrical Safety) Installation to be designed installed, inspected and tested by person competent to do so. Council to be satisfied that Part P has been complied with, by issuing of appropriate BS7671 electrical installation certificate for works by person competent to issue same

AJ SALTER & SON
Architectural Technicians and Surveyors
50 WINDSOR ROAD, WORTHING, WEST SUSSEX, BN11 2LY
Tel/Fax: (01903 209406)
E-mail: ajsalterandson@hotmail.com