

EXISTING




FRONT (S)




SIDE (E)




REAR (N)




LOFT PLAN




ROOF PLAN








PROPOSED






VOLUME CALCULATION

$\frac{4.2 \times 2.6}{2} \times 5.7 = 31.1$ CUBIC METRES

0 1 2 3 4 5 6 7 8 9 10 m

SCALE 1/100 ON A2 PAPER.



BLOCK PLAN (1/500)

0 10 20 m

Scale bar (1/500)

PERMITTED DEVELOPMENT STATEMENT

The property is a semi-detached house and a single dwelling. The proposal is to convert the loft space and add a rear dormer, which is "an extension or alteration to its roof" and falls within Class B of the GPDO, meeting all of the requirements to be Permitted Development as follows:-

- The dormer will not exceed the existing ridge height.
- The dormer will not extend beyond the plane of the roof which forms the principal elevation and fronts a highway.
- The dormer will not exceed the 50 cubic metre volume limit.
- The dormer does not include a veranda or balcony.
- The property is not on Article 2(3) land.
- The property has Permitted Development rights.
- The external materials used will be of similar appearance to the existing, i.e. tile hung dormer walls and white UPVC windows.
- The dormer will be inset from the rear eaves, so far as practicable, by a minimum of 20cm.
- In addition, the Velux windows to the front roof slope will be installed according to Class C of the GPDO, and will not protrude more than 15cm beyond the surface of the roof tiles.

PROPOSED LOFT CONVERSION FOR MR WALKER		
212A LITTLEHAMPTON ROAD, WORTHING		
SCALE: 1/100	DATE: 17/07/2024	DRAWING NO. GA/02