



DO NOT SCALE EXCEPT FOR PLANNING AND BUILDING REGULATION PURPOSES

GENERAL NOTES

LIGHTING :-
ALL LIGHTING TO BE POSITIONED TO AVOID DIRECT GLARE ON THE EYES OF THE USER
AND UNWANTED REFLECTIONS FROM THE SCREEN OR OPERATING FEATURES. GLARE
FROM LIGHTING TO BE AVOIDED.

SIGNAGE :-
ALL SIGNAGE TO CONFORM TO BS 8300:2001 SECTIONS 9.2.2 LOCATION & DESIGN OF
SIGNS & INFORMATION AND 9.2.3 VISUAL SIGNS.
ALL NEW GLAZING CONFORMS TO BS 6206.
ALL ELECTRICAL WORK CONFORMS TO BS 7671.

IT IS ASSUMED THAT ALL PRELIMINARY WORKS CARRIED OUT / CONTRACTED BY THE SITE OWNER (SHOULD THEY BE REQUIRED BY THE PROJECT) ARE COMPLETED IN ACCORDANCE WITH CURRENT BUILDING REGULATIONS 2010 AND AMENDMENTS THEREAFTER

SITE NOTES

FLOOR CONSTRUCTION: CERAMIC TILE ON CONCRETE

TTW INSTALL

REMOVE EXISTING LARGE CRACKED / DAMAGED GLAZING PANEL

INSTALL: 2 X GREY LAMINATE PANELS c/w 'H' SECTION, ATM ENCLOSURE, PLINTH, ATM, ELECTRICS AND NON-ILLUMINATED DI-BOND SIGNAGE AND LOGO PANEL
MAKE GOOD INTERNAL APERTURE WITH WHITE PLASTIC TRIM

NOTE:

- NO ASBESTOS REG. NCRA TO ARRANGE ASBESTOS SURVEY REQUIRED PRIOR TO FURTHER SURVEYS AND INVASIVE WORKS COMMENCING
- ALL PROPOSED ATM INSTALL WORKS MUST ALLOW FOR FULL ATM SERVICE CLEARANCE INC. FULL RACK OUT OF REAR DISPENSERS
- ATM ELECTRICAL INSTALLATION TBC / SEE ELECTRICAL SURVEY
- EXISTING GLAZING PANEL CRACKED / DAMAGED
- INSTALL NON-ILLUMINATED SIGNAGE AND LOGO PANEL
- PARKING RESTRICTIONS APPLY / PARKING BAYS TO SHOP FRONT / MAX. STAY 1HR NO RETURN WITHIN 1HR / PARKING TICKETS LIKELY
- SITE NOT SHOWING AS A LISTED BUILDING AND NOT WITHIN CONSERVATION AREA CONSERVATION AREA OPPOSITE & ADJACENT TO SITE / RECOMMEND INSTALLING NON-ILLUMINATED SIGNAGE & LOGO PANEL / POSSIBLE PLANNING PRIOR MAY BE REQUIRED TBC BY NCRA PLANNING TEAM

WORK TO BE CARRIED OUT BY SITE

PROVIDE FULL ACCESS FOR ASBESTOS SURVEY AND ANY ADDITIONAL SITE SURVEYS
REMOVE 1 X ROLLER BLIND
RELOCATE 6 X STOCK CAGES AND LOOSE STOCK IN ATM INSTALL LOCATION

SITE ADDRESS BROADWATER MINI MARKET (PREMIER) 103-105 BROADWATER STREET E, WORTHING, BN14 9AW	TITLE PROPOSED AUTOMATED TELLER MACHINE (ATM) INSTALLATION FOR CASHZONE		04					drawing approval	
			03						
			02					NAME:-	
	DRAWN MAL	DATE 16/06/26	SCALE VARIOUS @A3	01					POSITION:-
REF/DRG No. E031270	SHEET	REVISION	REVISION	DESCRIPTION	DATE	BY	DATE:-	SIGNED:-	



NCR ATLEOS