

Application Number **AWDM/0044/26**

Address **Lancing College Preparatory School at Worthing 122 Broadwater Road Worthing West Sussex BN14 8HU**

Proposal **Section 211 Notice under the Town and Country Planning Act 1990 to prune to clear sign, Leylandii trees T1 in the Broadwater Conservation Area.**

Date of site visit: 17/02/26

Neighbours checked: Y

Additional neighbour notifications: N

Site notice: (wider publicity / conservation area): N

Proposal, Site and Surroundings

The application refers to one of a group of medium sized mature Leylandii located near the northwest corner of the campus of Lancing College Preparatory School. The tree is a prominent part of the street scene and makes a contribution to the character and visual amenities of the Broadwater Conservation Area.

Consent is sought to prune to clear School information sign one Leylandii tree. The reasons for the works are primarily in the interests of amenity value.

Consultations: None

Representations: Although no Site Notice was posted for this application, the neighbour at 120 Broadwater Road, who are the tree owners confirmed that they were aware of the works being planned and that they had no objections

Relevant Planning History

1949: The property is included in the List of Buildings dated 11th October 1949 compiled by the Minister of Housing and Local Government under sec.30(1) of the Town and Country Planning Act 1947.

1975: The property is included within Conservation Area II (Broadwater), designated by the Council on 6th March 1975.

1995: Worthing Tree Preservation order Number 46 of 1995 confirmed on 01/12/1995.

1995: Selective crown lifting, back ending of lower branches and removal of dead wood of three False Acacia, one Sycamore and one Lime (subject to Worthing Tree Preservation Order No 7/1976) : Broadwater Manor School Broadwater Road.

1995: Application to fell two Lime trees and crown reduce by 30% one Lime tree, part of group g4, subject to Worthing Tree Preservation Order No 7/1976 : Broadwater Manor School Broadwater Road.

- 1998: Application under Worthing Tree Preservation Order No 46/1995 to crown reduce by five metres one Holm Oak (*Quercus ilex*) T5 : Broadwater Manor School Broadwater Road.
- 2001: Application for consent under Worthing Tree Preservation Order No. 46/1995 to crown lift to 3 metres on south side Holm Oak (within Group G8) including lowest branch and pendulous growth above
- 2001: Application for consent under Worthing Tree Preservation Order No. 46/1995 to carry out various remedial lopping and cleaning out works to Holm Oak and Ash trees on eastern and southern perimeters of playing field
- 2003: Application for consent under Worthing Tree Preservation Order No. 46 of 1995 to reduce by up to 1 metre, 20% crown thin of the eastern crown and clean out of 2 Holm Oaks where overhanging Broadwater Mews to the east. Reduction of low crown on east side by up to 0.5 metre of Pine and clean out 3 further Pines. Group G8.
- 2004: Application for consent under Worthing Tree Preservation Order No. 46 of 1995 to fell to ground level and stumps treated, two Ash trees within Group G7 - REFUSED
- 2007: Application for consent under Worthing Tree Preservation Order No. 46 of 1995 to crown lift 9 Ash trees (Group G7) to 4 metres to South side (over the boundaries with numbers 23 - 29 Sompting Avenue) and clean out the crowns
- 2007: Application for consent under Worthing Tree Preservation Order No. 46 of 1995 to fell one Corsican Pine (adjacent to 7 Broadwater Mews within Group G8). Split Decision - Approved with Conditions. REFUSED - Application for consent under Worthing Tree Preservation Order No. 46 of 1995 to fell one Ash (adjacent to 27 Sompting Avenue within Group G7).
- 2008: Application under Worthing Tree Preservation Order No. 46/1995 to crown lift to 5 metres all round and crown reduction on the Sompting Avenue side sufficient to remove branches overhanging the road to one Holm Oak (*Quercus Ilex*) within Group G6
- 2009: Application under Worthing Tree Preservation Order No. 46 of 1995 to Crown lift one Larch tree (T11) on Northern side by removal of lower branches to two metres above ground level (including removal of two small pendulous branches over shed to main limb and reduction of this limb by up to one metre).
- 2009: Application for consent under Worthing Tree Preservation Order No. 46 of 1995 to crown lift to 5 metres and remove right hand main section to one Holm Oak (T3) on southern boundary adjacent to 116 Broadwater Road; and to crown lift one Holm Oak in south-eastern corner of grounds by removal of lower branches over garages in Manor View Court (part of Group G8).
- 2011: Application for consent under Worthing Tree Preservation Order No.46 of 1995 to raise the lower crown on east and south sides of one Holm Oak tree in the south-eastern corner of grounds (Part of Group G8), to give a clearance of 1.5 metres above the garage roofs of Manor View Court (and an additional 0.5 metre crown lift to the works approved under application WB/09/0961/TPO dated 21.12.09)
- 2015: Application for consent under Worthing Tree Preservation Order No.46 of 1995 to crown lift by up to 1.5 to 5.5 metres, clear buildings by up to 1-2 metres on individual trees T1 to T4 and T7 to T13 and selected trees of groups G1, G2 and G4 to G8, to thin by up to 20% 1 Holm Oak of G6 2 Ash of G7 and two Holm Oaks of G8, to reduce radial spread by up to 3 metres on east side one Corsican Pine of group G8 and remove major dead wood and sever Ivy where required.

- 2015: Section 211 Notice under the Town and Country Planning Act 1990 to crown lift by up to 2.5 to 3.5 metres, clear services by up to 1.5 metres one Horse Chestnut T143, one Beech T125, one Pear T126, two Field Maple T127 & T149 and two Whitebeam T142 & T148. To clear services by up to 1.5 metres one Norway Maple T132, crown lift to 3.5 metres and remove reversion growth one Norway Maple T151, to remove reversion growth from two Norway Maple T152 & T153, to crown reduce height and spread by up to 0.5 metres one Pear T141 and to remove major dead wood and sever Ivy where required, to trees in the Broadwater Conservation Area.
- 2018: Application for consent under Worthing Tree Preservation Order No.46 of 1995 to reduce height and radial spread by up to 2.5 metres one Ash of group G7; Prune to clear adjacent pole by up to 2 metres one Poplar of group G5; Fell and replace two Corsican Pine of group G8, two False Acacia of group G3 and one Ash tree of group G7.
- 2020: Application for consent under Worthing Tree Preservation Order No.46 of 1995 to Pollard to 12.5 metres five Ash trees, to pollard to 11.5 metres one Ash tree and crown lift to 5.5 metres and reduce height and spread 2.5 metres of one Ash tree all group G7, to reduce radial spread 2.5 metres lift to 5.5 metres one Holm, reduce select low limbs to east and Southeast by up to 5 metres one Holm Oak, and reduce radial spread to East by up to 4 metres one Holm Oak all of group G8, and to crown lift up to 5.5 metres Beech tree T7.
- 2021: Section 211 Notice under the Town and Country Planning Act 1990 to reduce to ground level Bay tree T1, and to fell and replace one Ash T4 one Sycamore T5 and two Elm T7 and T8 in the Broadwater Conservation Area.
- 2021: Application for consent under Worthing Tree Preservation Order No. 46 of 1995 to reduce to northern boundary and crown lift up to 3.5 metres one Holly T2 of group G1, reduce radial spread to south one Holly T3 of group G2, reduce crown height by up to 4.5 metres and reduce radial spread by up to 3.5 metres one Holm Oak T4 (T6 on applicant's plan), crown lift up to 6 metres, remove epicormic growth, prune to clear pole and cables by up to 2 to 3.5 metres and reduce low branch to Southeast by up to 4 metres one Aspen tree of group G9, and to crown lift up to 5.5 metres and reduce northeast limb by up to 3 metres one Holm Oak T10 of group G6.
- 2021: Application for consent under Worthing Tree Preservation Order No. 46 of 1995 to reduce Beech (T7) - Crown by up to 2.5m of existing branch length, to appropriate growth points.
- 2022: Application for consent under Worthing Tree Preservation Order No.46 of 1995 to fell and replace one Douglas Fir tree T9. Refused.
- 2022: Application for consent under Worthing Tree Preservation Order No.46 of 1995 to reduce radial spread by up to 2 metres, and crown lift up to 4 metres, one Holm Oak tree T4.
- 2023: Application for consent under Worthing Tree Preservation Order No.46 of 1995 to reduce radial spread by up 1 to 2 metres, and crown lift up to 2.5 metres, Holm Oak tree T3 of group G6, and to reduce radial spread by 1.5 to 2.5 metres, Douglas Fir tree T9.
- 2024: Section 211 Notice under the Town and Country Planning Act 1990 to fell and replace one Ash tree T2 in the Broadwater Conservation Area.
- 2025: Section 211 Notice under the Town and Country Planning Act 1990 to reduce to a height of 1.8 metres one group of Bays G1 and to prune back inline with boundary Lawson Cypress and Bay H1, in the Broadwater Conservation Area.

2025: Application for consent under Worthing Tree Preservation Order No.46 of 1995 to prune back to source two large branches to north of upper crown one Ash tree T2 of group G7, and to fell and replace Goat Willow T13

2025: Section 211 Notice under the Town and Country Planning Act 1990 to reduce to a height of 1.8 metres one group of Bays G1 and to prune back inline with boundary Lawson Cypress and Bay H1, in the Broadwater Conservation Area.

2025: Application for consent under Worthing Tree Preservation Order No.46 of 1995 to crown lift up to 5 metres Grey Poplar tree T1 of group G5, reduce radial spread by up to 1 metre to North Scots Pine T10, and reduce selected lower north limb by up to 2 metres Larch tree T11 in the Broadwater Conservation Area.

Planning Assessment

The tree is a medium sized Leylandii on the southern end of a linear group that previously was a formal hedge, allowed to grow out. The tree is part of a group of trees that are prominent to the area, and can be seen from many views.

The tree has a single stem to 2 metres where it then divides into several upright stems and small branches, some of which partially obscure the adjacent School information sign. The combined main crown is dense and wide spread.

The proposed works are to prune to allow clear sight of the adjacent metal sign.

These works in my opinion would be relatively minor in relation to the overall size, spread and crown form of the tree and would not significantly or adversely affect its appearance, amenity value, or its contribution to the character of the area.

Recommendation

Grant Consent, Not subject to Conditions:

Is recommendation contrary to letter(s) of representation?

No

Case Officer: JDS Date: 18/02/2026

Authorised by: Louise Prew Date: 18/02/2026