## External Material Schedule

| MAT | Description | Combustibility Rating | Image |
|---|---|---|---|
| 1 | TERRACE SOFFIT<br>Metal soffit to underside - colour to match balustrade (Item 3) | A1/A2-s1,d0 | |
| 2 | BALCONY DECKING (FLOOR)<br>Aluminium<br>Product: Ali-Deck Junior Balcony Board<br>Colour: Textured Silver Grey<br>(As per phase 1) | A1/A2-s1,d0 | |
| 3 | BALUSTRADE<br>Colour: RAL 7030<br>Gloss: 30%<br>(As per phase 1) | A1/A2-s1,d0 | |
| 6 | COPING<br>Aluminium<br>Colour: To match Balustrade (Item 3) | A1/A2-s1,d0 | |
| 7 | CURTAIN WALLING<br>Colour: To match window frames (Item 13) | Exempt as per BRAD B (2019) Section B4 Regulation 7(3)(j) | |
| 8 | ENTRANCE CANOPIES<br>Precast canopy to match balconies | A1/A2-s1,d0 | |
| 9 | LOUVRES<br>Framed louvre system (includes substation wall & door)<br>Manufacturer: Sunray<br>Frame & Louvre colour to match window frames (Item 13)<br>Size: 50mm pitch | A1/A2-s1,d0 | |
| 11 | TERRACE DECKING (FLOOR)<br>Aluminium<br>Product: Ali-Deck Junior Balcony Board<br>Colour: Textured Silver Grey<br>(As per phase 1) | A1/A2-s1,d0 | |
| 12 | VENT<br>Within obscure panel<br>Colour to match window frames (Item 13) | A1/A2-s1,d0 | |
| 13 | WINDOW FRAMES<br>Colour: RAL 7016<br>(As per phase 1) | Exempt as per BRAD B (2019) Section B4 Regulation 7(3)(j) | |
| 14 | FROSTED GLASS BALCONY BACKING/PRIVACY SCREENS<br>Glass thickness: 6mm | A1/A2-s1,d0 | |
| 15 | RAINWATER GOODS<br>Colour: 'Light grey' - RAL to match balustrade (Item 3) | A1/A2-s1,d0 | |
| 16 | BRICK light<br>Brick: Light grey smooth, Bespoke Brick Company - TBC<br>Mortar: Colour Cemex 'Dove Holes White' or similar approved<br>Bond: Half lap stretcher<br>Pointing: Bucket handle<br>Airbrick: TBC<br>Movement Joint: Mastic to match adjoining masonry | A1 | |
| 17 | BRICK white<br>Brick: White smooth, Bespoke Brick Company - TBC<br>Mortar: Colour Cemex 'Dove Holes White' or similar approved<br>Bond: Half lap stretcher<br>Pointing: Bucket handle<br>Airbrick: RAL9016<br>Movement Joint: Mastic to match adjoining masonry | A1 | |
| 18 | BRICK buff<br>Brick: Buff Stock, Bespoke Brick Company - TBC<br>Mortar: Colour Cemex 'Dove Holes White' or similar approved<br>Bond: Half lap stretcher<br>Pointing: Bucket handle<br>Airbrick: TBC<br>Movement Joint: Mastic to match adjoining masonry | A1 | |
| 19 | BRICK red<br>Brick: Apollo red stock, Bespoke Brick Company - TBC<br>Mortar: Colour Cemex 'Dove Holes White' or similar approved<br>Bond: Half lap stretcher<br>Pointing: Bucket handle<br>Airbrick: TBC<br>Movement Joint: Mastic to match adjoining masonry | A1 | |




**Block E Sample Panel**




**Block F Sample Panel**

**MATERIAL SAMPLES**

Photos taken at External Material sample LPA meeting on site 16.05.24

**BLOCK E**




**BLOCK F**




HG CONSTRUCTION
aca studios
**address** : 88 Union Street London SE1 0NW **phone** : 020 7593 1000
**email** : mail@acastudios.co.uk **web** : www.acastudios.co.uk

| **job:** Free Wharf, Shoreham-by-Sea | **drawn** HK | **date** 04/24 |
|---|---|---|
| **drawing:** General Arrangement, Phase 2 External Material Schedule | **scale** 1 : 10 @ A1, 1 : 20 @ A3 | **job no** 3117 |
| **drawing number:** 3117-ACA-EF-XX-DR-A-6101 | | rev. C 01 |

DRAFT CONSTRUCTION
note: all dimensions to be checked on site before commencement of the work. if this drawing exceeds the construction in any way the architects are to be informed before work is commenced. this drawing is copyright.

revisions (most recent listed below, refer to DIS for all revisions)

| rev | date | description | drawn | check |
|---|---|---|---|---|
| 00 | 26.04.24 | Draft Construction issue | JN | HK |
| 01 | 17.05.24 | Updated following external material sample meeting on site 16.05.24 | HK | GB |

**EXTERNAL MATERIAL NOTES**

Based on CZWG NBS specification: 2052-40-SP-NBS-T20 Specification for Stage 4a Employers Requirements

**LOCATION PLAN** **SCALE 1:2500**




0m 0.2m 0.5m 1m

# Phase 2 External Material Schedule

not for construction