





Type 7 Permeable Concrete Block Paving to driveways



- | West Sussex Construction Details | |
|----------------------------------|---|
| Drawings | Drawing Title |
| S278/2801 | Alternative methods of Laying Kerbs |
| S278/3802 | Approved Kerb Type Selection Sheet 1 |
| S278/3803 | Approved Kerb Type Selection Sheet 2 |
| S278/3804 | Footway/Cycleway Type 1 & 2 |
| S278/3806 | Footway/Footpath (Rural) Type 1 |
| S278/3807 | Footway/Crossroads Type 1 Residential |
| S278/3810 | Preferred Arrangement of Services within Public Highway |
| S278/3811 | Drainage Gully A - Pre-Cast Concrete |
| S278/3813 | Drainage Type B & Catchpit |
| S278/3815 | Street Furniture Manual Steps |
| S278/3818 | Street Furniture Ramp Feature |
| S278/3819 | Street Furniture Tactile Crossings |
| S278/3821 | Carriageway Flexible Specification |
| S278/3823 | Drainage Pipe Bending Details |
| S278/3834 | Drainage Pipe Storage (Type 1 & 2) |
| S278/3835 | Drainage Cellular Storage Sheet 1 of 2 |
| S278/3836 | Drainage Lateral Connection |

CBR (%)	Sub-base without geogrid/geotextile (mm)	Sub-base with geogrid/geotextile (mm)
<2	N/A	300
2-3	325	225
3-5	250	150
5-7	150	N/A
7-20	100	N/A

1. CBR Table applies only to non-adoptable roads.
2. For roads with Type 3 sub-base thickness on standard details shall be minimum and not reduced based on above table to ensure attenuation volume is provided.
3. For adopted roads refer to WSCC Standard Detail drg. no. S278/S38/21.
4. Non-adopted carriageway sub-base thicknesses stated on this drawing assume 3% CBR unless stated otherwise.

FOR CONSTRUCTION

SUBJECT TO
APPROVAL

Ordnance Survey Licence number: 100057360

Drawing Revisions

[illegible]

Client

Persimmon Homes

Project

West Sompting, West Sussex

Title	Author	Date	Status
Project A	John Doe	2023-10-26	In Progress
Project B	Jane Smith	2023-10-27	On Hold
Project C	Mike Johnson	2023-10-28	Completed
Project D	Sarah Lee	2023-10-29	Planned
Project E	David Kim	2023-10-30	In Progress

Phase 2 External Works

Private Standard Details

MILESTONE

TRANSPORT PLANNING
7 Ancells Court, Rye Close, Fleet, Hampshire, GU51 2UY
Tel: 01483 397888
Gateshead IBC, Mulgrave Terrace, Gateshead, NE8 1AN
Tel: 0191 338 7220
1 Wharfside Street, Spaces The Mailbox Level 1, Birmingham, B1
Tel: 0121 661 9881
web: www.milestonetp.co.uk

Scale	Revision
-------	----------

As Shown @ A1	C01
---------------	-----

Drawing Number

611-0709